

目 录

[Database Dict - EN](#)

[数据库字典 - ZH](#)

Database Dict - EN

shop_stand_intall Db dictionary

The dictionary's comments come from the database table and its field comments (` comment `)

account_ban_ip IP forbidden table - in cache

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comme
ban_ip	varchar(25)		NO		IP
ban_reason	varchar(50)		NO		reason
ban_unlock_time	int(12) unsigned	0	NO		Unlockir time
ban_lock_time	int(12) unsigned	0	NO		Lock tir
ban_autorelease	int(1)	1	NO		Automa opening (enum): automa unlockir 0-manu unlockir
ban_status	tinyint(1)	1	NO		Locking status (enum): locked; unlocke

					Locking type (enum): 000000
--	--	--	--	--	--------------------------------------

ban_type Column Name	tinyint(1) Unsigned Type	1 Column Default	NO Is Nullable	Auto Increment	access forbidde Column Comme registra forbidde

account_base_app Application configuration table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
app_id	int(10) unsigned		NO	是	Applic number
app_name	varchar(40)		NO		Applic Name progra calls k app_r url
app_label	varchar(255)		NO		Apply
app_type	smallint(5) unsigned	0	NO		Applic type
app_seq	int(11)	0	NO		Applic No
app_key	varchar(255)		NO		Applic key
app_ip	varchar(255)		NO		IP list
app_url_site	varchar(255)		NO		Service website
app_url_api	varchar(255)		NO		API website

					Backg web
--	--	--	--	--	-----------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
app_url_admin	varchar(255)		NO		admin center
app_url_login	varchar(255)		NO		Login
app_url_logout	varchar(255)		NO		Log out
app_url_reg	varchar(255)		NO		Regist website
app_url_recharge	varchar(255)		NO		Exchange website
app_url_order	varchar(255)		NO		URL address to check whether the order exists
app_logo	varchar(255)		NO		Please upload the photo address
app_hosts	varchar(255)		NO		Domain name (DOT)
app_return_fields	varchar(255)		NO		Return fields (DOT)
app_enable	tinyint(1) unsigned	0	NO		Enable (enum disabled enable)

account_base_config System parameter setting table

Column Name	Column Type	Column Default	Is Nullable

config_key	varchar(50)	Column	NO
Column Name	Column Type	Default	Is Nullable
config_value	varchar(10000)		NO
config_type	varchar(20)		NO

config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(1024)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formater	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

account_base_config_dev System parameter setting table

Column Name	Column Type	Column Default	Is Nullable
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO

Column Name	Column Type	Column Default	Is Nullable
config_comment	varchar(1024)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO

config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO
-----------------	----------------------------	------	----

account_base_protocol Basic communication protocol table

Column Name	Column Type	Column Default	Is Nullable	Attribute
cmd_id	mediumint(8) unsigned		NO	是
ctl	varchar(50)		NO	
met	varchar(50)		NO	
mdu	varchar(50)		NO	
db	enum('master','slave')	master	NO	

typ Column Name	enum('e','json','msgpcak','amf') Column Type	json Column Default	NO Is Nullable	A Ir
rights_id	smallint(4)	0	NO	
log	tinyint(1)	0	NO	
struct	varchar(100)		NO	
comment	varchar(255)		NO	
0	varchar(255)	int16_t:cmd_id	NO	
1	varchar(255)		NO	
2	varchar(255)		NO	
3	varchar(255)		NO	

4	varchar(255)		NO	
5	varchar(255)		NO	
6	varchar(255)		NO	
7	varchar(255)		NO	
8	varchar(255)		NO	
9	varchar(255)		NO	
10	varchar(255)		NO	
11	varchar(255)		NO	
12	varchar(255)		NO	
13	varchar(255)		NO	
14	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Attr
15	varchar(255)		NO	
16	varchar(255)		NO	
17	varchar(255)		NO	
18	varchar(255)		NO	
19	varchar(255)		NO	
20	varchar(255)		NO	
21	varchar(255)		NO	
22	varchar(255)		NO	
23	varchar(255)		NO	
24	varchar(255)		NO	
25	varchar(255)		NO	

26	varchar(255)		NO	
27	varchar(255)		NO	
28	varchar(255)		NO	
29	varchar(255)		NO	
30	varchar(255)		NO	
31	varchar(255)		NO	
32	varchar(255)		NO	

account_base_role_level Role level table platform

Column Name	Column Type	Column Default	Is Nullable
-------------	-------------	----------------	-------------

Column Name	Column Type	Column Default	Nullable
role_level_id	int(11)		NO
role_level_name	varchar(50)		NO

role_level_exp	int(10)	0	NO
role_level_fans_user	int(10)	0	NO
role_level_fans_store	int(10)	0	NO
role_level_spend	int(10)	0	NO
role_level_product_id	int(11)	0	NO
role_level_logo	varchar(255)		NO
role_level_validity	tinyint(1) unsigned	0	NO
role_level_exp_reduction	int(10) unsigned	0	NO

role_level_annual_fee Column Name	int(10) signed	0 Column Default	NO Nullable
role_level_rate	decimal(6,2)	0.00	NO

role_level_fx_rate	decimal(6,2)	100.00	NO
role_level_privilege	varchar(2048)		NO
role_level_time	timestamp	CURRENT_TIMESTAMP	NO
role_level_is_buildin	tinyint(1)	0	NO

account_base_user_level User level table - platform

Column Name	Column Type	Column Default	Is Nullable
user_level_id	int(11)		NO
user_level_name	varchar(50)		NO
user_level_exp	int(10)	0	NO
user_level_fans_user	int(10)	0	NO
user_level_fans_store	int(10)	0	NO
user_level_fans_vin	int(10)	0	NO

Column Name	Column Type	Column Default	Is Nullable
user_level_fans_team	int(10)	0	NO
user_level_spend	int(10)	0	NO
user_level_product_id	varchar(30)		NO
user_level_logo	varchar(255)		NO

user_level_validity	tinyint(1) unsigned	0	NO
user_level_exp_reduction	int(10) unsigned	0	NO
user_level_annual_fee	int(10) unsigned	0	NO
user_level_rate	decimal(6,2)	0.00	NO

user_level_rate	decimal(6,2)	0.00	NO
Column Name	Column Type	Column Default	Is Nullable
user_level_fx_rate	decimal(6,2)	100.00	NO
user_level_privilege	varchar(2048)		NO
user_level_time	timestamp	CURRENT_TIMESTAMP	NO
user_level_is_buildin	tinyint(1)	0	NO

account_number_seq ID management table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
prefix	varchar(20)		NO		prefix
number	mediumint(8) unsigned	0	NO		Growth value

account_user_analytics User role information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_id	int(10) unsigned	0	NO	
user_spend	decimal(10,2) unsigned	0.00	NO	
user_refund	decimal(10,2) unsigned	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_order_buy_num	int(10) unsigned	0	NO	
user_order_return_num	int(10)		NO	
user_product_buy_num	int(10)		NO	
user_product_return_num	int(10)		NO	

account_user_base User basic information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned		NO	是	User number
user_account	varchar(50)		NO		User Center
user_password	char(32)		NO		Password
user_nickname	varchar(50)		NO		User nickname

user_state	tinyint(1) unsigned	1	NO		Status (enum): locked; not activate 2-activate
					Cookie

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
user_key	varchar(100)		NO		Encrypt Key password change login change involves multiple ends, affecting user center
user_salt	varchar(100)	salt-	NO		Add some salt
user_token	varchar(100)		NO		for site connect check: user_Ke password login change, user_ Token connect changes after request verificat

rights_group_id	varchar(100)		NO		Permiss Group (DOT)
user_is_admin	tinyint(1)	0	NO		Whethe enable (bool): C no; 1-ye

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Store account (DOT)
store_ids	varchar(200)		NO		Store account (DOT)
chain_ids	varchar(200)		NO		Store account number (DOT)

account_user_bind_account User account binding table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_account	varchar(50)		NO	
user_id	int(10) unsigned		NO	
bind_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_bind_connect User binding table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
bind_id	varchar(100)		NO	
	tinyint(4)			

bind_type Column Name	Column Type	Column Default	NO Is Nullable	Auto Incre
user_id	int(10) unsigned	0	NO	
bind_time	timestamp	CURRENT_TIMESTAMP	NO	
bind_nickname	varchar(50)		NO	
bind_icon	varchar(255)		NO	
bind_gender	tinyint(1)	1	NO	

bind_vip	tinyint(1) unsigned	0	NO	
bind_level	tinyint(1) unsigned	0	NO	
bind_client_id	varchar(80)		NO	
bind_country	varchar(20)		NO	
bind_province	varchar(20)		NO	
bind_city	varchar(20)		NO	
bind_county	varchar(20)		NO	
bind_openid	varchar(100)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
bind_unionid	varchar(100)		NO	
bind_access_token	varchar(255)		NO	
bind_expires_in	int(8)	0	NO	
bind_refresh_token	varchar(255)		NO	
bind_token_ttl	int(10) unsigned	0	NO	
bind_active	tinyint(3)	0	NO	

account_user_bind_email User mail binding table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_email	varchar(50)	0	NO	
user_id	int(10) unsigned		NO	
bind_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_bind_mobile User mobile binding table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_mobile	varchar(20)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_id	int(10) unsigned		NO	
bind_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_chain Store customer relationship table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned	0	NO		Membership Number
chain_id	int(10) unsigned	0	NO		Owned stores
store_id	int(10) unsigned	0	NO		Shop Number

account_user_history User password history information table

Column Name	Column Type	Column Default	Is Nullable
user_id	int(10) unsigned		NO
user_history_password	varchar(255)		NO
user_history_ip	varchar(255)		NO
user_history_time	timestamp	CURRENT_TIMESTAMP	NO

account_user_info User details table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_id	int(10) unsigned		NO	
user_type_id	smallint(4) unsigned	0	NO	
user_exp_total	bigint(16) unsigned	0	NO	
user_level_validity_time	int(11)	0	NO	
user_level_card	varchar(20)		NO	
user_level_id	smallint(4) unsigned	1001	NO	
user_group	int(11)	0	NO	
user_avatar	varchar(255)		NO	
user_gender	tinyint(1) unsigned	1	NO	
user_birthday	date	0000-01-01	NO	
user_mobile	varchar(20)		NO	
user_tel	varchar(30)		NO	
user_email	varchar(50)		NO	
user_qq	varchar(20)		NO	
user_ww	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_province_id	int(10) unsigned	0	NO	

user_city_id	int(10) unsigned	0	NO	
user_county_id	int(10) unsigned	0	NO	
user_address	varchar(255)		NO	
user_sign	varchar(255)		NO	
user_realname	varchar(20)		NO	
user_idcard	varchar(30)		NO	
user_idcard_images	varchar(1024)		NO	
user_certification	tinyint(1) unsigned	0	NO	
user_is_new	tinyint(1)	1	NO	
user_notename	varchar(50)		NO	
user_withdraw_state	tinyint(1)	0	NO	

**account_user_level_log User level record**

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_level_log_id	int(11)		NO	是
user_id	int(10)		NO	
user_level_id	smallint(4)	0	NO	
user_level_pre_id	smallint(4) unsigned	0	NO	
ull_time	timestamp	CURRENT_TIMESTAMP	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
ull_note	varchar(50)		NO	
ull_is_sync	tinyint(1)		NO	
admin_id	int(10)	0	NO	

account_user_login User login information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_id	int(10) unsigned		NO	
user_reg_datetime	timestamp	CURRENT_TIMESTAMP	NO	
user_active_time	timestamp	1970-01-02 00:00:00	NO	
user_reg_ip	varchar(15)		NO	
user_lastlogin_time	timestamp	1970-01-02 00:00:00	NO	
user_lastlogin_ip	varchar(15)		NO	

user_count_login	int(11) unsigned	0	NO	
user_reg_date	date		NO	
user_reg_time	int(11)	0	NO	



account_user_login_history User login information table

Column Name	Column Type	Column Default	Is Nullable	Aut Incr
user_login_history_id	int(11)		NO	是
user_id	int(10) unsigned		NO	
user_login_ip	varchar(20)		NO	
user_login_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_role User role information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned	0	NO		User number
role_level_id	int(10)	1001	NO		Role level number
user_is_sp	tinyint(10) unsigned	0	NO		Bool: 0-no; 1-yes;
user_is_da	tinyint(10) unsigned	0	NO		Bool: 0-no; 1-yes;
user_is_ca	tinyint(10) unsigned	0	NO		Bool: 0-no; 1-yes;
user_is_new	tinyint(1)	1	NO		New user (bool): 0-no; 1-yes;

account_user_sns User SNS information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co Cc
user_id	int(10) unsigned		NO		Us nu
user_blog	int(10) unsigned	0	NO		Nu mi
user_friend	int(10) unsigned	0	NO		Nu fri
user_fans	int(10) unsigned	0	NO		Nu fan
user_growth	int(10) unsigned	0	NO		Gr Va
user_sign	varchar(500)		NO		Us sig
user_report	tinyint(1)	1	NO		Wl to (b no
user_buy	tinyint(1)	1	NO		Wl to go (b no
user_comment	tinyint(1) unsigned	1	NO		Wl to sp (b no
user_fans_store	int(10)	0	NO		Nu pr stc
user_story	int(10)	0	NO		th nu

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
-------------	-------------	----------------	-------------	----------------	----------

user_story_comment	int(10)	0	NO		Number of comments
user_favorites_store	int(10)	0	NO		Number of favorite items
user_favorites_item	int(10)	0	NO		Number of favorite items
user_favorites_brand	int(10)	0	NO		Number of favorite brands
user_story_collection	int(10)	0	NO		Number of story collections
user_story_like	int(10)	0	NO		Number of story likes
user_story_forward	int(10)	0	NO		Number of story forwards

account_wechat_accesstoken Wechat access Token central control server table - currently directly in cache zero_Api_Wechat

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
wechat_app_id	varchar(255)		NO		Wechat app ID
wechat_access_token	varchar(1024)		NO		Wechat access token
wechat_expires_in	int(10)	0	NO		Wechat expires in

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
wechat_ttl	int(10) unsigned	0	NO	

admin_base_config System parameter setting table

Column Name	Column Type	Column Default	Is Nullable
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(255)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formater	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

admin_base_menu Menu table - 10 increments

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
menu_id	int(10)		NO	是	C C n

menu_parent_id	int(10)	0	NO		M n
menu_rel	varchar(20)	pageTab	NO		-
menu_name_en_GB	varchar(50)		NO		E n
menu_name	varchar(20)		NO		M
menu_label	varchar(50)		NO		M
menu_order	tinyint(4) unsigned	50	NO		s
menu_enable	tinyint(1) unsigned	1	NO		V e
menu_class	varchar(255)		NO		c
menu_icon	varchar(30)		NO		lk
menu_bubble	varchar(255)		NO		b
menu_url_mdu	varchar(255)		NO		M n
menu_url_ctl	varchar(50)		NO		C n
menu_url_met	varchar(20)		NO		C n
menu_url_parem	varchar(250)		NO		L p
menu_url	varchar(100)		NO		T L

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
menu_time	timestamp	00-00-00:00:00	NO		

menu_type	tinyint(1) unsigned	1	NO		M (g o s n
menu_note	varchar(5000)		NO		-
menu_func	varchar(255)		NO		F f i c
menu_role	tinyint(3) unsigned	1	NO		R (p c i r n e

admin_base_menu_unttech Menu table - 10 increments

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
menu_id	int(10)		NO	是	M
menu_parent_id	int(10)	0	NO		M
menu_rel	varchar(20)	pageTab	NO		-
menu_name_en_GB	varchar(50)		NO		E n

menu_name_ar_SA Column Name	varchar(50) Column Type	Column Default	NO Nullable	Auto Increment	e C S
menu_name_es_MX	varchar(50)		NO		
menu_name_th_TH	varchar(50)		NO		T
menu_name	varchar(20)		NO		M
menu_label	varchar(50)		NO		M
menu_order	tinyint(4) unsigned	50	NO		s
menu_enable	tinyint(1) unsigned	1	NO		V e

menu_class	varchar(255)		NO		c
menu_icon	varchar(30)		NO		l
menu_bubble	varchar(255)		NO		b
menu_url_mdu	varchar(255)		NO		M n
menu_url_ctl	varchar(50)		NO		C n
menu_url_met	varchar(20)		NO		C n
menu_url_parem	varchar(250)		NO		L p
menu_url	varchar(100)		NO		T L
menu_time	timestamp	0000- 00-00 00:00:00	NO		L
	tinyint(1)				M (a

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
menu_type	unsigned	1	NO		
menu_note	varchar(5000)		NO		-
menu_func	varchar(255)		NO		F fi c

menu_role	tinyint(3) unsigned	1	NO		R (p c i r n e
-----------	------------------------	---	----	--	--------------------------------------

admin_base_protocol Basic communication protocol table

Column Name	Column Type	Column Default	Is Nullable	Attr
cmd_id	mediumint(8) unsigned		NO	是
ctl	varchar(50)		NO	
met	varchar(50)		NO	
mdu	varchar(50)		NO	

db Column Name	enum('master','slave') Column Type	master Column Default	NO Is Nullable	A Ir
typ	enum('e','json','msgpcak','amf')	json	NO	
rights_id	smallint(4)	0	NO	
log	tinyint(1)	0	NO	
struct	varchar(100)		NO	
comment	varchar(255)		NO	

0	varchar(255)	int16_t:cmd_id	NO	
1	varchar(255)		NO	
2	varchar(255)		NO	
3	varchar(255)		NO	
4	varchar(255)		NO	
5	varchar(255)		NO	
6	varchar(255)		NO	
7	varchar(255)		NO	
8	varchar(255)		NO	
9	varchar(255)		NO	
10	varchar(255)		NO	
11	varchar(255)		NO	
12	varchar(255)		NO	

Column 13 Name	Column Type	Column Default	Is NO Nullable	A Ir
14	varchar(255)		NO	
15	varchar(255)		NO	
16	varchar(255)		NO	
17	varchar(255)		NO	
18	varchar(255)		NO	
19	varchar(255)		NO	
20	varchar(255)		NO	
21	varchar(255)		NO	

22	varchar(255)		NO	
23	varchar(255)		NO	
24	varchar(255)		NO	
25	varchar(255)		NO	
26	varchar(255)		NO	
27	varchar(255)		NO	
28	varchar(255)		NO	
29	varchar(255)		NO	
30	varchar(255)		NO	
31	varchar(255)		NO	
32	varchar(255)		NO	

admin_log_action User behavior log table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
log_id	bigint(20) unsigned		NO	是
user_id	mediumint(10)	0	NO	
user_account	varchar(100)		NO	
user_name	varchar(20)		NO	
action_id	mediumint(8)	0	NO	
action_type_id	mediumint(9)		NO	
log_param	varchar(1024)		NO	
log_ip	varchar(20)		NO	
log_date	date		NO	
log_time	timestamp	CURRENT_TIMESTAMP	NO	

admin_rights_base Authority table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
rights_id	smallint(4) unsigned		NO	是	Authority number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
rights_name	varchar(20)		NO		名称
rights_parent_id	smallint(4) unsigned		NO		Permissions parent number
rights_remark	varchar(255)		NO		Remark

rights_order	smallint(4)	50	NO		sort
--------------	-------------	----	----	--	------

admin_rights_data_type Data permission type table - read data by yourself

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
rights_data_type_id	mediumint(6) unsigned		NO	是

rights_data_type_name	varchar(50)		NO	
rights_data_type_primary_key	text		NO	

admin_rights_group Permission group table

--	--	--	--	--

Column Name Column Name	Column Type Column Type	Column Default Column Default	Is Is Nullable Nullable
----------------------------	----------------------------	----------------------------------	----------------------------------

rights_group_id	smallint(4) unsigned		NO
rights_group_name	varchar(50)		NO
rights_group_rights_ids	varchar(2048)		NO
rights_group_rights_data	varchar(2048)		NO
rights_group_add_time	timestamp	CURRENT_TIMESTAMP	NO

admin_seller_menu Menu table - 10 increments

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
menu_id	int(10)		NO	是	Menu number
menu_parent_id	int(10)	0	NO		Menu parent ID

Column Name	Column Type	Column Default	Column Is Nullable	Auto Increment	Comments
menu_rel	varchar(20)		NO		
menu_name	varchar(20)		NO		Men Nan
menu_label	varchar(50)		NO		Men
menu_order	tinyint(4) unsigned	50	NO		sort

menu_enable	tinyint(1) unsigned	1	NO		Whe enal (boc
menu_class	varchar(255)		NO		clas
menu_icon	varchar(20)		NO		Icon
menu_bubble	varchar(255)		NO		bub
menu_url_mdu	varchar(255)		NO		Mod nam
menu_url_ctl	varchar(50)		NO		Con nam
menu_url_met	varchar(20)		NO		Con met
menu_url_parem	varchar(250)		NO		URL para
menu_url	varchar(100)		NO		Type Page
menu_time	timestamp	0000- 00-00 00:00:00	NO		Last upd
	tinyint(1)				Men (list, gen

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Order
menu_type	unsigned	1	NO		1
menu_note	varchar(1024)		NO		-
menu_func	varchar(255)		NO		Func on: conf

admin_user_rights_data User data permission table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_rights_data_id	mediumint(8) unsigned	0	NO	
user_id	mediumint(8) unsigned		NO	
user_rights_data_value	mediumint(8)		NO	
rights_data_type_id	mediumint(8) unsigned	0	NO	

analytics_access_history Access log table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
access_id	bigint(20)		NO	是
user_id	int(10) unsigned	0	NO	
access_client_id	char(32)		NO	

access_os	varchar(200)	0.00	NO	Auto
Column Name	Column Type	Column Default	Is Nullable	Increment
access_browser_name	varchar(200)	0.00	NO	
access_browser_version	varchar(200)	0	NO	
access_spider	varchar(200)		NO	
access_country	varchar(255)		NO	
access_province	varchar(200)		NO	
access_city	varchar(200)		NO	

access_county	varchar(255)		NO	
access_lang	varchar(255)		NO	
access_ip	varchar(255)		NO	
access_url	varchar(255)		NO	
access_time	int(11)		NO	
access_year	mediumint(4)		NO	
access_month	tinyint(2)		NO	
access_day	tinyint(2)		NO	
access_hour	tinyint(2)		NO	
access_date	date		NO	
access_datetime	datetime		NO	
access_refer_domain	varchar(255)		NO	

access_refer_url Column Name	varchar(255) Column Type	Column Default	NO Is Nullable	Auto Increment
access_mobile	tinyint(1)	0	NO	
access_pad	tinyint(1)	0	NO	
access_pc	tinyint(1)	0	NO	
access_device	tinyint(1)	3	NO	

access_type	smallint(4)	2310	NO	
access_from	smallint(4)	2320	NO	



analytics_user_reg_source User source terminal table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_reg_id	int(11)		NO	是	Registration number
user_reg_date	date		NO		Date of registration
user_reg_num	varchar(10)	0.00	NO		Operating system
user_reg_mobile	int(10)	0	NO		Mobile phone contact
user_reg_pad	int(10)	0	NO		Flat or room
user_reg_pc	int(10)	0	NO		PC or not
user_reg_h5	int(10)	0	NO		-
user_reg_app	int(10)	0	NO		-
user_reg_mp	int(10)	0	NO		-
user_reg_wechat	int(10)	0	NO		-
user_reg_baidu	int(10)	0	NO		-
user_reg_alipay	int(10)	0	NO		-
user_reg_toutiao	int(10)	0	NO		-

cms_article_analytics News likes data

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
article_id	mediumint(8)		NO	是
	mediumint(8)			

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
article_clicked	mediumint(8) unsigned	0	NO	
article_praise	mediumint(8) unsigned	0	NO	
article_comment_count	mediumint(9) unsigned	0	NO	

cms_article_attachment Attachment information sheet

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
attachment_id	mediumint(8) unsigned		NO	是
user_id	mediumint(8) unsigned	0	NO	
attachment_time	int(10)		NO	
attachment_content	longtext		NO	
attachment_title	text		NO	
attachment_remark	text		NO	

attachment_password	varchar(20)		NO	
attachment_name	varchar(200)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
attachment_link	varchar(255)		NO	
attachment_url	varchar(255)		NO	
attachment_mime_type	varchar(100)		NO	
attachment_file	varchar(100)		NO	
attachment_metadata	text		NO	
attachment_alt	varchar(255)		NO	

cms_article_base Content of the article

Column Name	Column Type	Column Default	Is Nullable
article_id	int(5)		NO
article_title	varchar(50)		NO

article_name	varchar(255)		NO
article_excerpt	varchar(255)		NO
article_content	mediumtext		NO
article_url	varchar(100)		NO

Column Name	Column Type	Column Default	Is Nullable
category_id	smallint(4) unsigned		NO
article_template	varchar(50)		NO
article_seo_title	varchar(200)		NO
article_seo_keywords	varchar(200)		NO
article_seo_description	varchar(200)		NO
article_reply_flag	tinyint(1) unsigned	1	NO
article_lang	varchar(5)	cn	NO
article_type	tinyint(1) unsigned	1	NO

article_sort	tinyint(2) unsigned	0	NO
article_status	tinyint(1) unsigned	0	NO
article_add_time	timestamp	CURRENT_TIMESTAMP	NO
article_image	varchar(255)		NO
user_id	int(10) unsigned	0	NO

Column Name	Column Type	Column Default	Is Nullable
article_tags	varchar(255)		NO
article_is_popular	tinyint(1)	0	NO

cms_article_base_user Article user association table - not used, efficiency problem optimized by redis

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
article_id	mediumint(8) unsigned		NO	是	Article number
user_id	mediumint(8) unsigned	0	NO		Article author number
article_time	int(10)		NO		Article date
article_status	varchar(20)	publish	NO		Article status: ['draft', 'publish', 'Future', '']

					['post' / 'link' / 'name' / 'menu_item' / 'custom']
--	--	--	--	--	---

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
article_type	varchar(20)	post	NO		custom p article ty Column C article, p menu, ot custom ty is the put article, re the revise version, a is the pag

cms_article_category Article Categories

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
category_id	smallint(4)		NO	是	Clas Nun
category_name	varchar(50)		NO		Cati nar
category_parent_id	int(6)	0	NO		-
category_image_url	varchar(100)		NO		-
category_keywords	varchar(100)		NO		Cati key
category_desc	varchar(255)		NO		Clas Des

category_count	smallint(4)		NO		Nun cate con
category_template	varchar(255)		NO		Clas Tem

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
category_alias	varchar(50)		NO		
category_order	tinyint(255) unsigned	50	NO		
category_buildin	tinyint(1)	0	NO		Enum not 1 - 1

cms_article_category_relationship Article relation table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_relationship_id	mediumint(8) unsigned		NO	是
article_id	mediumint(8)		NO	
category_id	smallint(4)	0	NO	
category_relationship_order	mediumint(8)	0	NO	
article_status	varchar(255)	publish	YES	

article_publish_time	int(10)		YES	
----------------------	---------	--	-----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

cms_article_comment Article comment table

Column Name	Column Type	Column Default	Is Nullable
comment_id	bigint(20) unsigned		NO
article_id	bigint(20) unsigned	0	NO
comment_user_ip	varchar(100)		NO
comment_time	timestamp	CURRENT_TIMESTAMP	NO
comment_content	text		NO
comment_karma	int(11)	0	NO
comment_approved	varchar(20)	1	NO
comment_agent	varchar(255)		NO
comment_type	varchar(20)		NO
comment_parent_id	bigint(20) unsigned	0	NO

Column Name	Column Type	Column Default	Is Nullable
user_id	mediumint(8) unsigned	0	NO
comment_helpful_num	int(11) unsigned	0	NO
comment_is_show	tinyint(1)	0	NO

cms_article_comment_helpful Useful voting table for commodity evaluation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_id	bigint(20) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
article_id	int(11)		NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

cms_article_comment_reply Q & a response form

Column Name	Column Type	Column Default	Is Nullable
comment_reply_id	int(11) unsigned		NO
comment_id	int(11)	0	NO
comment_reply_parent_id	int(11)	0	NO

Column Name	Column Type	Column Default	Is Nullab
article_id	int(11) unsigned		NO
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO

user_id_to	int(10)		NO
comment_reply_content	varchar(255)		NO
comment_reply_time	timestamp	CURRENT_TIMESTAMP	NO
comment_reply_show_flag	tinyint(1)	1	NO
comment_reply_islook	tinyint(1) unsigned	0	NO
comment_reply_helpful_num	int(11) unsigned	0	NO

cms_article_comment_reply_helpful Useful voting table for commodity evaluation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_reply_id	bigint(20) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
article_id	int(11)		NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

cms_article_group Site initialization content grouping table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
article_group_id	int(10) unsigned		NO	是
article_group_title	varchar(60)		NO	
article_group_lang	varchar(5)	cn	NO	
article_group_sort	smallint(4) unsigned	0	NO	
article_group_logo	varchar(100)		NO	
article_group_parent_id	int(10) unsigned	0	NO	

cms_article_id_number Article serial number table - not used temporarily. For optimization and efficiency, use redis, etc

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
article_id	mediumint(8) unsigned		NO	是	Article number
article_time	int(10)		NO		Article date
article_order	mediumint(8)	0	NO		The page number of the article, generally 0 if not used

cms_article_praise News likes data

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
article_id	mediumint(8)		NO	是
article_clicked	mediumint(8)		YES	
article_praise	mediumint(8)	0	YES	
article_comment_count	mediumint(9)		YES	

cms_article_read null

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
read_id	mediumint(8)		NO	是	Reading number
article_id	mediumint(8)		NO		Article number
read_ip	varchar(20)		NO		Reader IP
read_time	date		NO		Reading time

cms_article_recommend Recommendation form

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
recommend_id	mediumint(8) unsigned		NO	是
article_id	mediumint(8)		NO	
recommend_type	enum('slider','hot')	slider	NO	
recommend_image_url	varchar(100)		NO	

cms_article_reply Q & a response form

Column Name	Column Type	Column Default	Is Nullable
article_reply_id	int(11) unsigned		NO
article_reply_parent_id	int(11)	0	NO
article_id	int(11)		NO

Column Name	Column Type	Column Default	Is Nullable
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO
user_id_to	int(10)		NO

user_name_to	varchar(50)		NO
article_reply_content	varchar(255)		NO
article_reply_time	timestamp	CURRENT_TIMESTAMP	NO
article_reply_show_flag	tinyint(1)	1	NO
article_reply_islook	tinyint(1) unsigned	0	NO

cms_article_tag Article label table

--	--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

tag_id	int(10) unsigned		NO	是	Classification Number
tag_name	varchar(50)		NO		Category name
tag_count	smallint(4) unsigned	0	NO		Number of categorized content
user_id	int(11) unsigned	0	NO		User number

cms_article_tag_relationship Article label relation table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
tag_relationship_id	mediumint(8) unsigned		NO	是	
article_id	mediumint(8)		NO		
tag_id	smallint(4)	0	NO		
tag_relationship_order	smallint(4)	0	NO		

invoicing_bill_type_id Purchase return type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
bill_type_id	mediumint(8)		NO	是	number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
bill_type_name	varchar(20)		NO		return type name

bill_type_desc	varchar(100)		NO		Purchase return type remarks
----------------	--------------	--	----	--	------------------------------

invoicing_customer_base Merchant customer table - a user can belong to multiple merchant customers

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
customer_id	mediumint(8) unsigned		NO	是

customer_number	varchar(32)		NO	
customer_name	varchar(20)		NO	
customer_type_id	smallint(4) unsigned	0	NO	
customer_level_id	smallint(4) unsigned	1	NO	
customer_tax_rate	decimal(5,2)	0.00	NO	
customer_remark	varchar(200)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
customer_card	varchar(30)		NO	
customer_account_name	varchar(50)		NO	
customer_taxnum	varchar(30)		NO	
customer_invoice	varchar(50)		NO	
seller_id	int(10) unsigned	1	NO	
store_id	int(10) unsigned	0	NO	
chain_id	int(10) unsigned	0	NO	
user_id	int(10) unsigned	0	NO	

invoicing_customer_contacter Customer contact list

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
customer_contacter_id	mediumint(8) unsigned		NO	是
customer_id	mediumint(8) unsigned		NO	
customer_contacter_name	varchar(10)		NO	
customer_contacter_im	varchar(30)		NO	
customer_contacter_mobile	bigint(11)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
customer_contacter_telephone	varchar(30)		NO	
customer_contacter_district_ids	varchar(20)		NO	
customer_contacter_address	varchar(50)		NO	
customer_contacter_first	tinyint(1)	1	NO	
customer_contacter_code	mediumint(9)	0	NO	

invoicing_customer_level Customer level table - pricing by customer level by default

Column Name	Column Type	Column Default	Is Nullable	Auto Incremer
customer_level_id	smallint(4) unsigned		NO	是

customer_level_name	varchar(60)		NO	
customer_level_desc	varchar(200)		NO	
customer_level_discontrate	decimal(6,2)	100.00	NO	
customer_level_is_buildin	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_id	int(10) unsigned	0	NO	

invoicing_stock_bill Goods receipt / issue doc table - all goods changes

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
stock_bill_id	varchar(50)		NO	
stock_bill_number	varchar(32)		NO	
stock_bill_checked	tinyint(4)	0	NO	
stock_bill_date	date		NO	
stock_bill_modify_time	timestamp	0000-00-00 00:00:00	NO	

stock_bill_time	timestamp	0000-00-00 00:00:00	NO	
-----------------	-----------	------------------------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
bill_type_id	smallint(4) unsigned	0	NO	
stock_transport_type_id	smallint(4) unsigned	0	NO	
store_id	int(10)	0	NO	
warehouse_id	int(10) unsigned	0	NO	
order_id	varchar(50)		NO	
stock_bill_remark	varchar(255)		NO	

employee_id	int(10) unsigned	0	NO	
	int(10)			

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
admin_id	int(10) unsigned	0	NO	
stock_bill_other_money	decimal(20,6)	0.000000	NO	
stock_bill_amount	decimal(20,6) unsigned	0.000000	NO	
stock_bill_enable	tinyint(1) unsigned	1	NO	
stock_bill_src_id	varchar(50)		NO	

invoicing_stock_bill_item Item table of receipt / issue document

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
stock_bill_item_id	bigint(20)		NO	是

order_item_id	bigint(20) unsigned	0	NO	
stock_bill_id	varchar(50)		NO	
product_id	int(10) unsigned	0	NO	
product_name	varchar(255)		NO	
item_id	bigint(20) unsigned		NO	
item_name	varchar(100)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_name	varchar(100)		NO	
bill_item_quantity	decimal(20,6)	1.000000	NO	
bill_item_unit_price	decimal(10,2)	0.00	NO	
bill_item_subtotal	decimal(10,2)	0.00	NO	
unit_id	smallint(4)	0	NO	
warehouse_item_quantity	decimal(20,6)	0.000000	NO	
store_id	int(10)		NO	
warehouse_id	int(10)	0	NO	
stock_transport_type_id	smallint(4)	0	NO	
bill_item_remark	varchar(255)		NO	

bill_type_id	smallint(4) unsigned	0	NO	
--------------	-------------------------	---	----	--

invoicing_stock_po Purchase order form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Portion of Record
po_id	varchar(50)		NO		Ord

po_number	varchar(32)		NO		Pur (ret
po_checked	tinyint(4)	0	NO		Whi aud che aud non che not
po_date	date		NO		Plea cho datu doc
po_modify_time	timestamp	0000-00-00 00:00:00	NO		Upc timi
po_time	timestamp	0000-00-00 00:00:00	NO		Cre timi
store_id	int(10)	0	NO		The und whi belc
supplier_id	int(10)	0	NO		sup
po_remark	varchar(255)		NO		Ren
employee_id	int(10) unsigned	0	NO		buy

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
admin_id	int(10) unsigned		NO		Manag
po_other_money	decimal(20,6)	0.000000	NO		Other am

po_amount	decimal(20,6) unsigned	0.000000	NO		Amount pay
po_items	varchar(1024)		NO		Purchase item info

invoicing_stock_po_item Purchase order item list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
stock_bill_item_id	bigint(20)		NO	是
stock_bill_id	varchar(50)		NO	

product_id	int(10) unsigned	0	NO	
product_name	varchar(255)		NO	
item_id	bigint(20) unsigned		NO	
item_name	varchar(100)		NO	

bill_item_quantity Column Name	decimal(20,6) Column Type	1.000000 Column Default	NO Is Nullable	Auto Incremer
bill_item_unit_price	decimal(10,2)	0.00	NO	
bill_item_subtotal	decimal(10,2)	0.00	NO	
unit_id	smallint(4)	0	NO	
warehouse_item_quantity	decimal(20,6)	0.000000	NO	
store_id	int(10)		NO	
warehouse_id	int(10)		NO	
customer_id	int(10) unsigned	0	NO	
supplier_id	int(10) unsigned	0	NO	
stock_transport_type_id	smallint(4)	0	NO	

bill_type_id	smallint(4) unsigned	0	NO	
bill_item_remark	varchar(255)		NO	

invoicing_stock_transport_type Inventory type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
stock_transport_type_id	mediumint(8) unsigned		NO	是
stock_transport_type_name	varchar(20)		NO	
stock_transport_type_text	varchar(20)		NO	

invoicing_supplier_base Supplier information sheet

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
supplier_id	mediumint(8) unsigned		NO	是

supplier_number	varchar(32)		NO	
supplier_name	varchar(20)		NO	
supplier_type_id	smallint(4) unsigned	0	NO	
supplier_tax_rate	float(5,2)	0.17	NO	
supplier_remark	varchar(200)		NO	
supplier_level_id	mediumint(8)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
supplier_bank	varchar(30)		NO	
supplier_card	varchar(30)		NO	
supplier_account_name	varchar(50)		NO	
supplier_taxnum	varchar(30)		NO	
supplier_invoice	varchar(50)		NO	
store_id	int(10) unsigned	0	NO	

invoicing_supplier_contacter Supplier contact list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
supplier_contacter_id	mediumint(8) unsigned		NO	是
supplier_id	mediumint(8) unsigned		NO	
supplier_contacter_name	varchar(10)		NO	
supplier_contacter_im	varchar(30)		NO	
supplier_contacter_mobile	bigint(11)		NO	
supplier_contacter_telephone	varchar(30)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
supplier_contacter_district_ids	varchar(20)		NO	
supplier_contacter_address	varchar(50)		NO	
supplier_contacter_first	tinyint(1)	1	NO	
supplier_contacter_code	mediumint(9)	0	NO	

invoicing_supplier_level Supplier level table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
supplier_level_id	smallint(4) unsigned		NO	是	Supplier grade
supplier_level_name	varchar(60)		NO		Supplier level
supplier_level_desc	varchar(200)		NO		Supplier level description
store_id	int(10) unsigned	0	NO		The unit where belong

invoicing_supplier_product Supplier list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
supplier_product_id	mediumint(8) unsigned		NO	是	Supplier item number
supplier_product_name	mediumint(8)		NO		Supplier item name

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
supplier_id	unsigned		NO	是	Supplier ID
product_id	bigint(20) unsigned	0	NO		Product ID

invoicing_supplier_type Supplier category table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
supplier_type_id	smallint(4) unsigned		NO	是	Supplier category number
supplier_type_name	varchar(20)		NO		Supplier category name
supplier_type_desc	varchar(50)		NO		Supplier category note

invoicing_warehouse_base Warehouse table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
warehouse_id	mediumint(8) unsigned		NO	是
warehouse_number	varchar(60)		NO	
warehouse_name	varchar(120)		NO	
warehouse_address	varchar(255)		NO	
warehouse_type_id	mediumint(8) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
warehouse_enable	tinyint(1) unsigned		NO	
warehouse_is_default	tinyint(1)	1	NO	
warehouse_contact	varchar(20)		NO	
warehouse_phone	smallint(5) unsigned	0	NO	

warehouse_delivery_type	tinyint(1) unsigned	1	NO	
warehouse_delivery_ids	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_id	int(10) unsigned	0	NO	

invoicing_warehouse_item SKU storage details

Column Name	Column Type	Column Default	Is Nullable	Aut Incr
warehouse_item_id	bigint(20)		NO	是
product_id	mediumint(8) unsigned	0	NO	
unit_id	mediumint(8) unsigned	0	NO	
item_id	mediumint(8) unsigned	0	NO	
category_id	int(11) unsigned	0	NO	
warehouse_id	mediumint(8) unsigned	0	NO	
warehouse_item_cost	decimal(20,6)	0.000000	NO	

warehouse_item_quantity	decimal(20,6)	0.000000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
warehouse_item_lock_quantity	decimal(20,6)	0	NO	
warehouse_item_quantity_min	mediumint(8) unsigned	0	NO	
warehouse_item_quantity_max	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

invoicing_warehouse_type Warehouse type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
warehouse_type_id	mediumint(8) unsigned		NO	是
warehouse_type_name	varchar(20)		NO	

warehouse_type_desc	varchar(100)		NO	
---------------------	--------------	--	----	--

invoicing_warehouse_warning Warehouse alarm table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comment
warehouse_warning_id	int(10)		NO	是	pr
					If

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
warehouse_id	int(10) unsigned	0	YES		warehouse_id
product_id	int(10) unsigned	0	NO		Product ID

item_id	int(10) unsigned	0	NO		Main Item ID
warehouse_warning_min	int(10) unsigned	0	NO		Minimum warning
warehouse_warning_max	int(10) unsigned	0	NO		Maximum warning

live_user_room null

Column Name	Column Type	Column Default
room_id	int(11)	
room_name	varchar(255)	
room_slogan	varchar(255)	
room_pwd	varchar(255)	

Column Name	Column Type	Column Default
room_is_microphone	tinyint(1)	0
room_pattern	tinyint(1)	1
room_logo	varchar(255)	
room_poster	varchar(255)	https://static.shopsuite.cn/xcxfile/appico

user_id	int(10) unsigned	0
room_state	tinyint(1)	0
room_stime	int(10)	0
room_etime	int(10)	0
room_video	varchar(255)	https://txmov2.a.yximgs.com/bs2/newW
item_id	bigint(20)	0

pay_base_bank Settlement bank record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
bank_id	smallint(4) unsigned		NO	NO
bank_name	varchar(120)		NO	

bank_remark	varchar(255)		NO	
bank_order	tinyint(4)	0	NO	
bank_enable	tinyint(1)	0	NO	
settlement_account_type_id	smallint(4)	1004	NO	

pay_base_config System parameter setting table

Column Name	Column Type	Column Default	Is Nullable
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO

Column Name	Column Type	Column Default	Is Nullable
conng_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(1024)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO

config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO
-----------------	----------------------------	------	----

pay_base_recharge_level Fixed recharge table

Column Name	Column Type	Column Default	Is Nullable
recharge_level_id	int(11)		NO
recharge_level_name	varchar(50)		NO
recharge_level_img	varchar(255)		NO
recharge_level_value	int(10)	0	NO
recharge_level_gift	decimal(14,2)	0.00	NO
recharge_level_validity	int(10) unsigned	0	NO

Column Name	Column Type	Column Default	Is Nullable
recharge_level_rate	decimal(6,2)	0.00	NO
recharge_level_time	timestamp	CURRENT_TIMESTAMP	NO
recharge_level_repeat	tinyint(1)		NO
recharge_level_description	varchar(255)		NO
recharge_level_duration	decimal(6,2)	0.00	NO

**pay_base_settlementaccount Fund settlement account
table user Bank replacement**

Column Name	Column Type	Column Default	Is Nullable
settlement_account_id	mediumint(8) unsigned		NO
settlement_account_name	varchar(120)		NO
settlement_account_number	mediumint(8)		NO
settlement_account_type_id	smallint(4) unsigned		NO

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
settlement_account_begin_date	int(11)		NO	
settlement_account_amount_money	float(10,3)		NO	
settlement_account_remark	varchar(255)		NO	
settlement_account_order	tinyint(4)		NO	
settlement_account_enable	tinyint(1)	1	NO	
user_id	int(10) unsigned	0	NO	

pay_base_settlement_account_type Fund settlement account category table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
settlement_account_type_id	smallint(4) unsigned		NO	是
settlement_account_type_name	varchar(120)		NO	
settlement_account_type_remark	varchar(255)		NO	

pay_card_history Card use record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
card_history_id	int(10) unsigned		NO	是
card_code	varchar(50)		NO	
card_type_id	smallint(6) unsigned		NO	
user_id	int(10) unsigned		NO	
card_history_value	decimal(20,6)	0.000000	NO	
user_recharge_card	decimal(20,6)	0.000000	NO	
card_history_time	timestamp	CURRENT_TIMESTAMP	NO	
store_id	int(10) unsigned	0	NO	
card_history_remark	varchar(255)		NO	

pay_card_info Card information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
card_code	varchar(50)		NO	
card_password	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
card_type_id	smallint(6) unsigned		NO	
card_fetch_time	timestamp	0000-00-00 00:00:00	NO	
card_media_id	smallint(6) unsigned	0	NO	

server_id	int(10) unsigned	0	NO	
user_id	int(10) unsigned		NO	
user_account	varchar(100)		NO	
card_time	timestamp	CURRENT_TIMESTAMP	NO	
store_id	int(10) unsigned	0	NO	

pay_card_media Card channel table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
card_media_id	mediumint(9) unsigned		NO	是	Card media

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
card_media_name	varchar(50)		NO		the c

pay_card_type Card basic information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
card_type_id	smallint(6) unsigned		NO	是	C r
app_id	int(10) unsigned	9999	NO		A c
card_type_name	varchar(100)		NO		T t r
card_type_prize	varchar(1024)		NO		T
card_type_desc	varchar(255)		NO		T c
card_type_starttime	timestamp	0000-00-00 00:00:00	NO		E s
card_type_endtime	timestamp	0000-00-00 00:00:00	NO		E €
card_type_image	varchar(255)		NO		C

id	int(10)		NO		T L
----	---------	--	----	--	--------

store_id	unsigned	0	NO	Auto	
Column Name	Column Type	Column Default	Is Nullable	Increment	

pay_consume_deposit Recharge table - payment daily statement - payment callback use - confirm payment

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
deposit_id	bigint(20) unsigned		NO	是
order_id	varchar(255)		NO	
deposit_trade_no	varchar(255)		NO	
payment_channel_id	smallint(4)	0	NO	
app_id	int(10) unsigned	0	NO	

--	--	--	--	--

server_id Column Name	int(10) Column Type unsigned	Column Default	NO Nullable	Auto Increme
deposit_app_id_channel	int(10) unsigned	0	NO	
deposit_subject	varchar(255)		NO	
deposit_payment_type	smallint(4)	0	NO	
deposit_trade_status	varchar(100)		NO	
deposit_seller_id	varchar(30)		NO	
deposit_seller_email	varchar(100)		NO	
deposit_buyer_id	varchar(30)		NO	
deposit_buyer_email	varchar(100)		NO	

--	--	--	--	--

currency_id Column Name	int(11) Column Type	86 Column Default	NO IS Nullable	Auto Increme
currency_symbol_left	varchar(12)	¥	NO	
deposit_total_fee	decimal(10,2)	0.00	NO	
deposit_quantity	int(10) unsigned	1	NO	
deposit_price	decimal(10,2)	0.00	NO	
deposit_body	varchar(400)		NO	
deposit_gmt_create	datetime	0000- 00-00 00:00:00	NO	
deposit_gmt_payment	datetime	0000- 00-00 00:00:00	NO	
deposit_gmt_close	datetime	0000- 00-00 00:00:00	NO	
deposit_is_total_fee_adjust	tinyint(1)	0	NO	
deposit_use_coupon	tinyint(1)	0	NO	
deposit_discount	decimal(6,3)	0.000	NO	
deposit_notify_time	datetime	0000- 00-00 00:00:00	NO	
deposit_notify_type	varchar(100)		NO	

--	--	--	--	--

Column Name	Column Type	Column Default	Nullable	Auto Increase
deposit_notify_id	varchar(200)		NO	
deposit_sign_type	varchar(100)		NO	
deposit_sign	varchar(1000)		NO	
deposit_extra_param	varchar(200)		NO	
deposit_service	varchar(100)		NO	
deposit_state	tinyint(1) unsigned	0	NO	
deposit_async	tinyint(1) unsigned	0	NO	
deposit_review	tinyint(1) unsigned	0	NO	
deposit_enable	tinyint(3) unsigned	1	NO	

--	--	--	--	--

store_id Column Name	int(10) unsigned Column Type	0 Column Default	NO Nullable	Auto Increme
user_id	int(10) unsigned	0	NO	
chain_id	int(10) unsigned	0	NO	

pay_consume_record Transaction details - account revenue and expenditure details - fund flow statement - account amount change flow

Column Name	Column Type	Column Default
consume_record_id	bigint(20)	
order_id	varchar(255)	
user_id	int(10) unsigned	0
user_nickname	varchar(50)	
currency_id	int(11)	86

currency_symbol_left	varchar(12)	¥
record_total	decimal(10,2)	0.00
record_money	decimal(10,2)	0.00

Column Name	Column Type	Column Default
record_commission_fee	decimal(10,2)	0.00
record_distribution_commission_fee	decimal(10,2)	0.00
record_date	date	0000-00-00
record_year	smallint(4)	0
record_month	tinyint(2)	0
record_day	tinyint(2)	0
record_title	varchar(100)	
record_desc	varchar(255)	
record_time	timestamp	CURRENT_TIMESTAMP

--	--	--

Column Name	Column Type	Column Default
trade_type	smallint(4) unsigned	0
payment_type_id	smallint(4) unsigned	0
payment_channel_id	smallint(4) unsigned	0
store_id	int(10) unsigned	0

chain_id	int(10) unsigned	0
	smallint(5)	

payment_met_id Column Name	unsigned Column Type	1 Column Default
record_enable	tinyint(1) unsigned	1

pay_consume_trade Transaction order table - emphasize unique order - recharge order will be created first

Column Name	Column Type	Column Default	Is Null
consume_trade_id	int(11) unsigned		NO
trade_title	varchar(100)		NO
order_id	varchar(255)		NO
buyer_id	int(10) unsigned	0	NO
store_id	int(10) unsigned	0	NO

subsite_id	int(8) unsigned	0	NO
seller_id	int(10) unsigned	0	NO
chain_id	int(11) unsigned		NO

Column Name	Column Type	Column Default	Is Null
trade_is_paid	smallint(4) unsigned	0	NO
order_state_id	smallint(4) unsigned	1	NO
trade_type_id	smallint(1) unsigned		NO
payment_channel_id	smallint(4) unsigned	0	NO
app_id	int(10) unsigned	0	NO
server_id	int(10) unsigned	0	NO

trade_mode_id	smallint(4) unsigned	1	NO
recharge_level_id	int(11)	0	NO

currency_id	int(11)	86	NO
Column Name	Column Type	Column Default	Is Null
currency_symbol_left	varchar(12)	¥	NO
order_payment_amount	decimal(10,2)	0.00	NO
order_commission_fee	decimal(10,2)	0.00	NO

trade_payment_amount	decimal(10,2)	0.00	NO
----------------------	---------------	------	----

Column Name	Column Type	Column Default	Is Null
trade_payment_money	decimal(10,2)	0.00	NO
trade_payment_recharge_card	decimal(10,2)	0.00	NO
trade_payment_points	decimal(10,2)	0.00	NO
trade_payment_sp	decimal(10,2)	0.00	NO
trade_payment_credit	decimal(10,2) unsigned	0.00	NO
trade_payment_redpack	decimal(10,2)	0.00	NO
trade_discount	decimal(10,2)	0.00	NO
trade_amount	decimal(10,2)	0.00	NO
trade_date	date	0000-00-00	NO

trade_year	smallint(4) unsigned	0	NO
trade_month	tinyint(2) unsigned	0	NO
trade_day	tinyint(2) unsigned	0	NO

trade_desc	varchar(255)		NO
Column Name	Column Type	Column Default	Is Null
trade_remark	varchar(255)		NO
trade_create_time	timestamp	CURRENT_TIMESTAMP	NO
trade_pay_time	timestamp	0000-00-00 00:00:00	NO
trade_finish_time	timestamp	0000-00-00 00:00:00	NO
trade_delete	tinyint(1) unsigned	0	NO

pay_consume_trade_combine Consolidated payment table, one or more orders - all payment entries - temporarily not used: Joint payment, transfer in multiple order numbers, consolidated price calculation, transfer in payment channels better?

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

ctc_id	varchar(35)		NO	
order_ids	varchar(1024)		NO	
ctc_time	timestamp	CURRENT_TIMESTAMP	NO	

pay_consume_withdraw Withdrawal application form

--	--	--	--

Column Name	Column Type	Column Default	Is Nullable
withdraw_id	int(10)		NO
user_id	int(10) unsigned	0	NO
store_id	int(10) unsigned	0	NO
order_id	text		NO
withdraw_amount	decimal(10,2) unsigned	0.00	NO
withdraw_state	tinyint(2) unsigned	0	NO
withdraw_desc	varchar(255)		NO
withdraw_bank	varchar(50)		NO
withdraw_account_no	varchar(32)		NO
withdraw_account_name	varchar(50)		NO
withdraw_fee	decimal(10,2) unsigned	0.00	NO
withdraw_time	timestamp	CURRENT_TIMESTAMP	NO

withdraw_bankflow Column Name	varchar(50) Column Type	Column Default	NO Nullable
----------------------------------	----------------------------	----------------	----------------

withdraw_user_id	int(10) unsigned	0	NO
withdraw_opertime	timestamp	0000-00-00 00:00:00	NO
withdraw_mobile	varchar(255)		NO
withdraw_trans_state	varchar(255)		YES

pay_payment_channel Payment channel table - can be replaced with config - collection account

Column Name	Column Type	Column Default	Is Nullable	A
-------------	-------------	----------------	-------------	---

payment_channel_id	smallint(4) unsigned		NO	是
payment_channel_code	varchar(20)		NO	
payment_channel_name	varchar(100)		NO	
payment_channel_img	varchar(255)		NO	
payment_channel_config	varchar(2048)	[]	NO	
payment_channel_status	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Is
payment_channel_allow	enum('both','wap','pc')	both	NO	
payment_channel_wechat	tinyint(4) unsigned	1	NO	
payment_channel_enable	tinyint(4) unsigned	1	NO	

payment_type_id	smallint(4) unsigned	1	NO	
payment_channel_order	tinyint(1) unsigned	50	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
payment_channel_buildin	tinyint(1) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
chain_id	int(10) unsigned	0	NO	

pay_payment_type Form of payment

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
payment_type_id	smallint(4) unsigned		NO	是
payment_type_code	varchar(20)		NO	
payment_type_name	varchar(100)		NO	
payment_type_order	tinyint(4) unsigned	50	NO	
payment_type_remark	varchar(255)		NO	

payment_type_enable	tinyint(1) unsigned	0	NO	
---------------------	---------------------	---	----	--

pay_plantform_resource Platform Commission summary

Column Name	Column Type	Column Default	Is Nullable	Aut Inc
plantform_resource_id	int(10) unsigned		NO	
plantform_commission_fee	decimal(16,6)	0.000000	NO	
plantform_recharge_card	decimal(16,6)	0.000000	NO	
plantform_points	decimal(16,6)	0.000000	NO	
plantform_credit	decimal(16,6)	0.000000	NO	
plantform_credit_used	decimal(16,6)	0.000000	NO	
plantform_credit_total	decimal(16,6)	0.000000	NO	
plantform_redpack	decimal(16,6)	0.000000	NO	
plantform_redpack_frozen	decimal(16,6)	0.000000	NO	
plantform_sp	decimal(16,6)	0.000000	NO	
plantform_bp	decimal(16,6)	0.000000	NO	
plantform_margin	decimal(16,6)	0.000000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
platform_transfer_commission	decimal(16,6)	0.000000	NO	

pay_service_fee Service charge

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
id	int(6)		NO	是	-
name	varchar(100)		NO		-
fee_rates	float(12,2)	0.00	YES		-
fee_min	int(2)	0	YES		-
fee_max	int(2)	0	YES		-

pay_trade_type Transaction type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
trade_type_id	smallint(4)		NO	是	Statu num
trade_type_name	varchar(50)		NO		The statu incoi
trade_type_text	varchar(20)		NO		Shop Nam
trade_type_remark	varchar(200)		NO		Rem

pay_user_bank_card Statement of settlement account

Column Name	Column Type	Column Default	Is Nullab
user_bank_id	int(11) unsigned		NO
user_id	int(11)		NO
bank_id	int(11)	0	NO
bank_name	varchar(20)		NO
settlement_account_type_id	smallint(4)	1004	NO
user_bank_card_name	varchar(50)		NO
user_bank_card_code	varchar(50)		NO
user_bank_card_address	varchar(30)		NO
user_bank_card_time	timestamp	CURRENT_TIMESTAMP	NO

Column Name	Column Type	Column Default	Is Nullab
user_bank_card_mobile	varchar(20)		NO
province_id	varchar(50)	0	NO
city_id	varchar(50)	0	NO
type_id	int(11)	0	NO
user_bank_default	tinyint(1)		NO
user_bank_enable	tinyint(4)	1	NO
user_bank_begin_date	int(11)		NO
user_bank_amount_money	decimal(16,6)		NO

pay_user_pay User basic information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comm

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	User Column Comment
user_id	int(10) unsigned		NO	是	User Column
user_pay_passwd	varchar(32)		NO		Payment confirm password

user_pay_salt	varchar(100)		NO		salt
---------------	--------------	--	----	--	------

pay_user_resource User resource table - fund account table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_id	int(10) unsigned		NO	
currency_id	int(11)	86	NO	
currency_symbol_left	varchar(12)	¥	NO	

user_money	decimal(16,6)	0.000000	NO	
user_money_frozen	decimal(16,6)	0.000000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
user_recharge_card	decimal(16,6)	0.000000	NO	
user_recharge_card_frozen	decimal(16,6)	0.000000	NO	
user_points	decimal(16,6)	0.000000	NO	
user_points_frozen	decimal(16,6)	0.000000	NO	
user_credit	decimal(16,6)	0.000000	NO	
user_credit_frozen	decimal(16,6)	0.000000	NO	
user_credit_used	decimal(16,6)	0.000000	NO	
user_credit_total	decimal(16,6)	0.000000	NO	
user_margin	decimal(16,6)	0.000000	NO	

user_redpack	decimal(16,6)	0.000000	NO	
user_redpack_frozen	decimal(16,6)	0.000000	NO	
user_sp_frozen	decimal(16,6)	0.000000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_sp_base	decimal(16,6)	0.000000	NO	
user_sp_buy	decimal(16,6)	0.000000	NO	
user_sp_profit	decimal(16,6)	0.000000	NO	
user_bp	decimal(16,6)	0.000000	NO	
user_discount_num	mediumint(6) unsigned	0	NO	

seller_base_menu Menu table of business center at management end

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Color Comr
-------------	-------------	----------------	-------------	----------------	------------

menu_id	int(10) unsigned		NO	是	Menu numt
menu_parent_id	int(10)	0	NO		Menu numt
menu_rel	varchar(20)	pageTab	NO		-
menu_name	varchar(20)		NO		Menu Name
menu_label	varchar(50)		NO		Menu
menu_order	tinyint(4) unsigned	50	NO		sort

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Whether Color Com (bool)
menu_enable	tinyint(1) unsigned		NO		
menu_class	varchar(255)		NO		class
menu_icon	varchar(20)		NO		Icon c
menu_bubble	varchar(255)		NO		bubb
menu_url_mdu	varchar(255)		NO		Modu name
menu_url_ctl	varchar(50)		NO		Contr name
menu_url_met	varchar(20)		NO		Contr meth
menu_url_parem	varchar(250)		NO		URL parar
menu_url	varchar(100)		NO		Type Page:

menu_time	timestamp	0000-00-00 00:00:00	NO		Last updat
-----------	-----------	---------------------	----	--	------------

shop_activity_cutprice Bargaining history

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Colu Com
ac_id	int(10) unsigned		NO	是	Barç No
activity id	int(10)	0	NO		Barç item

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned	0	NO		User number
ac_sale_price	decimal(10,2) unsigned	0.00	NO		Price barg
ac_datetime	datetime		NO		Creation time

order_id	varchar(20)		NO		Order number
ac_mix_limit_price	decimal(10,2)		NO		Bargain floor

shop_activity_cutprice_history Bargaining history

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ach_id	int(10) unsigned		NO	是	Bargain history number
activity_id	int(10) unsigned	0	NO		Activity Number
user_id	int(10) unsigned	0	NO		Bargain users
ach_price	decimal(10,2) unsigned	0.00	NO		Cut down the price
item_id	int(10) unsigned	0	NO		Commodity ID
ach_datetime	datetime	0000-00-00	NO		Bargain time

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ac_id	int(10) unsigned	0	NO		No

shop_activity_flashsale_history Stopwatch

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
afh_id	int(11) unsigned		NO	是	Seckill number
activity_id	int(11) unsigned	0	NO		Activity Number
user_id	int(11) unsigned	0	NO		Seckill user number
item_id	int(11) unsigned	0	NO		Seckill commodity number
afh_enable	tinyint(4) unsigned	1	NO		Is the seckill record valid
afh_time	timestamp	0000-00-00 00:00:00	NO		Second kill time

shop_activity_groupbooking Formed Collage

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
gb_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
activity_id	unsigned int(11)		NO	
gb_datetime	timestamp	CURRENT_TIMESTAMP	NO	
gb_endtime	timestamp	0000-00-00 00:00:00	NO	

gb_enable	tinyint(1) unsigned	2	NO	
gb_amount_quantity	int(11)		NO	
gb_quantity	int(11)		NO	

shop_activity_groupbooking_history Group record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
gbh_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	
activity_id	int(11)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_id	varchar(20)		NO	
gb_id	int(11)		NO	
gbh_flag	tinyint(4) unsigned	0	NO	

gb_enable	tinyint(1)	2	NO	
-----------	------------	---	----	--

shop_activity_groupbuy_store Group buying formed

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
gbs_id	int(11) unsigned		NO	是	Group purch No
user_id	int(11) unsigned	0	NO		Creat group numb
activity_id	int(11)		NO		Group purch activi
gbs_datetime	datetime		NO		Open

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
gbs_endtime	datetime		NO		
gbs_enable	tinyint(1) unsigned	2	NO		Group purchase status: (enur succe in pro 0-fail)
gbs_amount_quantity	int(11)		NO		Total number of participants in group purchase

gbs_quantity	int(11)		NO		Effect number of clusters
--------------	---------	--	----	--	---------------------------

shop_activity_groupbuy_store_history Group record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
gbsh_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	
activity_id	int(11)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_id	varchar(20)		NO	
gbs_id	int(11)	0	NO	
gbsh_flag	tinyint(4) unsigned	0	NO	

gbsh_enable	tinyint(1)	2	NO	
-------------	------------	---	----	--

shop_activity_lottery Big turntable / golden egg smashing prize list (temporarily useless)

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
al_id	int(11) unsigned		NO	是	Prize Num
award_type	tinyint(4) unsigned	0	NO		Prize (DO
activity_id	int(11) unsigned	0	NO		Activ Num

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
voucher_activity_id	int(11) unsigned	0	NO		is a the c activ num
awards_probability	decimal(8,4) unsigned	0.0000	NO		Winr perc
award_level	tinyint(11) unsigned	0	NO		Awa (em)

award_title	varchar(50)		NO		Nam prize
award_quantity	tinyint(4) unsigned	0	NO		Num prize
award_enabled	tinyint(4) unsigned	1	NO		Is th avai

shop_activity_lottery_history Record of smashing golden eggs / big circle lottery

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
alh_id	int(10) unsigned		NO	是	User winning number
user_id	int(10) unsigned	0	NO		User number
activity_id	int(10) unsigned	0	NO		Activity Number
	int(10)	0	NO		Lottery

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
main_item_id	unsigned int(10)	0	NO	是	Item No
valid_date	date		NO		Date of expiration
valid_datetime	datetime		NO		time
valid_is_send	tinyint(4) unsigned	0	NO		Has the prize beer sent
user_name	varchar(50)		NO		Name of recipient
user_phone	varchar(50)		NO		Recipient' phone number

user_address	varchar(50)		NO		Receiving address
valid_award_flag	tinyint(1)	0	NO		Bool: 0-nc won; 1-won

shop_activity_marketing_history Record of participants in market activities

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
amh_id	int(10) unsigned		NO	是	User winning number
user_id	int(10) unsigned	0	NO		User number
activity_id	int(10) unsigned	0	NO		Activity Number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_name	varchar(50)		NO		
user_phone	varchar(50)		NO		
user_company	varchar(50)		NO		-
user_position	varchar(50)		NO		-
amh_datetime	datetime		NO		-

shop_activity_pf_groupbuy_store_history Group record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
pfgbsh_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	
item_id	int(11)		NO	
activity_id	int(11)		NO	

pfgbsh_time	timestamp	CURRENT_TIMESTAMP	NO	
-------------	-----------	-------------------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_id	varchar(20)		NO	
pfgbsh_flag	tinyint(4) unsigned	0	NO	
pfgbsh_item_num	int(11) unsigned		NO	
pfgbsh_enable	tinyint(1)	2	NO	

shop_activity_zerobuy_user Zero purchase user sharing form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co
zbu_id	int(10)		NO	是	Ze pu us
zb_id	int(10)		NO		Ze pu ac Nc
product_id	int(10)		NO		Ze pu n

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	pr Ne Co Na ze pu pr
item_name	varchar(255)		NO		
item_id	int(10)		NO		Ze pu SK
zbu_share_num	int(10)	0	NO		Sh tin
zbu_share_time	timestamp	0000-00-00 00:00:00	NO		Sh tin

zbu_user_id	int(10)		NO		Sh
zbu_user_nickname	varchar(255)		NO		Sh nic
zbu_state	int(10)	0	NO		Sh sta (er in pr 1- co
zb_starttime	timestamp	0000-00-00 00:00:00	NO		sta
zb_endtime	timestamp	0000-00-00 00:00:00	NO		En tin

shop_award null

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
award_id	int(11) unsigned		NO	是	Prize Num
award_type	tinyint(4) unsigned	0	NO		Prize (DO
activity_id	int(11) unsigned	0	NO		Activ Num
voucher_activity_id	int(11) unsigned	0	NO		Whe activ is a the c activ num
awards_probability	decimal(8,4) unsigned	0.0000	NO		Winr perc
award_level	tinyint(11) unsigned	0	NO		Awa (em
award_title	varchar(50)		NO		Namr prize
award_quantity	tinyint(4) unsigned	0	NO		Numr prize
award_enabled	tinyint(4) unsigned	1	NO		Is th avai

shop_base_activity_type Activity type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
activity_type_id	smallint(4)		NO	是

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
activity_type_name	varchar(50)		NO	
activity_type_title	varchar(50)		NO	
activity_type_icon	varchar(50)		NO	

activity_type_category	tinyint(4)	0	NO	
cd_num_id	tinyint(4)	0	NO	
channel_id	smallint(6)	0	NO	
cmd_id	smallint(4)	0	NO	
activity_type_tpl	tinyint(4)	0	NO	
activity_type_order	smallint(6)	0	NO	
activity_type_introduce	varchar(100)		NO	
activity_type_prize	varchar(5000)		NO	
activity_type_enable	tinyint(1) unsigned	0	NO	

shop_base_area Regional table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
area_id	mediumint(8)		NO	是	Area Number
area_name	varchar(50)		NO		Region name - North China, northeast East China, South China, central China, southwest northwe Hong Kong, Macao and Taiwan, oversea
area_parent_id	mediumint(8) unsigned	0	NO		Father number
area_sort	smallint(6) unsigned	0	NO		sort

shop_base_ask_category Classification of consulting questions

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ask_category_id	smallint(6) unsigned		NO	是	Issue classification

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ask_category_name	varchar(50)		NO		
ask_category_enable	tinyint(1) unsigned	1	NO		Enable/disable

shop_base_config System parameter setting table

Column Name	Column Type	Column Default	Is Nullable
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(255)		NO

config_datatype	enum('string','json','number','dot')	string	NO
-----------------	--------------------------------------	--------	----

Column Name	Column Type	Column Default	Is Nullable
config_formatter	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

shop_base_contract_type Consumer protection service form - store joining

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
contract_type_id	smallint(4)		NO	是
contract_type_name	varchar(50)		NO	

contract_type_desc	varchar(50)		NO	
contract_type_text	varchar(1024)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
contract_type_deposit	decimal(8,2) unsigned	0.00	NO	
contract_type_icon	varchar(255)		NO	
contract_type_url	varchar(255)		NO	
contract_type_order	tinyint(3) unsigned	255	NO	
contract_type_enable	tinyint(1) unsigned	1	NO	

shop_base_crontab Schedule of tasks

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
crontab_id	int(6) unsigned		NO	是
crontab_name	varchar(50)		NO	
crontab_file	varchar(50)		NO	
crontab_last_exe_time	int(10)	0	NO	
crontab_next_exe_time	int(10)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
crontab_minute	varchar(200)	*	NO	

crontab_hour	varchar(200)	*	NO	
--------------	--------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
crontab_day	varchar(200)	*	NO	

crontab_month	varchar(200)	*	NO	
---------------	--------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
crontab_week	varchar(200)	*	NO	

crontab_enable	tinyint(1) unsigned	1	NO	
crontab_buildin	tinyint(1) unsigned	0	NO	
crontab_remark	varchar(255)		NO	

shop_base_currency Currency setting table

Column Name	Column Type	Column Default	Is Nullable
-------------	-------------	----------------	-------------

Column Name	Column Type	Column Default	Is Nullable
currency_id	int(10) unsigned		NO
currency_title	varchar(32)		NO
currency_symbol_left	varchar(12)		NO
currency_symbol_right	varchar(12)		NO
currency_decimal_place	tinyint(1) unsigned		NO
currency_exchange_rate	decimal(15,8) unsigned		NO
currency_status	tinyint(1) unsigned	1	NO
currency_time	timestamp	CURRENT_TIMESTAMP	NO
currency_is_default	tinyint(1)	0	NO

shop_base_delivery_time Delivery time setting table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co
delivery_time_id	tinyint(4) unsigned		NO	是	Se
delivery_time_name	varchar(50)		NO		Se
delivery_time_text	varchar(255)		NO		Ex nc
delivery_time_enable	tinyint(4)	1	NO		Is er

shop_base_delivery_type Distribution method setting table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Col
delivery_type_id	tinyint(4) unsigned		NO	是	Set
delivery_type_name	varchar(50)		NO		Set

delivery_type_text	varchar(255)		NO		Exp not
--------------------	--------------	--	----	--	------------

shop_base_district Regional table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Colour
district_id	int(10)		NO	是	Area Numt

district_name Column Name	varchar(255) Column Type	Column Default	NO Nullable	Auto Increment	Region Code Comr
district_parent_id	int(10) unsigned	0	NO		Fathe numt
district_sort	smallint(6)	0	NO		sort

district_area	varchar(50)		NO		Region name North China north East China South China centr China south north Hong Kong, Maca Taiwa overs
district_is_leaf	tinyint(1)	1	NO		No subcl
district_level	tinyint(1)	1	NO		Grade
area_id	mediumint(8) unsigned	0	NO		Area numt

shop_base_express Express delivery form

		Column	Is	Auto	Coli
--	--	--------	----	------	------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
-------------	-------------	----------------	-------------	----------------	----------

express_id	int(10)		NO	是	Express ID
express_name	varchar(30)		NO		Express Name
express_pinyin	varchar(30)		NO		Express Pinyin
express_pinyin_100	varchar(30)		NO		Express Pinyin 100
express_site	varchar(255)		NO		Express Site
express_is_fav	tinyint(1)	0	NO		Express Is Fav
express_order	tinyint(1) unsigned	0	NO		Express Order
express_enable	tinyint(1) unsigned	0	NO		Express Enable

shop_base_festival Platform Festival table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
	int(10)				Festival ID

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
festival_id	int(10) unsigned		NO	是	节日ID
festival_name	varchar(255)		NO		节日名称

festival_category_ids	varchar(255)		NO		节日分类ID
festival_time	int(11)		NO		节日日期
festival_start_time	int(11)		NO		节日开始时间
festival_end_time	int(11)		NO		节日结束时间
festival_rate	decimal(10,2)		NO		节日费率

shop_base_layout Page layout table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
layout_id	int(10) unsigned		NO	是	Page Number
layout_name	varchar(64)		NO		page name

shop_base_layout_module null

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
layout_module_id	int(11)		NO	是	
layout_id	int(11)		NO		
code	varchar(64)		NO		-

position	varchar(14)		NO		-
sort_order	int(3)		NO		-

shop_base_layout_route Shop page layout routing table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
layout_route_id	int(11)		NO	是	-
layout_id	int(10) unsigned		NO		Lay nur
store_id	int(10) unsigned		NO		Shc Nui
layout_route_format	varchar(255)		NO		Rot for

shop_base_market_category Market classification table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
market_category_id	mediumint(8) unsigned		NO	是	Cl Nu
category_parent_id	mediumint(8) unsigned	0	NO		Par nui ma cla

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
category_name	varchar(50)		NO		Category name
category_image	varchar(255)		NO		Category picture
category_order	tinyint(1) unsigned	50	NO		Category sort order

category_level	tinyint(1) unsigned	0	NO		Category level
category_is_leaf	tinyint(1)	1	NO		Category leaf node
category_is_enable	tinyint(1)	1	NO		Category enable (boolean)
market_latitude	varchar(20)		NO		Market latitude
market_longitude	varchar(20)		NO		Market longitude

shop_base_menu Menu table - 10 increments

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
menu_id	int(10)		NO	是	Menu number
menu_parent_id	int(10)	0	NO		Menu number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
menu_name	varchar(20)		NO		Menu Name
menu_label	varchar(50)		NO		Menu
menu_icon	varchar(20)		NO		Icon c
menu_url_ctl	varchar(20)		NO		Contr name

menu_url_met	varchar(20)		NO		Contr meth
menu_url_parem	varchar(50)		NO		URL parar
menu_url	varchar(255)		NO		Type Page:
menu_order	tinyint(4) unsigned	50	NO		sort
menu_time	timestamp	0000-00-00 00:00:00	NO		Last updat

shop_base_meta_item Extended field options table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
meta_item_id	int(10) unsigned		NO	是	O v
meta_key	int(10) unsigned		NO		O n
					O

meta_item_name Column Name	varchar(20) Column Type	Column Default	NO Is Nullable	Auto Increment	va C n C
meta_item_image	varchar(255)		NO		O va pi
meta_item_order	tinyint(3) unsigned	50	NO		-
meta_category_name	varchar(20)		NO		Li us pr pr

shop_base_meta_key Extended field key name table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comr
meta_key	int(10) unsigned		NO	是	Optio
meta_name	varchar(20)		NO		-
meta_order	int(3)		NO		-
option_id	int(11) unsigned	0	NO		Optio numb

meta_required	tinyint(1) unsigned	0	NO		Requi not (k 0-not requi requi
meta_placeholder	varchar(100)		NO		place
meta_datatype	varchar(20)		NO		Data email email

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment

shop_base_option Options table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
option_id	int(10) unsigned		NO	是	Option number
option_type	varchar(32)		NO		Option name
option_sort	tinyint(3) unsigned	50	NO		Options sorting

shop_base_product_assist Product auxiliary property sheet

Column Name	Column Type	Column Default	Is Nullable

assist_id	mediumint(8) unsigned		NO
assist_name	varchar(20)		NO
type_id	mediumint(8) unsigned	0	NO
assist_item	varchar(2048)		NO

Column Name	Column Type	Column Default	Is Nullable
assist_is_search	tinyint(1) unsigned	0	NO
assist_format	enum('select','checkbox','radio','text')	checkbox	NO
assist_order	tinyint(3) unsigned	50	NO

shop_base_product_assist_item Commodity auxiliary attribute value table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
assist_item_id	mediumint(8) unsigned		NO	是	Secondary attribute number
assist_item_name	varchar(100)		NO		Secondary property value name
assist_id	mediumint(8) unsigned		NO		Attribute No
assist_item_order	tinyint(3) unsigned	50	NO		Secondary attribute value sorting

shop_base_product_brand Brand list - 540

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Col Coi
brand_id	mediumint(8) unsigned		NO	是	Bra
brand_name	varchar(60)		NO		Bra
brand_name_pinyin	varchar(255)		NO		Bra
brand_initial	varchar(2)		NO		Init
brand_desc	varchar(255)		NO		Bra De:
category_id	mediumint(8) unsigned	0	NO		Cl firs cla
brand_show_type	tinyint(1)	1	NO		Ent pic / di the bra If it “pi bra log bra dis is s “te bra the be
brand_image	varchar(255)		NO		Bra
brand_recommend	tinyint(1)	0	NO		Rec or 1-y

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Col Co
brand_enable	tinyint(1)	1	NO		Ena (en ena dis
store_id	int(10) unsigned	0	NO		Sho
brand_apply	tinyint(1)	1	NO		Bra app (en app thr app fun use me the bac def

shop_base_product_category Commodity classification table - classification emphasizes difference and type emphasizes commonness

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_id	mediumint(8) unsigned		NO	是
category_parent_id	mediumint(8) unsigned	0	NO	
category_name	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_image	varchar(255)		NO	
type_id	mediumint(8) unsigned	1001	NO	
category_virtual_enable	tinyint(1) unsigned	0	NO	
category_show_type	enum('COLOR','SPU')	COLOR	NO	

category_commission_rate	decimal(6,2) unsigned	0.00	NO	
category_order	tinyint(1) unsigned	50	NO	
category_level	tinyint(1) unsigned	0	NO	
category_is_leaf	tinyint(1)	1	NO	
category_is_enable	tinyint(1)	1	NO	
page_id	bigint(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_id	mediumint(8) unsigned		NO	是

shop_base_product_category_mobile Mobile home page classification

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
category_id	mediumint(8) unsigned		NO	是	Classification number used by level classification
category_name	varchar(50)		NO		Classification name
category_alias	varchar(50)		NO		Classification aliases
category_image	varchar(255)		NO		Classification picture
page_id	bigint(20) unsigned	1	NO		Page Number
category_order	tinyint(3) unsigned	50	NO		sort

shop_base_product_category_nav Product category navigation table - first page classification

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_id	mediumint(8) unsigned		NO	是

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_name	varchar(50)		NO	
category_alias	varchar(50)		NO	
category_image	varchar(255)		NO	

category_ids_recommend	text		NO	
item_ids_recommend	text		NO	
brand_ids_recommend	varchar(2048)		NO	
category_nav_adv	varchar(2048)	[]	NO	
temp_type	tinyint(3) unsigned	1	NO	
category_order	tinyint(3) unsigned	50	NO	

shop_base_product_category_recommend_item
Recommended products under product classification -
recommended products will be displayed on the product

list page when searching by product classification, and the display position is above the main product list.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
category_id	mediumint(8) unsigned		NO	是	
items_ids_recommend	text		NO		

shop_base_product_category_tag Product category tag table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
category_id	mediumint(8) unsigned		NO		Last level number commod classifica
category_ids	varchar(255)		NO		Commoc classifica (DOT)
category_tags	varchar(255)		NO		Classifica mark (D

shop_base_product_extension Product extension property sheet

Column Name	Column Type	Column Default	Is Null
extension_id	mediumint(8) unsigned		NO
extension_name	varchar(20)		NO
type_id	mediumint(8) unsigned	0	NO
extension_item_ids	varchar(2048)		NO
extension_is_search	tinyint(1) unsigned	0	NO
extension_format	enum('select','checkbox','radio','text')	checkbox	NO
extension_order	tinyint(3) unsigned	50	NO

shop_base_product_extension_item Product extension attribute value table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
extension_item_id	mediumint(8) unsigned		NO	是	Extension item ID
extension_item_name	varchar(100)		NO		Extension item name
extension_id	mediumint(8) unsigned		NO		Extension ID
extension_item_order	tinyint(3) unsigned	50	NO		Extension item order

shop_base_product_kind Commodity category table - physical goods (logistics delivery) virtual goods (no logistics required) cannot be modified after publishing

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
kind_id	smallint(4) unsigned		NO	是	Item No
kind_name	varchar(20)		NO		Commodity category name
kind_remark	varchar(50)		NO		Commodity type remarks

shop_base_product_spec Product specifications

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
spec_id	mediumint(8) unsigned		NO	是
spec_name	varchar(20)		NO	
spec_remark	varchar(50)		NO	
spec_format	enum('text','image')	text	NO	
spec_order	smallint(6) unsigned	50	NO	
spec_category_id	mediumint(8) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

spec_buildin	tinyint(3) unsigned	0	NO	
--------------	---------------------	---	----	--

shop_base_product_state Product status table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	C
product_state_id	smallint(4) unsigned		NO	是	C st 1 n 1 sl w 1 re 1 p
product_state_name	varchar(50)		NO		P st st
product_state_text_1	varchar(255)		NO		P st

product_state_text_2	varchar(255)		NO		P st
product_state_remark	varchar(255)		NO		R

shop_base_product_tag Product label table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
product_tag_id	mediumint(8) unsigned		NO	是	Commodity label
product_tag_name	varchar(255)		NO		Commodity label

shop_base_product_type Commodity type table - emphasize commonness, category cat is emphasize difference

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
type_id	mediumint(8) unsigned		NO	是	Commodity type number
type_name	varchar(20)		NO		Type name
type_remark	varchar(50)		NO		Remark

type_is_assist	tinyint(4) unsigned	0	NO		Enable auxiliary property (enum: yes; C
type_is_param	tinyint(4) unsigned	0	NO		Enable parameter (enum: yes; C

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	yes, c Column Enabl (enun yes; C
type_is_brand	tinyint(4) unsigned	0	NO		
type_is_entity	tinyint(4) unsigned	0	NO		Enabl enum 0-no
type_category_id	mediumint(8) unsigned	0	NO		Classi numb be assoc any le classi (you c the pi categ only v the backg shortc locati cance shortc locati functi bette imple throu intera

type_is_draft	tinyint(1) unsigned	1	NO		Draft 1-dra publis
type_spec_ids	varchar(255)		NO		Speci ID (D
type_brand_ids	varchar(255)		NO		Branc Numt

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment (DOT)
type_assist_ids	varchar(255)		NO		
type_buildin	tinyint(1) unsigned	0	NO		Enum in; 0-in

shop_base_product_type_brand_rel Product type and brand relationship table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
type_brand_id	int(10) unsigned		NO	是	Primary key, many to many must have
type_id	mediumint(8) unsigned	0	NO		Type Number
brand_id	mediumint(8) unsigned	0	NO		Brand Number

shop_base_product_type_spec_rel Corresponding table of commodity type and specification

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
type_spec_id	int(10) unsigned		NO	是	-
type_id	mediumint(8) unsigned		NO		Type Number
spec_id	mediumint(8) unsigned		NO		Specificat No

shop_base_product_unit Commodity UOM table - provides the function of modifying and adding categories - 530

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
unit_id	mediumint(8) unsigned		NO	是	Commodity unit of measure No
parent_unit_id	mediumint(8) unsigned	0	NO		Item UOM parent number
unit_name	varchar(20)		NO		Name of Commodity Measure Unit
unit_remark	varchar(50)		NO		Commodity Measure Units
unit_rate	varchar(20)	0	NO		Conversion relations
unit_guid	varchar(11)		NO		Guid No
unit_is_base	tinyint(1) unsigned	0	NO		Basic Unit
unit_type_id	mediumint(8) unsigned		NO		Commodity unit of measure classification No

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
unit_is_buildin	tinyint(1) unsigned	0	NO		Enum: 0 built-in; built-in weight a length u built-in

shop_base_product_unit_type Commodity unit of measurement category table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
unit_type_id	mediumint(8) unsigned		NO	是	Commodity unit measurement category No
parent_unit_type_id	mediumint(8) unsigned	0	NO		Commodity unit measurement category parent
unit_type_name	varchar(255)		NO		Commodity unit measurement category name

unit_type_remark	varchar(50)		NO		No commodity unit measurement category
					Enum

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
unit_type_is_buildin	tinyint(1) unsigned		NO		builder
					builder

shop_base_product_verify Product audit information form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
product_verify_id	smallint(4) unsigned		NO	是	产品审核ID
product_verify_name	varchar(50)		NO		产品审核名称
product_verify_text_1	varchar(255)		NO		产品审核文本1
product_verify_text_2	varchar(255)		NO		产品审核文本2
product_verify_remark	varchar(255)		NO		产品审核备注

shop_base_protocol Basic communication protocol table

Column Name	Column Type	Column Default	Is Nullable	Comments
cmd_id	mediumint(8) unsigned		NO	命令ID
ctl	varchar(50)		NO	命令控制
met	varchar(50)		NO	命令元数据
mdu	varchar(50)		NO	命令数据

Column Name	Column Type	Column Default	Is Nullable	Attr
typ	enum('e','json','msgpack','amf')	json	NO	
rights_id	smallint(4)	0	NO	
log	tinyint(1)	0	NO	
struct	varchar(100)		NO	
comment	varchar(255)		NO	

0	varchar(255)	int16_t:cmd_id	NO	
1	varchar(255)		NO	
2	varchar(255)		NO	
3	varchar(255)		NO	
4	varchar(255)		NO	
5	varchar(255)		NO	
6	varchar(255)		NO	
7	varchar(255)		NO	
8	varchar(255)		NO	
9	varchar(255)		NO	
10	varchar(255)		NO	
11	varchar(255)		NO	
12	varchar(255)		NO	

Column Name	Column type	Column Default	Is Nullable	Attr
13	varchar(255)		NO	
14	varchar(255)		NO	
15	varchar(255)		NO	
16	varchar(255)		NO	
17	varchar(255)		NO	
18	varchar(255)		NO	
19	varchar(255)		NO	
20	varchar(255)		NO	
21	varchar(255)		NO	

22	varchar(255)		NO	
23	varchar(255)		NO	
24	varchar(255)		NO	
25	varchar(255)		NO	
26	varchar(255)		NO	
27	varchar(255)		NO	
28	varchar(255)		NO	
29	varchar(255)		NO	
30	varchar(255)		NO	
31	varchar(255)		NO	
32	varchar(255)		NO	

shop_base_readme Instruction sheet

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
readme_key	varchar(50)		NO	
readme_comment	varchar(255)		NO	
dfadf	mediumint(9)		YES	
dfff	timestamp	CURRENT_TIMESTAMP	NO	

shop_base_site_nav Page navigation table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
nav_id	int(11)		NO	是

nav_type	tinyint(1)	0	NO	
nav_item_id	int(10) unsigned	0	NO	

nav_title Column Name	varchar(100) Column Type	Column Default	NO Nullable	Auto Increment
nav_url	varchar(255)		NO	
nav_position	tinyint(1)	0	NO	
nav_target_blank	tinyint(1)	0	NO	
nav_image	varchar(255)		NO	
nav_dropdown_menu	varchar(20000)		NO	
nav_order	tinyint(3) unsigned	50	NO	

nav_enable	tinyint(1) unsigned	1	NO	
nav_buildin	tinyint(4) unsigned	0	NO	

shop_base_state_code Status code table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Colu Com
-------------	-------------	-------------------	----------------	-------------------	-------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

state_code_id	smallint(4) unsigned		NO	是	Com stat norm 100% shel ware 100% revie 100% proh
state_code_name	varchar(50)		NO		Prod stat
state_code_text_1	varchar(255)		NO		Prod stat
state_code_text_2	varchar(255)		NO		Prod stat
state_code_text_3	varchar(255)		NO		-
state_code_code	varchar(255)		NO		COD
state_code_remark	varchar(255)		NO		Rem
state_category	varchar(255)		NO		Clas

shop_base_state_code_lang Status code table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
lang_id	int(10)		NO	是	numt

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Colour Comr
-------------	-------------	----------------	-------------	----------------	-------------

state_code_id	smallint(4)		NO		Comr statu 1001 norm 1002 shelf warel 1003 revie 1000 prohi
state_code_text_1	varchar(255)		NO		Produ statu
state_code_text_2	varchar(255)		NO		Produ statu
state_code_text_3	varchar(255)		NO		-
lang	varchar(255)		NO		Langu

shop_base_store_category Store classification platform settings

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_category_id	int(10) unsigned		NO	是

store_category_name Column Name	varchar(50) Column Type	Column Default	NO Nullable	Auto Increment
store_category_deposit	decimal(10,2)	0.00	NO	
store_category_order	tinyint(1) unsigned	255	NO	

category_ids	varchar(50)		NO	
--------------	-------------	--	----	--

shop_base_store_grade Shop level table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	-------------------	----------------	-------------------

store_grade_id	smallint(4) unsigned		NO	是
store_grade_name	varchar(50)		NO	
store_grade_fee	decimal(6,2)	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_grade_desc	varchar(255)		NO	
store_grade_product_limit	mediumint(8)	0	NO	
store_grade_album_limit	mediumint(8) unsigned	0	NO	
store_grade_template	varchar(50)		NO	

store_grade_function_id	varchar(50)		NO	
store_grade_sort	mediumint(8)	0	NO	

shop_base_store_template Shop template table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	C
store_template_name	varchar(100)		NO		Si te ni th co fil te ni
store_style_name	varchar(255)		NO		Si
store_template_img	varchar(255)		NO		In co tc

shop_base_user_tag User label table

Column Name	Column Type	Column Default	Is Nullable	Auto Incerer
tag_id	int(10)		NO	是
tag_order	int(10)		NO	
tag_name	varchar(50)		NO	
tag_image	varchar(255)		NO	
tag_recommend	tinyint(1)	0	NO	
tag_content	varchar(1024)		NO	

tag_time	timestamp	CURRENT_TIMESTAMP	NO	Auto
Column Name	Column Type	Column Default	IS	

shop_base_user_type User classification table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_type_id	smallint(4) unsigned		NO	是	Custom category number
user_type_name	varchar(20)		NO		Custom category name
user_type_remark	varchar(50)		NO		Custom category notes

shop_chain_base Store list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
chain_id	int(10) unsigned		NO	是
store_id	int(10) unsigned	0	NO	
chain_name	varchar(20)		NO	
chain_mobile	varchar(20)		NO	
chain_telephone	varchar(30)		NO	
chain_contactor	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	At In
chain_contacter	varchar(20)		NO	
chain_lng	varchar(20)	0	NO	
chain_lat	varchar(20)	0	NO	
chain_district_info	varchar(255)		NO	
chain_district_id	varchar(255)		NO	
chain_address	varchar(255)		NO	
chain_opening_hours	varchar(255)		NO	
chain_close_hours	varchar(255)		NO	
chain_traffic_line	varchar(255)		NO	

chain_img	varchar(255)		NO	
chain_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_chain_company Organization company information form

Column Name	Column Type	Column Default	Is Nullable
company_id	int(10) unsigned		NO
user_id	int(10)	0	NO

Column Name	Column Type	Column Default	Is Nullable
chain_id	int(10) unsigned		NO
company_name	varchar(50)		NO
company_area	varchar(50)		NO

company_address	varchar(100)		NO
company_zipcode	varchar(255)		NO
company_phone	varchar(255)		NO
company_website	varchar(255)		NO
company_description	varchar(255)		NO
contacts_name	varchar(255)		NO
contacts_position	varchar(255)		NO

Column Name	Column Type	Column Default	Is Nullable
contacts_phone	varchar(255)		NO
contacts_email	varchar(255)		NO
company_registered_capital	int(10) unsigned	0	NO
company_employee_count	int(10) unsigned	0	NO

company_taxnum	varchar(20)		NO
company_invoice	varchar(50)		NO
legal_person	varchar(50)		NO
legal_person_number	varchar(50)		NO
legal_person_electronic	varchar(255)		NO
business_license_location	varchar(255)		NO
establish_date	date		NO
business_licence_start	date		NO

business_licence_end Column Name	date Column Type	Column Default	NO Nullable
business_sphere	varchar(255)		NO
business_license_electronic	varchar(255)		NO

organization_code	varchar(20)		NO
organization_code_start	date		NO
organization_code_end	date		NO
organization_code_electronic	varchar(255)		NO
general_taxpayer	varchar(255)		NO
bank_account_name	varchar(50)		NO
bank_account_number	varchar(30)		NO

Column Name	Column Type	Column Default	Is Nullable
bank_code	varchar(20)		NO

bank_address	varchar(255)		NO
bank_licence_electronic	varchar(255)		NO
tax_registration_certificate	varchar(20)		NO
tax_registration_certificate_electronic	varchar(255)		NO
payment_voucher	varchar(255)		NO
payment_voucher_explain	varchar(255)		NO
store_class_ids	text		NO

Column Name	Column Type	Column Default	Is Nullable
store_class_names	text		NO
store_class_commission	text		NO

contacts_fee	float(10,2)		NO
contacts_deposit	float(10,2)		NO
business_id	varchar(20)	0	NO
payment_type	tinyint(1) unsigned	0	NO

shop_chain_config Store parameter setting table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
chain_id	int(10) unsigned		NO		store number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
cc_state	tinyint(1) unsigned	0	NO		Order receiving setting (bool): 0-open order receiving; 1-stop order receiving
cc_day_max	int(10) unsigned	0	NO		Daily maximum order quantity

shop_chain_item Store list - can have store price

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
chain_item_id	int(10)		NO	是	-
chain_id	int(10)	0	NO		store

store_id	int(10)	0	NO		store
item_id	int(10)	0	NO		item
product_id	int(10)	0	NO		product
chain_item_quantity	decimal(10,2)	0.00	NO		quantity
chain_item_unit_price	decimal(10,2)	9.00	NO		unit price



shop_chain_user Store user table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
chain_user_id	int(10) unsigned		NO	是	User number
user_id	int(10) unsigned		NO		Membership Number
chain_id	int(10) unsigned	0	NO		Owned stores
store_id	int(10) unsigned		NO		Shop Number



shop_distribution_base_config This table is abandoned - system parameter setting table

Column Name	Column Type	Column Default	Is Nullable
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(255)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO

Column Name	Column Type	Column Default	Is Nullable
config_formatter	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

shop_distribution_order_base This table is obsolete - order details

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_id	varchar(50)		NO	
store_distributor_id	int(10) unsigned	0	NO	
order_distribution_seller_type	tinyint(1) unsigned	1	NO	

order distribution buyer type	tinyint(1)	1	NO	
-------------------------------	------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
	unsigned			
order_source_id	varchar(50)	0	NO	
directseller_flag	tinyint(1) unsigned	0	NO	
directseller_id_0	int(10) unsigned	0	NO	
directseller_id_1	int(10)	0	NO	
directseller_id_2	int(10)		NO	
directseller_discount	decimal(10,2) unsigned	0.00	NO	
buyer_flag	tinyint(1)	0	NO	

buyer_id_0	int(10)	0	NO	
buyer_id_1	int(10)	0	NO	
buyer_id_2	int(10)	0	NO	
order_time	int(11)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_state_id	smallint(4) unsigned	2011	NO	
buyer_user_id	int(10)	0	NO	

shop_distribution_order_item Discard this table - order distribution goods relation table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_item_id	int(10)		NO	是
order_id	varchar(50)		NO	
item_id	int(10)		NO	
product_id	int(10)	0	NO	
distributor_commission_0	decimal(16,6) unsigned	0.000000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
distributor_commission_1	decimal(16,6) unsigned	0.000000	NO	
distributor_commission_2	decimal(16,6) unsigned	0.000000	NO	
directseller_commission_0	decimal(16,6) unsigned	0.000000	NO	
directseller_commission_1	decimal(16,6) unsigned	0.000000	NO	

directseller_commission_2	decimal(16,6) unsigned	0.000000	NO	
buyer_commission_0	decimal(16,6) unsigned	0.000000	NO	
buyer_commission_1	decimal(16,6) unsigned	0.000000	NO	
buyer_commission_2	decimal(16,6) unsigned	0.000000	NO	
directseller_id_0	int(10) unsigned	0	NO	
directseller_id_1	int(10) unsigned	0	NO	
	int(10)			

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
directseller_id_2	int(10) unsigned	0	NO	
directseller_item_discount	decimal(10,2) unsigned	0.00	NO	
buyer_id_0	int(10) unsigned	0	NO	
buyer_id_1	int(10) unsigned	0	NO	
buyer_id_2	int(10) unsigned	0	NO	
order_item_time	int(10) unsigned	0	NO	

shop_distribution_plantform_user This record cannot be changed,

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

user_id	int(10) unsigned		NO	是
user_parent_id	int(10)	0	NO	
user_partner_id	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_time	int(11) unsigned		NO	
user_team_count	int(10)	0	NO	
user_level_id	mediumint(10)	1001	NO	
user_province_team_id	int(10)	0	NO	
user_city_team_id	int(10)	0	NO	
user_county_team_id	int(10)	0	NO	
role_level_id	mediumint(10)	1001	NO	

shop_distribution_plantform_user_generated_commission

Summary of commission generated by platform promotion fans

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ugc_id	varchar(255)		NO		Content Commission No.: + '-'
user_id	mediumint(8) unsigned		NO		Promotion fans
user_parent_id	mediumint(11) unsigned	0	NO		Superior promotion No
					Promotion level parent granth...

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
ugc_level	tinyint(4) unsigned		NO		the r Colu Com Same
					relat chan add recoi
ugc_amount	decimal(16,6) unsigned	0.000000	NO		Gene Com
ugc_num	int(11) unsigned	0	NO		Orde Quar
user_time	int(11) unsigned	0	NO		Regis time

shop_distribution_product This table is abandoned - public content table of goods - future separable table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
product_id	bigint(20) unsigned		NO	是	

product_lock_flag	tinyint(1)	0	NO		
product_agent_id	int(10) unsigned	0	NO		

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_distributor_flag	tinyint(1) unsigned	0	NO	
product_is_allow_update	tinyint(1) unsigned	1	NO	
product_is_allow_price	tinyint(1) unsigned	1	NO	
product_is_behalf_delivery	tinyint(1)	1	NO	
store_parent_id	int(10) unsigned	0	NO	

product_parent_id	int(10)	0	NO	
-------------------	---------	---	----	--

shop_distribution_product_item Commodity list

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
item_id	int(10) unsigned		NO	是

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_recommended_price	decimal(10,0)	0	NO	
item_recommended_min_price	decimal(10,2)	0.00	NO	

item_recommended_max_price	decimal(10,2)	0.00	NO	
item_parent_id	int(10) unsigned	0	NO	

shop_distribution_store_agent Shop agent list.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_agent_id	int(10) unsigned	0	NO		-
store_id	int(10) unsigned	0	NO		Shop No
agent_id	int(10) unsigned	0	NO		Distributor id = shop_ ID
agent_parent_id	int(10) unsigned	0	NO		Superior No

shop_distribution_store_agent_generated_commission Commission summary of agent contribution - the record is

**generated only when the agent develops the sub agent. -
Emphasize agent's Commission contribution to superior.
Emphasis on commission created by agents**

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
agc_id	varchar(255)		NO	
directseller_id	mediumint(8) unsigned		NO	
directseller_name	varchar(30)		NO	
directseller_parent_id	mediumint(11)		NO	
directseller_parent_name	varchar(30)		NO	
agc_level	tinyint(4)	1	NO	
agc_amount	decimal(16,6) unsigned	0.000000	NO	

shop_distribution_store_agent_level Agent level table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
agent_level_id	tinyint(3) unsigned		NO	是
agent_level_name	varchar(50)		NO	
agent_level_discount_rate	decimal(6,2)	0.00	NO	
agent_level_freeshipping	varchar(255)	0	NO	
agent_level_order	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

shop_distribution_store_base This table is obsolete - store basic information table - distribution store source relationship record (superior). This record can be changed under special circumstances.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
	int(10)				

store_id Column Name	int(10) unsigned Type	Column Default	NO Is Nullable	是 Auto Increment	Shop Numb Column Comment
-------------------------	-----------------------------	-------------------	----------------------	------------------------	--------------------------------

store_parent_id	int(10) unsigned	0	NO		Superior store number - store creation decision, distributor - cannot be changed! Commission equity consideration
store_type	tinyint(1) unsigned	1	NO		Shop type: 1: seller's shop 2: supplier's shop

shop_distribution_store_commission Income statement - agency / distribution / promotion

Column Name	Column Type	Column Default	Is Nullable
store_id	int(10) unsigned		NO
commission_amount	decimal(15,6)	0.000000	NO
commission_distributor_amount_0	decimal(15,6)	0.000000	NO

commission_distributor_amount_1 Column Name	decimal(15,6) Column Type	0.000000 Default	NO Nullable	
commission_distributor_amount_2	decimal(15,6)	0.000000	NO	
commission_agent_amount_0	decimal(15,6) unsigned	0.000000	NO	
commission_agent_amount_1	decimal(15,6) unsigned	0.000000	NO	

commission_agent_amount_2	decimal(15,6) unsigned	0.000000	NO	
---------------------------	---------------------------	----------	----	--

shop_distribution_store_directseller List of shop promotion salesmen.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Col
store_directseller_id	int(10) unsigned		NO	是	-
store_id	int(10) unsigned	0	NO		Sho
directseller_id	int(10) unsigned	0	NO		Pro sal = t
					Sup - be the

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	are Col diff Col the
directseller_parent_id	int(10) unsigned	0	NO		sup ma diff the act bec sal of a the sup is C

directseller_enable	tinyint(1) unsigned	1	NO		Ap or I be app 1-a
directseller_create_time	datetime		NO		Cre tim

shop_distribution_store_directseller_config Store salesperson parameter setting table meta

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_id	int(10) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

allow_seller_buy	tinyint(1) unsigned	0	NO	
auto_settle	tinyint(1) unsigned	1	NO	
cps_rate	int(10) unsigned	0	NO	
second_is_enable	tinyint(1) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
second_cps_rate	int(10) unsigned	0	NO	

directseller_customer_exptime	int(10) unsigned	0	NO	
-------------------------------	---------------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

directseller_exptime_type	tinyint(1) unsigned	1	NO	
---------------------------	------------------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
directseller_rel_exptime	int(10) unsigned	0	NO	
is_verify	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
settle_time_type	int(10) unsigned	0	NO	
third_cps_rate	int(10) unsigned	0	NO	

expenditure	int(10) unsigned	0	NO	
-------------	---------------------	---	----	--

shop_distribution_store_directseller_customer Shop promotion salesman customer list.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_directseller_customer_id	int(10) unsigned	0	NO	
directseller_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
customer_id	int(10) unsigned	0	NO	

shop_distribution_store_directseller_generated_commission Summary of commission generated by shop promotion salesperson contribution - salesperson promotion salesperson generates record. -Emphasize the relationship between salesman and superior and commission contribution to superior. Emphasize commissions created by salespeople

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

dgc_id	varchar(255)		NO	
directseller_id	mediumint(8) unsigned		NO	
directseller_parent_id	mediumint(11) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
dgc_level	tinyint(4) unsigned	1	NO	
dgc_amount	decimal(16,6) unsigned	0.000000	NO	

shop_distribution_store_directseller_level Salesman level table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
directseller_level_id	tinyint(3) unsigned		NO	是

directseller_leve_name	varchar(50)		NO	
directseller_leve_discount_rate	decimal(6,2)	0.00	NO	
directseller_leve_freeshipping	varchar(255)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
directseller_leve_order	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

shop_distribution_store_directseller_product Sales promotion product list.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_directseller_product_code	varchar(255)		NO	
directseller_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
product_id	int(10) unsigned	0	NO	
directseller_images_image	varchar(1024)		NO	
directseller_time	datetime		NO	

item_price	decimal(10,2)	0.00	NO	
item_id	bigint(20)	0	NO	

shop_distribution_store_distributor Store distributor list. - Different suppliers can have the same distributor

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_distributor_id	int(10) unsigned		NO	是
store_id	int(10) unsigned	0	NO	
distributor_id	int(10) unsigned	0	NO	
distributor_level_id	int(10) unsigned	0	NO	
distributor_parent_id	int(11) unsigned	0	NO	
distributor_enable	tinyint(1)	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
distributor_cat_ids	varchar(1024)		NO	
store_distributor_time	datetime		NO	
store_distributor_reason	varchar(255)		NO	

shop_distribution_store_distributor_generatedcommission
Distributor contribution generates Commission Summary - only when distributor develops sub distributors can records be generated. -Emphasize the Commission contribution of distributors to their superiors. Emphasize the commission created by distributors FGC = distributor generated_ commission

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
fgc_id	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
distributor_id	mediumint(8) unsigned	0	NO	
distributor_parent_id	mediumint(11) unsigned		NO	

fgc_level	tinyint(4) unsigned	1	NO	
fgc_amount	decimal(16,6) unsigned	0.000000	NO	

shop_distribution_store_distributor_level Distributor level table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
distributor_level_id	int(10) unsigned		NO	是

distributor_leve_name	varchar(50)	Column Default	NO Is Nullable	Auto Increm
distributor_leve_discount_rate	decimal(6,2)	0.00	NO	

distributor_leve_freeshipping	varchar(255)	0	NO	
distributor_leve_order	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

shop_distribution_store_distributor_product_cat Authorized classification of distributable goods

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comm
cat_id	int(9)		NO	是	-
cat_name	varchar(50)		NO		Classif name
cat_parent_id	int(11)	0	NO		Superc

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Classification
cat_pic	varchar(255)		NO		Picture
type_id	int(10)	0	NO		Type N
cat_commission	float	0	NO		Ratio of three-t Comm distrib
cat_is_wholesale	tinyint(1)	0	NO		-

cat_is_virtual	tinyint(1)	0	NO		Allow v or not
cat_templates	varchar(100)	0	NO		-
cat_displayorder	smallint(3)	255	NO		sort
cat_level	tinyint(1)		NO		Classif level
cat_show_type	tinyint(4)	1	NO		1: SPU color

shop_distribution_store_team Supplier team table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
team_id	int(10) unsigned		NO	是
team_name	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
team_type	tinyint(1) unsigned	1	NO	
team_image	varchar(255)		NO	
distributor_level_id	tinyint(3) unsigned	0	NO	
team_chat_flag	tinyint(1) unsigned	1	NO	
team_verify_flag	tinyint(1) unsigned	0	NO	

team_leader_id	int(10)	0	NO	
team_performance_flag	tinyint(1)	0	NO	
team_split_type	tinyint(1) unsigned	0	NO	
team_invisible	tinyint(1)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

team_permit	varchar(255)	0	NO	
store_id	int(10) unsigned	0	NO	
team_amount	decimal(15,6) unsigned	0.000000	NO	
	int(10)			

team_quantity	int(10) unsigned	0	NO	Auto
Column Name	Column Type	Column Default	Is Nullable	Increment

shop_distribution_store_team_member Supplier team member table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
team_member_id	int(10) unsigned		NO	是	Team member number
team_id	int(10) unsigned	0	NO		Team number
store_id	int(10) unsigned	0	NO		Shop Number

shop_distribution_store_type This table is obsolete - store type

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_type_id	int(10) unsigned		NO	是	Shop Number
store_type_name	varchar(255)		NO		Type name be modified

shop_distribution_user Platform promoter

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned		NO	是	User number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Number of fans; comment redundancy
user_fans_num	int(10) unsigned		NO		
user_is_sp	tinyint(1)	0	NO		Bool: 0-no; 1-yes;

user_is_da	int(11)	0	NO		Zone agent (bool): 0-no; 1-yes is zone ID;
user_is_ca	int(11)	0	NO		City agent (bool): 0-no; 1-yes is city ID;
user_is_pa	int(11)	0	NO		Bool: 0 - no; 1 - yes is the province ID;
user_is_pt	tinyint(1) unsigned	0	NO		Bool: 0-no; 1-yes;
user_active	tinyint(1) unsigned	1	NO		Valid or not (bool): 0 - not valid; 1 - valid
user_time	int(11) unsigned	0	NO		Registration time
role_level_id	int(11)	0	NO		Grade number

shop_distribution_user_commission Promoter and income statement - user earned summary

Column Name	Column Type	Column Default	Is Nullable
user_id	int(10) unsigned		NO
commission_amount	decimal(15,6)	0.000000	NO
commission_directseller_amount_0	decimal(15,6)	0.000000	NO
commission_directseller_amount_1	decimal(15,6)		NO
commission_directseller_amount_2	decimal(15,6)		NO
commission_buy_amount_0	decimal(15,6)	0.000000	NO
commission_buy_amount_1	decimal(15,6)	0.000000	NO
commission_buy_amount_2	decimal(15,6)	0.000000	NO
commission_click_amount_0	decimal(15,6)	0.000000	NO
commission_click_amount_1	decimal(15,6)	0.000000	NO
commission_click_amount_2	decimal(15,6)	0.000000	NO

commission_reg_amount_0	decimal(15,6)	0.000000	NO
Column Name	Column Type	Column Default	Is Nullable

commission_reg_amount_1	decimal(15,6)	0.000000	NO
commission_reg_amount_2	decimal(15,6)	0.000000	NO
commission_settled	decimal(15,6) unsigned	0.000000	NO
commission_directseller_settled	decimal(15,0)	0	NO
commission_buy_settled	decimal(15,6)	0.000000	NO
commission_buy_da	decimal(15,6)	0.000000	NO
commission_buy_ca	decimal(15,6)	0.000000	NO
commission_directseller_da	decimal(15,6)	0.000000	NO
commission_directseller_ca	decimal(15,6)	0.000000	NO
commission_buy_trade_0	decimal(15,6)	0.000000	NO
commission_buy_trade_1	decimal(15,6)	0.000000	NO
commission_buy_trade_2	decimal(15,6)	0.000000	NO

Column Name	Column Type	Column Default	Is Nullable
commission_buy_da_trade	decimal(15,6)	0.000000	NO
commission_buy_ca_trade	decimal(15,6)	0.000000	NO
commission_directseller_trade_0	decimal(15,6)	0.000000	NO
commission_directseller_trade_1	decimal(15,6)	0.000000	NO
commission_directseller_trade_2	decimal(15,6)	0.000000	NO
commission_directseller_da_trade	decimal(15,6)	0.000000	NO
commission_directseller_ca_trade	decimal(15,6)	0.000000	NO
commission_partner_buy_trade	decimal(15,6) unsigned	0.000000	NO
commission_partner_directseller_trade	decimal(15,6) unsigned	0.000000	NO
commission_partner_deposit_trade	decimal(15,6) unsigned	0.000000	NO
commission_distributor_amount	decimal(15,6)	0.000000	NO
commission_salesperson_amount	decimal(15,6)	0.000000	NO
commission_refund_amount	decimal(15,6)	0.000000	NO

shop_distribution_user_order Promotion order income statement

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
uo_id	int(11) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
order_id	varchar(50)		NO	
uo_buy_commission	decimal(15,6)	0.000000	NO	
uo_directseller_commission	decimal(15,6)	0.000000	NO	
buyer_user_id	int(10)	0	NO	
store_id	int(11)	0	NO	
uo_level	smallint(4)	0	NO	
uo_time	int(11) unsigned	0	NO	
uo_active	tinyint(1) unsigned	0	NO	
uo_remark	varchar(255)		NO	
uo_is_paid	tinyint(1)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
uo_paytime	int(11)	0	NO	
uo_receivetime	int(11)	0	NO	

shop_distribution_user_order_item Income statement of promotion order goods

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
uoi_id	int(11) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
order_id	varchar(50)		NO	
product_id	int(10) unsigned		NO	
item_id	int(10) unsigned		NO	
uoi_buy_commission	decimal(15,6)	0.000000	NO	

uoi_directseller_commission	decimal(15,6)	0.000000	NO	
uoi_distributor_commission	decimal(15,0)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
buyer_user_id	int(10) unsigned		NO	
uoi_level	smallint(4)	0	NO	
uoi_time	int(11) unsigned	0	NO	
uoi_active	tinyint(1) unsigned	0	NO	
store_id	int(11)	0	NO	
uoi_is_paid	tinyint(1)	0	NO	
uoi_receivetime	int(11)	0	NO	

shop_distribution_user_withdraw Commission transfer to balance application form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
duw_id	int(10)		NO	是
user_id	int(10) unsigned	0	NO	
duw_amount	decimal(10,2) unsigned	0.00	NO	
duw_state	tinyint(2) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
duw_user_id	int(10) unsigned	0	NO	
duw_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_log_action User behavior log table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
log_id	bigint(20) unsigned		NO	是
user_id	mediumint(10)	0	NO	
user_account	varchar(100)		NO	
user_name	varchar(20)		NO	
action_id	mediumint(8)	0	NO	
action_type_id	mediumint(9)		NO	
log_param	varchar(1024)		NO	

log_ip	varchar(20)		NO	
log_date	date		NO	

log_time Column Name	timestamp Column Type	CURRENT_TIMESTAMP Column Default	NO Is Nullable	Auto Increment
-------------------------	--------------------------	-------------------------------------	----------------------	-------------------

shop_message_template Message template table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_id	varchar(100)		NO	
message_code	varchar(100)		NO	
message_name	varchar(100)		NO	
message_email_title	varchar(100)		NO	
message_email_content	varchar(1024)		NO	
message_content	varchar(255)		NO	
message_sms	varchar(255)		NO	
message_type	tinyint(1)	1	NO	
message_enable	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_sms_enable	tinyint(1) unsigned	0	NO	
message_email_enable	tinyint(1) unsigned	0	NO	
message_wechat_enable	tinyint(1) unsigned	0	NO	
message_sms_force	tinyint(1) unsigned	0	NO	
message_email_force	tinyint(1) unsigned	0	NO	
message_force	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_category	tinyint(1) unsigned	0	NO	
message_order	tinyint(2)	50	NO	
message_tpl_id	varchar(50)		NO	
message_tpl_sender	varchar(255)		NO	

shop_number_seq ID management table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
prefix	varchar(20)		NO		prefix
number	int(10) unsigned	1001	NO		Growth value

shop_order_base Order details - Retrieve rows regardless of table, cache

Column Name	Column Type	Column Default	Is Nullable
order_id	varchar(50)		NO

order_number Column Name	varchar(50) Column Type	Column Default	NO Nullable
order_time	timestamp	CURRENT_TIMESTAMP	NO

order_payment_amount	decimal(10,2)	0.00	NO
currency_id	int(11)	86	NO
currency_symbol_left	varchar(12)	¥	NO
store_id	int(10) unsigned	0	NO
store_name	varchar(50)		NO
	int(10)		

Column Name	Column Type	Column Default	Nullable
buyer_user_id	int(10) unsigned	0	NO
buyer_user_name	varchar(50)		NO

order_state_id	smallint(4)	2010	NO
----------------	-------------	------	----

shop_order_cancel_reason Order cancellation reason table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co
cancel_reason_id	mediumint(4) unsigned		NO	是	O ca re
cancel_reason_name	varchar(50)		NO		O ca re

shop_order_cb Cross border order information form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_id	varchar(50)		NO	
order_cb_flag	tinyint(1)	2	NO	

order_cb_sync	tinyint(1)	2	NO	
order_cb_pay_req	tinyint(1)	2	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_cb_pay_res	tinyint(1)	2	NO	
order_cb_transfer	tinyint(1)	2	NO	
order_cb_ts	tinyint(1)	2	NO	
order_cb_list	tinyint(1)	2	NO	
order_cb_pay_res_data	varchar(1024)		NO	

order_cb_pay_req_data	varchar(1024)		NO	
-----------------------	---------------	--	----	--

shop_order_chain_code Virtual exchange code store self collection exchange code table pickupcode

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co
-------------	-------------	----------------	-------------	----------------	----

Column Name	Type	Default	Nullable	Increment	Comments
order_id	varchar(50)	Default	NO	Auto Increment	Order
chain_id	int(11)	0	NO		store number

item_id	int(10) unsigned	0	NO		Order number
chain_code	varchar(50)		NO		Virtual code picture
chain_code_status	int(10) unsigned	0	NO		Virtual code status (error number 1-t from)
chain_code_usetime	timestamp	0000-00-00 00:00:00	NO		Use of expiration code
virtual_service_date	date	0000-00-00	NO		-
virtual_service_time	timestamp	0000-00-00 00:00:00	NO		-
user_id	int(11) unsigned	0	NO		User number
store_id	int(10) unsigned	0	NO		Store Number
product_validity_end	int(11)	0	NO		Expiration

shop_order_comment Order shop evaluation form

Column Name	Column Type	Column Default	Is Nu
order_id	varchar(50)		NC
store_id	int(10) unsigned	0	NC
store_name	varchar(50)		NC
user_id	int(10) unsigned	0	NC
user_name	varchar(50)		NC
comment_points	decimal(10,2)	0.00	NC
comment_scores	tinyint(4) unsigned	3	NC
comment_content	varchar(255)		NC
comment_image	varchar(1000)		NC
comment_helpful	int(10)	0	NC
comment_nohelpful	int(10)	0	NC
comment_time	timestamp	CURRENT_TIMESTAMP	NC
comment_is_anonymous	tinyint(1) unsigned	0	NC
comment_enable	tinyint(1) unsigned	1	NC
comment_store_desc_credit	tinyint(1) unsigned	5	NC

Column Name	Column Type	Column Default	Is Nu
comment_store_service_credit	tinyint(1) unsigned	5	NC
comment_store_delivery_credit	tinyint(1) unsigned	5	NC

shop_order_data Order details

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_id	varchar(50)		NO	
order_desc	varchar(200)		NO	
order_delay_time	int(11)	0	NO	
delivery_type_id	tinyint(4) unsigned	0	NO	

delivery_time_id	tinyint(4)	1	NO	
------------------	------------	---	----	--

delivery_time	date	Column	NO	Auto
Column Name	Column Type	Default	Is	Incre
delivery_time_rang	tinyint(2)	0	Nullable	
			NO	
delivery_time_h	tinyint(2)		NO	
delivery_time_i	tinyint(2)		YES	
delivery_istimer	tinyint(1)	0	NO	
invoice_type_id	tinyint(1)	0	NO	
invoice_company_code	varchar(100)		NO	
order_invoice_title	varchar(100)		NO	
order_message	varchar(255)		NO	

order_item_amount	decimal(10,2)	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_discount_amount	decimal(10,2)	0.00	NO	
order_adjust_fee	decimal(10,2)	0.00	NO	
order_points_fee	decimal(10,2)	0.00	NO	
order_shipping_fee_amount	decimal(10,2)	0.00	NO	
order_shipping_fee	decimal(10,2)	0.00	NO	
voucher_id	int(10)	0	NO	
voucher_number	varchar(32)		NO	
voucher_price	decimal(10,2)	0.00	NO	
redpacket_id	int(10)	0	NO	

redpacket_number	varchar(32)		NO	
redpacket_price	decimal(10,2)	0.00	NO	
order_redpacket_price	decimal(10,2)	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_reupacket_price	decimal(10,2)	0.00	NO	
order_resource_ext1	decimal(10,2)	0.00	NO	
order_resource_ext2	decimal(10,2)	0.00	YES	
order_resource_ext3	decimal(10,2)	0.00	YES	
trade_payment_money	decimal(10,0)	0	NO	
trade_payment_recharge_card	decimal(10,2)	0.00	NO	
trade_payment_credit	decimal(10,2)	0.00	NO	
order_refund_status	tinyint(1) unsigned	0	NO	
order_refund_amount	decimal(10,2)	0.00	NO	

order_return_status	tinyint(1) unsigned	0	NO	
order_return_num	int(10)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_return_ids	varchar(200)		NO	
order_commission_fee	decimal(10,2)	0.00	NO	
order_commission_fee_refund	decimal(10,2)	0.00	NO	
order_points_add	int(11)	0	NO	
order_promotion_info	varchar(255)		NO	
order_cancel_identity	tinyint(1)	0	NO	
order_cancel_reason	varchar(255)		NO	
order_cancel_time	timestamp	0000-00-00 00:00:00	NO	

order_bp_add	int(10)	0	NO	
order_rebate	decimal(10,2)	0.00	NO	
buyer_mobile	int(11)		YES	
order heka	varchar(255)		YES	



shop_order_delivery_address Receiving address table

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
order_id	varchar(50)		NO	
da_name	varchar(10)		NO	
da_mobile	varchar(20)		NO	
da_telephone	varchar(30)		NO	
da_contacter	varchar(20)		NO	
da_im	varchar(255)		NO	
da_province_id	int(10)	0	NO	
da_province	varchar(50)		NO	
da_city_id	int(10)	0	NO	
da_city	varchar(50)		NO	
da_county_id	int(10) unsigned	0	NO	
da_county	varchar(50)		NO	
da_address	varchar(255)		NO	
da_postalcode	varchar(30)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
da_tag_name	varchar(50)	0	NO	
da_time	timestamp	CURRENT_TIMESTAMP	NO	
da_longitude	varchar(20)		NO	
da_latitude	varchar(20)		NO	

shop_order_exchange Exchange order form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_return_id	bigint(20) unsigned		NO	是
order_id	varchar(50)		NO	
refund_id	varchar(100)		NO	

member_id	int(10) unsigned		NO	
seller_id	int(10) unsigned		NO	
product_id	int(10)		NO	
item_id	int(10)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
refund_price	float(10,2)		NO	
reason	varchar(255)		NO	
status	tinyint(1)	1	NO	
order_return_item_status	tinyint(1)	0	NO	
type	tinyint(1)	0	NO	
create_time	int(10) unsigned		NO	
close_reason	varchar(255)		NO	
refuse_reason	varchar(255)		NO	

shop_order_info Order information form

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_id	varchar(50)		NO	
order_title	varchar(50)		NO	
store_id	mediumint(8)	0	NO	
subsite_id	int(8) unsigned	0	NO	
buyer_user_id	int(10)	0	NO	
kind_id	smallint(4) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_lock_status	tinyint(3) unsigned	0	NO	
order_is_settled	tinyint(1) unsigned	0	NO	
order_settlement_time	timestamp	0000-00-00 00:00:00	NO	
order_buyer_evaluation_status	tinyint(1)	0	NO	

order_seller_evaluation_status	tinyint(1)	0	NO	
order_year	smallint(4) unsigned	0	NO	
order_month	tinyint(2) unsigned	0	NO	
order_day	tinyint(2) unsigned	0	NO	
	int(11)			

order_time	unsigned	0	NO	
Column Name	Column Type	Default	Nullable	Auto Incre
order_deal_time	int(11) unsigned	0	NO	
order_buyer_hidden	tinyint(1)	0	NO	
order_shop_hidden	tinyint(1)	0	NO	

payment_type_id	int(4) unsigned	2	NO	
payment_time	timestamp	0000- 00-00 00:00:00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_state_id	smallint(4) unsigned	10	NO	

order_is_review	tinyint(1) unsigned	0	NO	
order_finance_review	tinyint(1) unsigned	0	NO	
order_is_paid	smallint(4) unsigned	3010	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_is_out	smallint(4) unsigned	3020	NO	
order_is_shipped	smallint(6)	3030	NO	

order_is_received	smallint(4) unsigned	0	NO	
chain_id	int(10) unsigned	0	NO	
delivery_type_id	tinyint(4)	0	NO	
order_is_offline	tinyint(1) unsigned	0	NO	
cart_type_id	tinyint(1) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_express_print	tinyint(1) unsigned	0	NO	
activity_id	varchar(50)	0	NO	
activity_type_id	varchar(50)	0	NO	
salesperson_id	int(10)	0	NO	
order_is_sync	tinyint(1)	0	NO	

store_is_selfsupport	tinyint(1)	1	NO	
store_type	tinyint(1)	1	NO	
order_erp_id	varchar(100)		NO	
distributor_user_id	int(10)	0	NO	

order_is_cb Column Name	tinyint(1) Column Type	Column Default	NO Nullable	Auto Incre
order_is_cb_sync	tinyint(1)	0	NO	
src_order_id	varchar(50)		NO	

shop_order_invoice Order invoice management form

Column Name	Column Type	Column Default	Is Nullable
order_invoice_id	int(11)		NO
order_id	varchar(50)		NO
user_id	int(11) unsigned	0	NO
store_id	int(11)		NO
invoice_title	varchar(50)		NO
invoice_content	varchar(50)		NO
invoice_amount	decimal(16,6) unsigned	0.000000	NO

invoice_company_code	varchar(100)		NO

Column Name	Column Type	Column Default	Is Nullable
invoice_type	enum('company','person')	person	NO
invoice_kind	tinyint(1) unsigned	2	NO
invoice_status	tinyint(1) unsigned	0	NO
invoice_datetime	datetime	0000-00-00 00:00:00	NO

shop_order_item Order item list

Column Name	Column Type	Column Default	Is Nullable	Auto Increm
order_item_id	bigint(20)		NO	是
order_id	varchar(50)		NO	
buyer_id	int(10) unsigned	0	NO	
store_id	int(10)	0	NO	
product_id	bigint(20) unsigned		NO	
item_id	bigint(20) unsigned		NO	
item_name	varchar(100)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_id	mediumint(8)	0	NO	
spec_id	int(10)	0	NO	
spec_info	varchar(255)		NO	
item_unit_price	decimal(10,2) unsigned	0.00	NO	
item_unit_points	decimal(10,2)	0.00	NO	
item_unit_sp	decimal(10,2)		NO	

order_item_unit_price	decimal(10,2)	0.00	NO	
item_platform_price	decimal(10,2)	0.00	NO	
item_cost_price	decimal(10,2)	0.00	NO	
order_item_quantity	smallint(5) unsigned	1	NO	
order_item_image	varchar(255)		NO	
order_item_return_num	smallint(5) unsigned	0	NO	

Column Name	Column Type	Column Default	Nullable	Auto Increment
order_item_return_subtotal	decimal(10,2)	0.00	NO	
order_item_amount	decimal(10,2)	0.00	NO	
order_item_discount_amount	decimal(10,2)	0.00	NO	
order_item_adjust_fee	decimal(10,2)	0.00	NO	
order_item_points_fee	decimal(10,2)	0.00	NO	

order_item_payment_amount	decimal(10,2) unsigned	0.00	NO	
order_item_evaluation_status	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
activity_type_id	int(11) unsigned	0	NO	

activity_id	int(11)	0	NO	
order_item_commission_rate	decimal(6,2) unsigned	0.00	NO	
order_item_commission_fee	decimal(10,2) unsigned	0.00	NO	
policy_discount_rate	decimal(6,2)	100.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
policy_discount_rate	unsigned	100.00	NO	
item_voucher	decimal(10,2)	0.00	NO	
order_item_note	varchar(100)		NO	
order_item_file	varchar(255)		NO	
order_item_confirm_file	varchar(255)		NO	
order_item_confirm_status	tinyint(1)	0	NO	
design_file_images	varchar(500)	0	NO	
order_item_saler_id	int(11)	0	NO	

item_src_id	bigint(20)	0	NO	
order_item_supplier_sync	tinyint(1)	0	NO	
src_order_id	varchar(50)		NO	

shop_order_item_supplier Order item list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_item_supplier_id	bigint(20)		NO	是
order_id	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_src_id	bigint(20)	0	NO	
order_item_supplier_sync	tinyint(1)	0	NO	

shop_order_logistics Order delivery logistics information table

Column Name	Column Type	Column Default	Is Nullable
order_logistics_id	bigint(20)		NO
order_id	varchar(50)		NO
stock_bill_id	varchar(50)		NO
order_tracking_number	varchar(50)		NO
logistics_explain	varchar(50)		NO
logistics_time	timestamp	CURRENT_TIMESTAMP	NO

logistics_id	mediumint(8)		NO
logistics_name	varchar(30)		NO

Column Name	Column Type	Column Default	Is Nullable
logistics_number	varchar(50)		NO
logistics_phone	varchar(20)		NO
logistics_mobile	varchar(20)		NO
logistics_contacter	varchar(100)		NO
logistics_tax	varchar(20)		NO
logistics_address	varchar(100)		NO
logistics_zip	varchar(20)		NO
logistics_enable	tinyint(1) unsigned	1	NO

shop_order_meta Order extension table

Column Name	Column Type	Column Default	Is Nullable
meta_id	varchar(50)		NO
data_id	varchar(50)	0	NO
meta_key	varchar(255)		NO
meta_value	varchar(4096)		NO
meta_datatype	enum('string','json','number','dot')	string	NO

**shop_order_payment Payment information table - one order can record multiple payments.**

Column Name	Column Type	Column Default	Is Nullable
order_payment_id	bigint(20) unsigned		NO
order_id	varchar(50)		NO
payment_need_amount	decimal(20,2)	0.00	NO
order_point_sub	decimal(10,2)	0.00	NO
order_point_fee	decimal(10,2)	0.00	NO
gift_card_id	int(8)	0	NO
gift_card_number	varchar(32)		NO
gift_card_price	decimal(10,2)	0.00	NO
payment_cash	decimal(10,2)	0.00	YES

Column Name	Column Type	Column Default	Is Nullable
order_point_add	int(10) unsigned	0	NO
payment_type_id	tinyint(4)	2	NO
payment_id	tinyint(4)	0	NO
payment_name	varchar(100)		NO
payment_ip	varchar(20)		NO
payment_start_time	timestamp	CURRENT_TIMESTAMP	NO
payment_end_time	timestamp	0000-00-00 00:00:00	NO
payment_status	tinyint(1)	1	NO
trade_id	varchar(30)		NO
payment_offline	decimal(10,2) unsigned	0.00	NO

shop_order_process_state Order processing status table

Column Name	Column Type	Column Default	Is Nullable

Column Name	Column Type	Column Default	Is Nullable
order_process_state_id	tinyint(4) unsigned		NO

order_process_state_name	varchar(50)		NO
order_process_state_text_1	varchar(50)		NO
order_process_state_note	varchar(255)		NO
order_process_state_buildin	tinyint(1) unsigned	1	NO
order_process_type	enum('Order','Return')	Order	NO

shop_order_repair Order repair form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_repair_id	bigint(20) unsigned		NO	是
order_id	varchar(50)		NO	
refund_id	varchar(100)		NO	
member_id	int(10) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
seller_id	int(10) unsigned		NO	
product_id	int(10)		NO	
item_id	int(10)	0	NO	
refund_price	float(10,2)		NO	
reason	varchar(255)		NO	
status	tinyint(1)	1	NO	

order_repair_item_status	tinyint(1)	0	NO	
type	tinyint(1)	0	NO	
create_time	int(10) unsigned		NO	
close_reason	varchar(255)		NO	
refuse_reason	varchar(255)		NO	

shop_order_return Refund return form - delivery return, the seller can also decide not to return a refund, the buyer does not support refund. The seller can offer a refund.

Column Name	Column Type	Column Default	Is Nullable
return_id	varchar(50)		NO

Column Name	Column Type	Column Default	Is Nullable
service_type_id	tinyint(3) unsigned	2	NO
order_id	varchar(50)		NO

return_refund_amount	decimal(10,2)	0.00	NO
store_id	int(10)		NO
buyer_user_id	int(10) unsigned		NO
return_add_time	timestamp	CURRENT_TIMESTAMP	NO
return_year	smallint(4) unsigned	0	NO
return_month	tinyint(2) unsigned	0	NO
return_day	tinyint(2) unsigned	0	NO
return_reason_id	int(10)		NO
return_buyer_message	varchar(300)		NO
return_addr_contacter	varchar(30)		NO
return_tel	varchar(20)		NO
return_addr	varchar(150)		NO

Column Name	Column Type	Column Default	Nullable
return_post_code	int(6)	0	NO
express_id	tinyint(4)	0	NO
return_tracking_number	varchar(30)		NO

platform_return_state_id	smallint(4)	3180	NO
return_state_id	smallint(4)	3105	NO
return_is_paid	tinyint(1) unsigned	0	NO
return_flag	tinyint(4)	1	NO
return_type	tinyint(4)	1	NO

Column Name	Column Type	Column Default	Is Nullable
return_order_lock	tinyint(4)		NO

return_item_state_id	smallint(4) unsigned	2030	NO
return_store_time	timestamp	0000-00-00 00:00:00	NO
return_store_message	varchar(300)		NO
return_commission_fee	decimal(10,2)	0.00	NO
return_finish_time	timestamp	0000-00-00 00:00:00	NO
return_platform_message	varchar(255)		NO
return_is_settled	varchar(255)	0	NO
return_settlement_time	int(11) unsigned	0	NO
return_channel_code	varchar(255)	money	NO
return_channel_flag	tinyint(4)	0	NO

Column Name	Column Type	Column Default	Is Nullable
return_channel_time	timestamp	0000-00-00 00:00:00	NO
return_channel_trans_id	varchar(255)		NO
deposit_trade_no	varchar(255)		NO
payment_channel_id	smallint(4)	0	NO

trade_payment_amount	decimal(10,2)	0.00	NO
----------------------	---------------	------	----

shop_order_return_item Order return details

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
order_return_item_id	int(10)		NO	是
order_id	varchar(50)		NO	
return_id	varchar(50)		NO	

order_item_id	int(10)	0	NO	
return_item_num	smallint(5) unsigned	0	NO	
return_item_store_remark	varchar(255)		NO	
return_reason_id	smallint(4)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
return_item_note	varchar(255)		NO	
return_item_subtotal	decimal(10,2)	0.00	NO	
return_item_commission_fee	decimal(10,2)	0.00	NO	
return_item_image	varchar(1024)		NO	

return_state_id	smallint(4)	3105	NO	
-----------------	-------------	------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

shop_order_return_reason Return reason table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
return_reason_id	int(10)		NO	是	-
return_reason_name	varchar(255)		NO		Comments of return reason
return_reason_sort	int(3)	225	NO		Order of return reason

shop_order_service_type Order after sales service type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
service_type_id	tinyint(4)		NO	是	Service type number
service_type_name	varchar(50)		NO		Service type name
					Service type

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Order
service_type_text	varchar(50)		NO		
service_type_prefix	varchar(5)		NO		
service_type_remark	varchar(255)		NO		


shop_order_settlement Order statement

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
os_id	varchar(50)		NO	
os_start_time	int(11) unsigned	0	NO	
os_end_time	int(11) unsigned	0	NO	
os_order_amount	decimal(10,2)	0.00	NO	
os_shipping_amount	decimal(10,2)	0.00	NO	
os_order_return_amount	decimal(10,2)	0.00	NO	
os_commission_amount	decimal(10,2)	0.00	NO	

os_commission_return_amount	decimal(10,2)	0.00	NO	
os_store_expense_amount	decimal(10,2)	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
os_store_expense_amount	decimal(10,2)	0.00	NO	
os_amount	decimal(10,2)	0.00	NO	
os_datetime	timestamp	0000-00-00 00:00:00	NO	
os_date	date	0000-00-00	NO	
os_state	tinyint(4)	1	NO	
os_pay_date	timestamp	0000-00-00 00:00:00	NO	
os_pay_content	varchar(200)		NO	
store_id	int(10) unsigned		NO	
store_name	varchar(50)		NO	

kind_id	smallint(4) unsigned	1	NO	
---------	-------------------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
				

shop_order_shipping_address Shipper address table

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
order_logistics_id	bigint(20)	0	NO	
order_id	varchar(50)		NO	
seller_id	int(8) unsigned		NO	
sa_name	varchar(10)		NO	
sa_mobile	varchar(20)		NO	
sa_telephone	varchar(30)		NO	
sa_contacter	varchar(20)		NO	
sa_im	varchar(20)		NO	
sa_province_id	int(10)	0	NO	
sa_province	varchar(10)		NO	
sa_city_id	int(10)	0	NO	
sa_city	varchar(10)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
sa_county_id	int(10) unsigned	0	NO	
sa_county	varchar(10)		NO	
sa_address	varchar(100)		NO	
sa_postalcode	varchar(30)		NO	
sa_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_order_state Order status table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
order_state_id	smallint(4)		NO	是	Stat num
order_state_name	varchar(50)		NO		The stat incc
order_state_text_1	varchar(255)		NO		-

order_state_text_2	varchar(255)		NO		-
order_state_text_3	varchar(255)		NO		-
order_state_remark	varchar(255)		NO		Rem

shop_order_state_log Order status record - order - payment - distribution - issue - transaction succeeded

--	--	--	--	--

Column Name Column Name	Column Type Type	Column Default Column Default	Is Is Nullable Nullable	Auto Auto Incre Incre
order_state_log_id	int(11)		NO	是

order_id	varchar(50)		NO	
order_state_id	smallint(4)	0	NO	
order_state_pre_id	smallint(4) unsigned	0	NO	
order_state_type	varchar(50)		NO	
order_state_time	timestamp	CURRENT_TIMESTAMP	NO	

user_id Column Name	int(10) Column Type	Column Default	NO Is Nullable	Auto Incre
------------------------	---------------------------	----------------	----------------------	---------------

user_nickname	varchar(50)		NO	
order_state_note	varchar(50)		NO	
order_state_is_sync	tinyint(1)		NO	

shop_order_trace Order tracking form

Column Name	Column Type	Column Default	Is Nullable	Aut Incr
order_trace_id	bigint(20)		NO	是
order_id	varchar(15)		NO	

order_trace_user_id	smallint(5)		NO	
order_trace_name	varchar(30)		NO	
order_trace_text	longtext		NO	
order_trace_time	timestamp	CURRENT_TIMESTAMP	NO	

order_trace_type Column Name	varchar(255) Column Type	Column Default	NO Is Nullable	Aut Incr
---------------------------------	-----------------------------	----------------	----------------------	-------------

shop_page_app Shop style table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	C
app_id	int(10) unsigned		NO	是	A n
app_name	varchar(1024)		NO		a
app_code	text		NO		A c
tpl_id	int(10) unsigned	0	NO		T N
tpl_image	varchar(255)		NO		-
store_id	mediumint(8) unsigned	0	NO		T u w b
user_id	mediumint(8) unsigned	0	NO		S u
subsite_id	int(8) unsigned	0	NO		S 0 st
app_buildin	tinyint(1) unsigned	0	NO		B (k n
app_type	tinyint(1) unsigned	1	NO		T j (w 3

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
app_tpl	text		NO		
app_member_center	text		NO		

shop_page_base Page table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
page_id	bigint(20) unsigned		NO	是	Page Number
page_name	varchar(20)		NO		page name
store_id	mediumint(8) unsigned	0	NO		The store ID that belongs to the page
user_id	mediumint(8) unsigned	0	NO		Sub user ID
subsite_id	mediumint(4) unsigned	0	NO		Sub-site ID
page_buildin	tinyint(1) unsigned	0	NO		Build-in page (boolean, 1-year)
page_type	tinyint(1) unsigned	1	NO		Type of page (enum, 3-articles)

page_tpl	text		NO		Page template
app_id	int(10)	0	NO		App ID

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	App Column Page
app_id	int(10)	0	NO		App Colu
page_code	text		NO	Increment	Page
page_nav	text		NO		-
page_config	varchar(255)		NO		-
page_share_title	varchar(255)		NO		-
page_share_image	varchar(255)		NO		-
page_qrcode	varchar(255)		NO		-
page_index	tinyint(1) unsigned	0	NO		From (bo non pag fron
page_gb	tinyint(1) unsigned	0	NO		Grou pag 0-nc pag hor
page_activity	tinyint(1) unsigned	0	NO		Boo hor 1 - t pag
page_point	tinyint(1) unsigned	0	NO		Boo hor 1 - t pag

	tinyint(1)				Grou purc hor
--	------------	--	--	--	---------------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
page_gbs	unsigned	0	NO		(bo Col non Cor non
					1-hc
page_package	tinyint(1) unsigned	0	NO		Cor pac (bo non hor 1-hc
page_pfgb	tinyint(1) unsigned	0	NO		Whc grou purch hor (bo non hor 1-hc
page_sns	tinyint(1) unsigned	0	NO		Cor (bo non hor 1-hc
page_zerobuy	tinyint(1)	0	NO		Boo 1-ye
page_higharea	tinyint(1)	0	NO		Boo 1-ye
page_taday	tinyint(1)	0	NO		Boo 0-nc
page_everyday	tinyint(1)	0	NO		Boo 1-ye

page_secondkill	tinyint(1)	0	NO		Boo 1-ye
					Boo

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
page_secondday	tinyint(1)	0	NO		Second day
page_rura	tinyint(1)	0	NO		Use ban (boolean)
page_likeyou	tinyint(1)	0	NO		Use ban (boolean)
page_exchange	tinyint(1)	0	NO		Boolean
page_new	tinyint(1)	0	NO		New laur (boolean)
page_newperson	tinyint(1)	0	NO		Boolean
page_upgrade	tinyint(1)	0	NO		Upgraded (boolean)

shop_page_module Page module table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
pm_id	int(10) unsigned		NO	是	-
pm_name	varchar(20)		NO		Module name
page_id	bigint(20)		NO		-
user_id	mediumint(8)		NO		Subordinate users
pm_color	varchar(20)		NO		colour

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
module_id	varchar(10)		NO		Template
pm_utime	datetime		NO		Update t
pm_order	smallint(3) unsigned	1	NO		sort
pm_enable	tinyint(1) unsigned	1	NO		Whether display
pm_html	varchar(10000)		NO		Module HTML co
pm_json	varchar(10000)	[]	NO		Module JSON coc (JSON)

subsite_id	mediumint(4)	0	NO		Sub stati ID: 0 - Mi Station
pm_position	varchar(255)		NO		column_ left:cont Top

shop_plantform_activity Platform activity table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
pa_id	int(10)		NO	是
pa_name	varchar(255)		NO	
pa_title	varchar(255)		NO	
pa_remark	varchar(255)		NO	

pa_remark Column Name	varchar(255) Column Type	Column Default	NO Is Nullable	Auto Increment
pa_type_id	int(10)		NO	
pa_starttime	timestamp	CURRENT_TIMESTAMP	NO	

pa_endtime	timestamp	0000-00-00 00:00:00	NO	
pa_state	tinyint(1)	0	NO	
pa_order	varchar(255)	50	NO	
pa_type	tinyint(1)	1	NO	

shop_plantform_activity_item Participate in active product table - user filtering calculation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
pai_id	int(10) unsigned		NO	是

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
pa_id	int(10) unsigned	0	NO	
pa_type_id	int(10) unsigned	0	NO	

store_id	int(10) unsigned	0	NO	
store_name	varchar(255)		NO	
product_id	bigint(20) unsigned	0	NO	
product_name	varchar(255)		NO	
item_id	bigint(20) unsigned	0	NO	
category_id	mediumint(8) unsigned	0	NO	
pa_starttime	timestamp	CURRENT_TIMESTAMP	NO	
pa_endtime	timestamp	0000-00-00 00:00:00	NO	
pa_state	tinyint(3) unsigned	1	NO	
pai_enable	tinyint(3) unsigned	0	NO	
pai_time	timestamp	0000-00-00 00:00:00	NO	
pai_item_order	tinyint(3)		NO	

pai_item_order	tinyint(3)		NO	
Column Name pai_unit_price	Column Type decimal(10,2)	Column Default	Is NO	Auto Increm

shop_plantform_activity_zerobuy Zero yuan shopping area

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comme
zb_id	int(10)		NO	是	Zero purchas
product_id	int(10)		NO		Zero purchas SPU
item_name	varchar(255)		NO		"
item_id	int(10)		NO		Zero purchas item No
zb_share	int(10)		NO		Number participi
zb_time	timestamp	0000- 00-00 00:00:00	NO		Add tim
zb_state	tinyint(1)	0	NO		Active product status (enum): not ope normal; closed; adminis closed
user_id	int(10)		NO		Add per number

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
zb_starttime	timestamp	0000-00-00 00:00:00	NO		Starting time
zb_endtime	timestamp	0000-00-00 00:00:00	NO		Ending time
zb_unit_price	decimal(10,2)		NO		Activity unit price
store_id	int(10)		NO		Merchant number

shop_plantform_ban_ip IP forbidden table - in cache

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ban_id	int(10) unsigned		NO	是	number
ban_ip	varchar(25)		NO		IP
ban_reason	varchar(50)		NO		reason
ban_unlock_time	int(12) unsigned	0	NO		Unlocking time
ban_lock_time	int(12) unsigned	0	NO		Unlocking time

ban_autorelease	int(1)	1	NO		Automatic opening (enum): automatic unlocking 0-manual unlocking
					Locking

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
ban_status	tinyint(1)		NO		status (enum): locked; unlocke
ban_type	tinyint(1) unsigned	1	NO		Locking type (enum): access forbidde 2- registra forbidde

shop_plantform_feedback Platform feedback form - Report

Column Name	Column Type	Column Default	Is Nullable
feedback_id	int(10)		NC
feedback_category_id	smallint(6) unsigned	1001	NC
user_id	int(10) unsigned	0	NC
user_name	varchar(50)		NC

feedback_question	varchar(255)		NC
feedback_question_url	varchar(255)		NC

feedback_question_answer	varchar(255)		NC
Column Name feedback_question_time	Column Type timestamp	Column Default CURRENT_TIMESTAMP	Is No
feedback_question_answer_time	timestamp	0000-00-00 00:00:00	NC
feedback_question_status	tinyint(1) unsigned	1	NC
feedback_question_result	tinyint(1) unsigned	0	NC
product_id	bigint(20) unsigned	0	NC
admin_id	int(11)		NC

shop_plantform_feedback_category Platform feedback topic classification table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
feedback_category_id	smallint(6) unsigned		NO	是
feedback_category_name	varchar(50)		NO	
feedback_type_id	tinyint(1) unsigned	1	NO	
feedback_category_enable	tinyint(1) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
feedback_type_id	smallint(6) unsigned		NO	是	Feedback type ID
feedback_type_name	varchar(50)		NO		Feedback type name
feedback_type_enable	tinyint(1) unsigned	1	NO		Feedback type enable

shop_plantform_feedback_type Platform feedback type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
feedback_type_id	smallint(6) unsigned		NO	是	Feedback type ID
feedback_type_name	varchar(50)		NO		Feedback type name
feedback_type_enable	tinyint(1) unsigned	1	NO		Feedback type enable

shop_plantform_high_return High recurrent area

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ha_id	int(10)		NO	是	High recurrent area ID
user_id	int(10)		NO		User ID
product_id	int(10)		NO		Product ID
item_name	varchar(255)		NO		Product name
item_id	int(10)		NO		Commodity ID
ha_time	timestamp	0000-00-00	NO		Creation time

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
ha_state	tinyint(1)	0	NO		product status (enum): not open; normal; closed; admin; closed
ha_unit_price	decimal(10,2)		NO		-
ha_starttime	timestamp	0000-00-00 00:00:00	NO		start time
ha_endtime	timestamp	0000-00-00 00:00:00	NO		Ending time
store_id	int(10)		NO		Merchant number

shop_plantform_high_return_user High value return area user sharing form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
hau_id	int(10)		NO	是	High value return area user sharing No
ha_id	int(10)		NO		High value return area No
					Product

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
item_id	int(10)		NO		Comme
product_id	int(10)		NO		Comm Produc numbe
user_id	int(10)		NO		User numbe
user_name	varchar(255)		NO		User name
hau_time	timestamp	0000- 00-00 00:00:00	NO		Sharin time
hau_share_num	int(10)	0	NO		Share times

shop_plantform_media User attachment table - pictures, videos

Column Name	Column Type	Column Default	
-------------	-------------	----------------	--

media_id	bigint(20) unsigned		I
media_number	char(32)		I
gallery_id	bigint(20)		I
store_id	int(10) unsigned	0	I
media_url	varchar(255)		I

Column Name	Column Type	Column Default	I
media_source	varchar(255)		I
media_order	mediumint(4) unsigned	50	I
media_domain	varchar(255)		I
media_path	varchar(255)		I
media_type	enum('video','other','image')	image	I
media_image_h	int(10) unsigned	0	I
media_image_w	int(10) unsigned	0	I
media_size	int(10) unsigned	0	I

media_mime_type	varchar(100)		I
media_metadata	varchar(255)		I
media_alt	varchar(255)		I
media_name	varchar(50)		I
media_desc	varchar(255)		I

media_password	varchar(20)	Column Default	
media_time	timestamp	CURRENT_TIMESTAMP	

shop_plantform_media_gallery User album table

Column Name	Column Type	Column Default	Is Nullable	Aut Incr
gallery_id	bigint(20) unsigned		NO	是
gallery_name	varchar(100)		NO	
gallery_desc	varchar(255)		NO	
gallery_num	mediumint(8) unsigned	0	NO	
gallery_is_default	tinyint(4) unsigned	0	NO	
gallery_order	smallint(4) unsigned	50	NO	
gallery_type	enum('video','other','image')	image	NO	
gallery_cover	varchar(255)		NO	

store_id	int(10) unsigned	0	NO	
----------	------------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

shop_plantform_notice Platform announcement form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
notice_id	int(10)		NO	是
notice_title	varchar(50)		NO	
notice_content	varchar(1024)		NO	
notice_time	timestamp	CURRENT_TIMESTAMP	NO	
notice_enable	tinyint(1) unsigned	0	NO	

shop_plantform_subsite List of urban sub stations

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
subsite_id	int(8)		NO	是
subsite_parent_id	int(11)	0	NO	
subsite_name	varchar(60)		NO	
subsite_domain	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
subsite_city_ids	text		NO	
subsite_item_city_ids	varchar(5000)		NO	
subsite_item_city_name	varchar(10000)		NO	
subsite_logo	varchar(255)		NO	
subsite_copyright	text		NO	
subsite_template	varchar(50)		NO	
subsite_enable	tinyint(1) unsigned	1	NO	

subsite_title	varchar(100)		NO	
subsite_keywords	varchar(100)		NO	
subsite_description	varchar(100)		NO	
subsite_des	varchar(100)		NO	
subsite_hot	tinyint(1)	0	NO	

shop_plantform_subsite_user Administrator list of Urban Substation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
subsite_user_id	int(11) unsigned		NO	是	Substation administrat

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
subsite_id	int(8) unsigned		NO		No
user_id	int(11) unsigned	0	NO		Administrat

shop_points_cart Point gift exchange shopping cart - do not use this form for direct purchase

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co Co
points_cart_id	int(10) unsigned		NO	是	Au inc Nc
user_id	int(10) unsigned	0	NO		Me Nu
points_item_id	int(10) unsigned	0	NO		Bo Nc
points_item_name	varchar(10)		NO		Na po
points_item_points	int(10) unsigned	0	NO		Re po gif
points_item_quantity	int(10) unsigned	0	NO		Ch nu bo
points_item_image	varchar(255)		NO		Bo pic

shop_points_item Bonus gift table

Column Name	Column Type	Column Default	Is Nullable

Column Name	Column Type	Column Default	Is Nullable
points_item_id	int(10)		NO
points_item_number	varchar(50)		NO

points_item_name	varchar(100)		NO
points_item_price	decimal(10,2)	0.00	NO
points_item_points	int(10)	0	NO
points_item_image	varchar(255)		NO
points_item_tag	varchar(100)		NO
points_item_storage	int(10)	0	NO
points_item_enable	tinyint(1) unsigned	0	NO
points_item_recommend	tinyint(1)	0	NO
points_item_add_time	timestamp	CURRENT_TIMESTAMP	NO

Column Name	Column Type	Column Default	Is Nullable
points_item_keywords	varchar(100)		NO
points_item_description	varchar(200)		NO

points_item_content	text		NO
points_item_salenum	int(10)	0	NO
points_item_view	int(10)	0	NO
points_item_user_level	int(10)	0	NO
points_item_islimit	tinyint(1)	0	NO

points_item_limitnum Column Name	int(10) Column Type	Column Default	NO Nullable

points_item_islimittime	tinyint(1)	0	NO
points_item_starttime	timestamp	0000-00-00 00:00:00	NO
points_item_endtime	timestamp	0000-00-00 00:00:00	NO
points_item_order	int(10)	50	NO

shop_points_order Points exchange order form

Column Name	Column Type	Column Default	Is Null
points_order_id	varchar(10)		NO
points_user_id	int(10)		NO
points_addtime	timestamp	CURRENT_TIMESTAMP	NO
points_paytime	timestamp	0000-00-00 00:00:00	NO

Column Name	Column Type	Column Default	Is Null
points_shipping_time	timestamp	0000-00-00 00:00:00	NO
points_order_tracking_number	varchar(50)		NO
express_id	varchar(50)		NO
points_order_endtime	datetime		NO
points_order_points	int(10)	0	NO

points_order_amount	decimal(10,2)		NO
points_order_shipping_type	tinyint(1)	0	NO
points_order_shipping_fee	decimal(10,2)	0.00	NO
points_order_message	varchar(300)	无	NO
points_order_state	int(4)	1	NO

Column Name	Column Type	Column Default	Is Null

shop_points_order_delivery_address Receiving address table

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
points_order_id	varchar(50)		NO	
da_name	varchar(10)		NO	
da_mobile	varchar(20)		NO	
da_telephone	varchar(30)		NO	
da_contacter	varchar(20)		NO	
da_im	varchar(255)		NO	
da_province_id	int(10)	0	NO	
da_province	varchar(50)		NO	

da_city_id	int(10)	0	NO	
da_city	varchar(50)		NO	
da_county_id	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
da_county	varchar(50)		NO	
da_address	varchar(255)		NO	
da_postalcode	varchar(30)		NO	
da_tag_name	varchar(50)	0	NO	
da_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_points_order_item Exchange order item list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

poi_id	int(10)		NO	是	Order gift table index
points_order_id	varchar(50)		NO		Order Id
points_item_id	int(10)	0	NO		Gift number
poi_name	varchar(100)		NO		Gift name
poi_points	int(10)	0	NO		Gift exchange points

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
poi_num	int(10)	0	NO		Number of gifts
poi_image	varchar(255)		NO		Gift picture

shop_product_analytics Product statistics

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	
product_click	int(10) unsigned	0	NO	
product_sale_num	int(10) unsigned	0	NO	
product_favorite_num	int(10) unsigned	0	NO	
product_evaluation_star	int(10) unsigned	0	NO	
product_evaluation_num	int(10) unsigned	0	NO	
product_evaluation_level_0	tinyint(1) unsigned	0	NO	

product_evaluation_level_1	tinyint(1) unsigned	0	NO	
	tinyint(1)			

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_evaluation_level_2	tinyint(1) unsigned	0	NO	
product_evaluation_level_3	tinyint(1) unsigned	0	NO	
product_evaluation_level_4	tinyint(1) unsigned	0	NO	
product_evaluation_level_5	tinyint(1) unsigned	0	NO	
product_ask_num	int(10) unsigned	0	NO	

shop_product_ask_base Commodity Consultation

Column Name	Column Type	Column Default	Is Nullable
ask_id	int(10) unsigned		NO
ask_type_id	int(10)		NO

product_id	int(10) unsigned		NO
store_id	int(10)		NO
user_id	int(10)		NO
user_nickname	varchar(50)		NO
ask_question	varchar(255)		NO

Column Name	Column Type	Column Default	Is Nullable
ask_time	timestamp	CURRENT_TIMESTAMP	NO
ask_answer	varchar(255)		NO
ask_answer_time	timestamp	0000-00-00 00:00:00	NO
ask_answer_user_id	int(11)		NO
ask_answer_user_nickname	varchar(50)		NO
ask_status	tinyint(1) unsigned	0	NO
ask_enable	tinyint(1) unsigned	0	NO
ask_helpful	int(10) unsigned	0	NO

shop_product_ask_helpful Useful voting table for commodity consultation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
ask_id	bigint(20) unsigned		NO	
user_id	int(10) unsigned	0	NO	
ask_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_product_assist_index Product and property correspondence table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_assist_index_id	varchar(50)		NO	
product_id	bigint(20) unsigned		NO	
assist_id	mediumint(8) unsigned	0	NO	
assist_item_id	varchar(100)	0	NO	

shop_product_base Commodity base table - SPU table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	是
product_name	varchar(50)		NO	
product_tips	varchar(50)		NO	
store_id	int(10) unsigned	0	NO	
store_name	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_market_price	decimal(10,2)	0.00	NO	
product_unit_price	decimal(10,2)	0.00	NO	
product_cost_price	decimal(10,2)	0.00	NO	
product_image	varchar(255)		NO	
product_video	varchar(255)		NO	
transport_type_id	mediumint(8) unsigned	0	NO	
product_seo_url	varchar(50)		NO	

layout_route_id	int(10) unsigned	0	NO	
product_verify_id	smallint(4)	10	NO	
product_state_id	smallint(4)	1002	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_sale_time	timestamp	0000-00-00 00:00:00	NO	
unit_id	smallint(4)	0	NO	
product_country	varchar(20)		NO	
product_currency	varchar(20)		NO	

product_add_time	int(10) unsigned	0	NO	
product_unit_points	int(10)	0	NO	
product_unit_sp	int(10)	0	NO	
product_order	tinyint(2) unsigned	50	NO	
product_src_id	bigint(20)	0	NO	

shop_product_comment Commodity evaluation form

Column Name	Column Type	Column Default	Is Null
comment_id	bigint(20) unsigned		NC
order_id	varchar(50)		NC
product_id	bigint(20) unsigned	0	NC
item_id	bigint(20) unsigned	0	NC
item_name	varchar(20)		NC
store_id	int(10) unsigned	0	NC
store_name	varchar(50)		NC
user_id	int(10) unsigned	0	NC
user_name	varchar(50)		NC
comment_points	decimal(10,2)	0.00	NC
comment_scores	tinyint(4) unsigned	3	NC
comment_content	varchar(255)		NC
comment_image	varchar(2048)		NC
comment_helpful	int(10)	0	NC
comment_nohelpful	int(10)	0	NC
comment_time	timestamp	CURRENT_TIMESTAMP	NC
comment_is_anonymous	tinyint(1) unsigned	0	NC

Column Name	Column Type	Column Default	Is Nullable
comment_enable	tinyint(1) unsigned	1	NC
comment_store_desc_credit	tinyint(1) unsigned	5	NC
comment_store_service_credit	tinyint(1) unsigned	5	NC
comment_store_delivery_credit	tinyint(1) unsigned	5	NC

shop_product_comment_helpful Useful voting table for commodity evaluation

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_id	bigint(20) unsigned		NO	
user_id	int(10) unsigned	0	NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_product_comment_reply Commodity evaluation Reply Form

Column Name	Column Type	Column Default	Is Nullable
-------------	-------------	----------------	-------------

Column Name	Column Type	Column Default	Is Nullable
comment_reply_id	bigint(20) unsigned		NO

comment_id	bigint(20) unsigned		NO
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO
user_id_to	int(10)		NO
user_name_to	varchar(50)		NO
comment_reply_content	varchar(255)		NO
comment_reply_time	timestamp	CURRENT_TIMESTAMP	NO
comment_reply_enable	tinyint(1)	1	NO
comment_reply_isadmin	tinyint(1)	0	NO

shop_product_data Product data sheet

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
product_id	bigint(20) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
product_region_district_ids	varchar(1024)		NO	
product_region	varchar(100)		NO	
product_is_lock	tinyint(1) unsigned	0	NO	
product_verifv_remark	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_state_remark	varchar(255)		NO	
product_edit_time	timestamp	0000-00-00 00:00:00	NO	

shop_product_detail Product details

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	是
product_detail	varchar(15000)		NO	
product_param	varchar(3000)		NO	
product_service	varchar(3000)		NO	
product_meta_title	varchar(50)		NO	
product_meta_description	varchar(100)		NO	
product_meta_keyword	varchar(100)		NO	

product_tags	varchar(255)		NO	
--------------	--------------	--	----	--

shop_product_image Product picture table according to color specification

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
product_image_id	bigint(20) unsigned		NO	是	Product picture number
product_id	bigint(20) unsigned	0	NO		Product number product color
store_id	int(10) unsigned		NO		Store Number
color_id	int(10) unsigned	0	NO		System default specification ID / item not, is 0
color_name	varchar(10)		NO		Specification value
item_image_default	varchar(255)		NO		Common image
item_image_other	varchar(800)		NO		Sub (DC)
item_image_diy	varchar(255)		NO		DIY background
item_video	varchar(255)		NO		Video address
item_image_ext_1	varchar(255)		NO		Extended picture
item_image_ext_2	varchar(255)		NO		Extended picture

**shop_product_index Product index table - do not read data read only primary key**

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	
product_name	varchar(50)		NO	
product_name_index	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	
store_is_open	tinyint(1) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_type	tinyint(1)	1	NO	
store_category_ids	varchar(50)	0	NO	
category_id	mediumint(8) unsigned	0	NO	
category_ids	varchar(50)		NO	
type_id	mediumint(8) unsigned	0	NO	
product_quantity	int(10) unsigned	0	NO	
product_warn_quantity	int(10) unsigned	0	NO	
brand_id	mediumint(8) unsigned	0	NO	
product_service_type_ids	varchar(50)		NO	
product_state_id	smallint(4) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_verify_id	smallint(4) unsigned	10	NO	
product_is_invoices	tinyint(3) unsigned	0	NO	
product_is_return	tinyint(1) unsigned	1	NO	
product_is_recommend	tinyint(1) unsigned	0	NO	
product_stock_status	tinyint(1) unsigned	1	NO	
kind_id	smallint(4) unsigned	0	NO	
activity_type_ids	varchar(50)		NO	
contract_type_ids	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_assist_data	varchar(255)		NO	
product_add_time	int(10) unsigned	0	NO	
product_unit_price	decimal(10,2) unsigned	0.00	NO	
product_unit_points	decimal(10,2)	0.00	NO	
product_unit_sp	decimal(10,2)	0.00	NO	
product_sale_num	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_favorite_num	int(10) unsigned	0	NO	
product_sale_district_ids	varchar(1024)		NO	
product_region_district_ids	varchar(1024)		NO	
product_freight	decimal(6,2) unsigned	0.00	NO	
product_evaluation_num	mediumint(8) unsigned	0	NO	
product_tags	varchar(255)		NO	
store_is_selfsupport	tinyint(1) unsigned	0	NO	
product_fx_enable	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_sale_time	int(11) unsigned		NO	
product_number	varchar(50)		NO	
product_order	tinyint(2) unsigned	50	NO	
product_src_id	bigint(20)	0	NO	
market_category_id	varchar(1024)		NO	
store_latitude	varchar(20)		NO	
store_longitude	varchar(20)		NO	
product_is_video	tinyint(1) unsigned	0	NO	
subsite_id	int(8) unsigned	0	NO	

shop_product_info Commodity information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	
product_number	varchar(50)		NO	

product_barcode Column-Name	varchar(30) Column Type	Column Default	NO Nullable	Auto Increm
product_model	varchar(255)		NO	
product_assist	varchar(2048)		NO	

product_spec	varchar(2048)		NO	
--------------	---------------	--	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

product_uniqid	varchar(10240)	[]	NO	
unit_length_id	mediumint(8) unsigned	1	NO	
unit_weight_id	mediumint(8) unsigned	1	NO	
product_weight	decimal(10,2) unsigned	0.00	NO	
product_cubage	varchar(50)	0.00	NO	
product_subtract	tinyint(1) unsigned	1	NO	
unit_type_id	mediumint(8) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
tax_class_id	int(10) unsigned	0	NO	
product_buy_limit	int(10) unsigned	0	NO	

product_user_level_discount	tinyint(1) unsigned	1	NO	
product_shop_card_discount	tinyint(1) unsigned	1	NO	

**shop_productitem Product list - SKU table product name
(product name + color specification name) = shop
product_item**

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_id	bigint(20) unsigned		NO	是
item_name	varchar(255)		NO	
product_id	bigint(20) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
color_id	mediumint(8)		NO	
item_is_default	tinyint(1) unsigned	0	NO	

item_number	varchar(50)		NO	
item_barcode	varchar(20)		NO	
item_cost_price	decimal(10,2)	0.00	NO	
item_platform_price	decimal(10,2)	0.00	NO	
item_unit_price	decimal(10,2)	0.00	NO	
item_market_price	decimal(10,2)	0.00	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_unit_points	decimal(10,2) unsigned	0.00	NO	
item_unit_sp	decimal(10,2)	0.00	NO	
item_quantity	int(10) unsigned	0	NO	
item_quantity_frozen	int(10) unsigned	0	NO	
item_warn_quantity	int(10) unsigned	0	NO	

item_spec	varchar(2048)	[]	NO	
item_enable	smallint(4) unsigned	1002	NO	
item_is_change	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
item_weight	decimal(20,6) unsigned	0.000000	NO	
item_fx_commission	decimal(10,2)	0.00	NO	
item_rebate	decimal(10,2)	0.00	NO	

item_title	varchar(50)		NO	
item_freetime	int(10)		NO	
item_src_id	bigint(20)	0	NO	
category_id	mediumint(8)	0	NO	
store_id	int(10)	0	NO	

shop_product_item_meta SKU extension table

Column Name	Column Type	Column Default	Is Nullable

meta_id Column Name	varchar(50) Column Type	Column Default	NO Nullable
data_id	int(10) unsigned	0	NO
meta_key	varchar(255)		NO

meta_value	varchar(4096)		NO
meta_datatype	enum('string','json','number','dot')	string	NO

shop_product_itemseq ITEM ID / SKU unique number table.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	C
product_item_seq_id	varchar(32)		NO		N m it V
product_item_seq_val	varchar(255)		NO		N v

item_id	bigint(20) unsigned		NO		It SI
product_id	bigint(20) unsigned		NO		Pr ni

shop_product_meta Product data extension form - buyers are required to leave a message here

Column Name	Column Type	Column	Is
-------------	-------------	--------	----

Column Name	Column Type	Default Column	Nullable Is
Column Name	Column Type	Default	Nullable

meta_id	varchar(50)		NO
data_id	int(10) unsigned	0	NO
meta_key	varchar(255)		NO
meta_value	varchar(4096)		NO
meta_datatype	enum('string','json','number','dot')	string	NO

shop_product_option Item extension field table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
product_id	bigint(20) unsigned		NO		Product number
product_service_text	varchar(50)		NO		After service the sale service not in, the customer

shop_product_option_value null

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

Column Name Column Name	Column Type Column Type	Column Default Default	Is Nullable Nullable	Auto Increment Increment
product_option_value_id	int(11)		NO	是

product_option_id	int(11)		NO	
product_id	int(11)		NO	
option_id	int(11)		NO	
option_value_id	int(11)		NO	
quantity	int(3)		NO	
subtract	tinyint(1)		NO	
price	decimal(15,4)		NO	
price_prefix	varchar(1)		NO	
points	int(8)		NO	
points_prefix	varchar(1)		NO	
weight	decimal(15,8)		NO	
weight_prefix	varchar(1)		NO	

shop_product_pre_sale Information sheet of pre-sale goods

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co Co
product_id	bigint(20) unsigned		NO		Pre nu
product_pre_sale_end	timestamp	0000-00-00 00:00:00	NO		Pre en stc ac pr

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	inf Co
product_pss_start	date	0000-00-00	NO		Es de tin
product_pss_end	date	0000-00-00	NO		Es de tin

shop_product_pricing_policy Price strategy table - pricing by customer

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
policy_id	int(10) unsigned		NO	是
item_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
customer_id	int(10) unsigned	0	NO	
policy_price	decimal(20,6)	0.000000	NO	

policy_discontrate	decimal(8,6)	0.000000	NO	
--------------------	--------------	----------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
policy_quantity_min	int(10) unsigned		NO	
policy_quantity_max	int(10) unsigned	0	NO	

shop_product_pricing_policy_level Price strategy table - pricing by customer level

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
policy_level_id	int(10) unsigned		NO	是
item_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
customer_level_id	smallint(4)	0	NO	
policy_level_price	decimal(20,6)	0.000000	NO	

policy_level_discount_rate	decimal(10,6)	0.000000	NO	
----------------------------	---------------	----------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
policy_level_quantity_min	int(10)	0	NO	
policy_level_quantity_max	int(10)	0	NO	

shop_product_pricing_policy_wholesale Price strategy table - step price

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
policy_wholesale_id	int(10) unsigned		NO	是
item_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
item_quantity	int(10)	0	NO	
policy_wholesale_price	decimal(10,2)	0.00	NO	
policy_wholesale_group_price	decimal(10,2)		NO	

policy_wholesale_discontrate	decimal(10,6)	0.000000	NO	
------------------------------	---------------	----------	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
policy_wholesale_enable	tinyint(1) unsigned	0	NO	

shop_product_spec_item Product specification value table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
spec_item_id	int(10) unsigned		NO	是	Com spec value
store_id	int(10) unsigned		NO		Shop Num
category_id	int(11) unsigned	0	NO		The com class num dete the spec by ty the spec value the class are c

spec_id	mediumint(8) unsigned		NO		Spec class No
---------	--------------------------	--	----	--	---------------

Spec Item Name	Column Type	Column Default	Is Nullable	Auto Increment	Spec Column
spec_item_order	smallint(6)	50	NO		sort
spec_item_enable	tinyint(1) unsigned	1	NO		Whether enable (boolean) or not (1-disabled)

shop_product_valid_period Virtual goods information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20) unsigned		NO	
product_valid_period	smallint(4)	1001	NO	

product_validity_start	date	0000-00-00	NO	
product_validity_end	date	0000-00-00	NO	
product validity duration	decimal(6,4)	0.0000	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_valid_type	smallint(4) unsigned	1001	NO	
product_service_date_flag	tinyint(1) unsigned	0	NO	
product_service_contactor_flag	tinyint(1) unsigned	0	NO	
product_valid_refund_flag	tinyint(1) unsigned	0	NO	
product_service_date	date	0000-00-00	NO	
product_service_time	int(11)	0	NO	

shop_rights_base Authority table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
rights_id	smallint(4) unsigned		NO	是	Authority number
rights_name	varchar(20)		NO		Name of permission

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Permissions
rights_parent_id	smallint(4) unsigned		NO		parent number
rights_remark	varchar(255)		NO		Remark
rights_order	smallint(4)	50	NO		sort

shop_rights_data Data permission table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
rights_group_id	smallint(4) unsigned		NO	是
rights_group_name	varchar(50)		NO	
rights_group_rights_ids	text		NO	
rights_group_add_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_rights_data_type Data permission type table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
rights_data_type_id	smallint(4) unsigned		NO	是
rights_data_type_name	varchar(50)		NO	
rights_data_type_primary_key	text		NO	



shop_rights_group Permission group table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
rights_group_id	smallint(4) unsigned		NO	是
rights_group_name	varchar(50)		NO	
rights_group_rights_ids	text		NO	
rights_group_add_time	timestamp	CURRENT_TIMESTAMP	NO	



shop_store_activity_base Activity table - implemented through plug-ins

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comment
activity_id	int(10) unsigned		NO	是	Activity ID
store_id	int(10) unsigned	0	NO		Store ID
user_id	int(10) unsigned	0	NO		User ID
activity_name	varchar(50)		NO		Activity Name
activity_title	varchar(50)		NO		Activity Title
activity_remark	varchar(255)		NO		Activity Remark
activity_combo_id	int(10) unsigned	0	NO		Activity Combo ID

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
activity_type_id	int(10) unsigned		NO		Category
activity_starttime	timestamp	0000-00-00 00:00:00	NO		Activity start time
activity_endtime	timestamp	0000-00-00 00:00:00	NO		Activity end time
activity_state	tinyint(1) unsigned	1	NO		Activity state (0: normal, 1: closed)

activity_rule	varchar(10240)		NO		Activity rule (JSON format)
---------------	----------------	--	----	--	-----------------------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
activity_type	tinyint(4) unsigned	0	NO		
activity_order	tinyint(4) unsigned	50	NO		

activity_is_finish	tinyint(1) unsigned	0	NO		
item_id	int(10)		NO		

shop_store_activity_combo Activity package

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
-------------	-------------	----------------	-------------	----------------	--

Column Name Column Name	Column Type Type	Column Default Default	IS Nullable Nullable	Auto Increment Increment	Co E Co
----------------------------	------------------------	------------------------------	----------------------------	--------------------------------	---------------

activity_combo_id	int(10) unsigned		NO	是	Ac pa No
activity_combo_starttime	datetime		NO		st
activity_combo_endtime	datetime		NO		Er ti
activity_type_id	int(10) unsigned	0	NO		ac ty
store_id	int(10) unsigned	0	NO		St N
user_id	int(10) unsigned	0	NO		U: nt

shop_store_activity_item Participate in active product table - user filtering calculation

Column Name	Column Type	Column Default	I
activity_item_id	int(10) unsigned		I
store_id	int(10) unsigned	0	I
activity_type_id	int(10) unsigned	0	I
activity_id	int(10) unsigned	0	I
	int(10)		

product_id Column Name	int(10) unsigned Column Type	0 Column Default	
item_id	int(10) unsigned	0	
category_id	mediumint(8) unsigned	0	
activity_item_starttime	timestamp	CURRENT_TIMESTAMP	
activity_item_endtime	timestamp	0000-00-00 00:00:00	
activity_item_price	decimal(10,2)	0.00	
activity_item_min_quantity	int(10) unsigned	0	

activity_item_state	tinyint(3) unsigned	1	
activity_item_recommend	tinyint(3) unsigned	0	
activity_level_limits	tinyint(3)	0	
activity_points_num	int(10)	0	
activity_points_product_num	int(10) unsigned	0	

Column Name	Column Type	Column Default
activity_points_product_sale_num	int(10)	0

shop_store_analytics Shop statistics

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_id	int(10) unsigned		NO	是
store_click_num	int(11)	0	NO	
store_favorite_num	int(10) unsigned	0	NO	
store_product_new_num	int(10) unsigned	0	NO	
store_product_num	int(10) unsigned	0	NO	
store_sales_num	int(10)	0	NO	
store_evaluation_num	int(10)	0	NO	
store_evaluation_rate	decimal(10,2)	0.00	NO	
store_desccredit	decimal(10,2)	0.00	NO	
store_servicecredit	decimal(10,2)	0.00	NO	

store_deliverycredit Column Name	decimal(10,2) Column Type	0.00 Column Default	NO Nullable	Auto Increment
store_trade_amount	decimal(10,2) unsigned	0.00	NO	

shop_store_base Shop basic information table

Column Name	Column Type	Column Default	Is Nullable
store_id	int(10) unsigned		NO
user_id	int(10) unsigned		NO
store_name	varchar(50)		NO
store_grade_id	int(5) unsigned	0	NO
store_logo	varchar(255)		NO
store_slogan	varchar(255)		NO
store_domain	varchar(255)		NO
store_area	varchar(50)		NO
store_district_id	varchar(255)		NO
store_address	varchar(50)		NO

store_latitude	varchar(20)		NO
store_longitude	varchar(20)		NO

Column Name	Column Type	Column Default	Is Nullable
store_is_selfsupport	tinyint(1) unsigned	0	NO
store_type	tinyint(4) unsigned	1	NO
store_is_open	tinyint(1) unsigned	0	NO
shop_parent_id	int(11)	0	NO

store_category_id	int(10) unsigned	0	NO
-------------------	---------------------	---	----

Column Name	Column Type	Column Default	Is Nullable
store_state_id	smallint(4) unsigned	3220	NO
store_time	timestamp	CURRENT_TIMESTAMP	NO
store_end_time	int(11)		NO
product_category_ids	varchar(255)		NO
store_o2o_tags	varchar(30)		NO
store_o2o_flag	tinyint(1)	0	NO
store_o2o_merchant_id	varchar(60)		NO
store_circle	varchar(50)		NO

subsite_id	int(8) unsigned	0	NO
------------	--------------------	---	----

shop_store_book With your hand

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_book_id	int(10) unsigned		NO	是	number
store_id	int(10) unsigned		NO		Merchant number
book_amount	decimal(10,2)		NO		Pre-tax expense
book_remark	varchar(255)		NO		Remarks
book_time	int(11)		NO		time

shop_store_business_category Store management category binding

Column Name	Column Type	Column Default	Is Nullable
store_business_category_id	int(10) unsigned		NO
store_id	int(10) unsigned	0	NO
category_id	int(10) unsigned	0	NO
store business category commission rate	decimal(4,2)	0.00	NO

Column Name	Column Type	Column Default	Is Nullable
store_business_category_enable	tinyint(1)	1	NO

shop_store_company Shop company information form

Column Name	Column Type	Column Default	Is Nullable
company_id	int(10) unsigned		NO
user_id	int(10) unsigned	0	NO
store_id	int(10) unsigned		NO
company_name	varchar(50)		NO
company_area	varchar(50)		NO
company_address	varchar(100)		NO
company_zipcode	varchar(255)		NO

--	--	--	--

Column Name	Column type	Column Default	Nullable
company_phone	varchar(255)		NO
company_website	varchar(255)		NO
company_description	varchar(255)		NO
contacts_name	varchar(255)		NO
contacts_position	varchar(255)		NO
contacts_phone	varchar(255)		NO
contacts_email	varchar(255)		NO
company_registered_capital	int(10) unsigned	0	NO
company_employee_count	int(10) unsigned	0	NO
company_taxnum	varchar(20)		NO
company_invoice	varchar(50)		NO
legal_person	varchar(50)		NO

--	--	--	--

legal_person_number Column Name	varchar(50) Column Type	Column Default	NO Nullable
legal_person_electronic	varchar(255)		NO
business_license_location	varchar(255)		NO
establish_date	date		NO
business_licence_start	date		NO
business_licence_end	date		NO
business_sphere	varchar(255)		NO
business_license_electronic	varchar(255)		NO
company_other_files	varchar(1024)		NO
organization_code	varchar(20)		NO

--	--	--	--

Column Name	Column Type	Column Default	Is Nullable
organization_code_start	date		NO
organization_code_end	date		NO
organization_code_electronic	varchar(255)		NO
general_taxpayer	varchar(255)		NO
bank_account_name	varchar(50)		NO
bank_account_number	varchar(30)		NO
bank_name	varchar(50)		NO
bank_code	varchar(20)		NO
bank_address	varchar(255)		NO

--	--	--	--

Column Name	Column type	Column Default	Nullable
bank_licence_electronic	varchar(255)		NO
tax_registration_certificate	varchar(20)		NO
tax_registration_certificate_electronic	varchar(255)		NO
payment_voucher	varchar(255)		NO
payment_voucher_explain	varchar(255)		NO
store_class_ids	text		NO
store_class_names	text		NO
store_class_commission	text		NO
contacts_fee	float(10,2)		NO
contacts_deposit	float(10,2)		NO

business_id	varchar(20)		NO
-------------	-------------	--	----

business_id	varchar(20)	0	NO
Column Name	Column Type	Column Default	Is Nullable
payment_type	tinyint(1) unsigned	0	NO
alipay_account	varchar(255)		NO
alipay_realname	varchar(255)		NO

shop_store_config Shop parameter setting table

Column Name	Column Type	Column Default	Is Nullable	Au Inc
store_id	int(10) unsigned		NO	

sc_allow_seller_buy	tinyint(1) unsigned	0	NO	
---------------------	------------------------	---	----	--

Column Name	Column Type	Column Default	Is Nullable	Au Inc
sc_expenditure	int(10) unsigned	0	NO	
sc_cps_rate	float(10,2) unsigned	0.00	NO	
sc_second_is_enable	tinyint(1) unsigned	1	NO	
sc_second_cps_rate	float(10,2) unsigned	0.00	NO	
sc_third_cps_rate	float(10,2) unsigned	0.00	NO	

--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
ec_directseller_customer_exptime	int(10) unsigned		NO	

--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Au Inc
sc_directseller_exptime_type	tinyint(1) unsigned	1	No	

--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
sc_directseller_rel_exptime	int(10) unsigned	0	NO	
sc_is_verify	tinyint(1) unsigned	0	NO	
sc_auto_settle	tinyint(1) unsigned	1	NO	
sc_settle_time_type	int(10) unsigned	0	NO	
sc_is_use_min_quantity	tinyint(1) unsigned	0	NO	

sc_is_use_max_quantity	tinyint(1)	0	NO	
sc_is_use_product_brand	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
sc_is_use_product_weight	tinyint(1) unsigned	0	NO	
sc_is_use_product_defined	tinyint(1) unsigned	0	NO	
sc_product_tags	varchar(255)	[]	NO	
sc_is_necessary_delivery_date	date	0000-00-00	NO	
sc_is_use_order_min_money	tinyint(1) unsigned	0	NO	
sc_order_min_money	decimal(10,2) unsigned	0.00	NO	

--	--	--	--	--

Column Name	Column Type	Column Default	NO Nullable	Au Inc
sc_deduct_inventory_mode	tinyint(1)	1	NO	
sc_inventory_agent_show_type	tinyint(1) unsigned	2	NO	

Column Name	Column Type	Column Default	Is Nullable	Au Inc
sc_is_enabled_inventory_check	tinyint(1)	1	NO	

--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Au Inc
sc_fund_account_settings	varchar(255)	[]	NO	

sc_order_process	varchar(255)		NO	
sc_order_return_process	varchar(255)		NO	
sc_is_enabled_share	tinyint(1) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Au Inc
sc_is_enabled_invoicing	tinyint(1) unsigned	0	NO	
sc_settle_circle	tinyint(3) unsigned	30	NO	
sc_settle_last_time	int(11) unsigned	0	NO	
sc_settle_next_time	int(11)	0	NO	
sc_points_consume_rate	decimal(4,2)	0.00	NO	
sc_start_distance	decimal(4,2)		NO	
sc_start_amount	decimal(4,2)		NO	

sc_extra_amount	decimal(4,2)		NO	
sc_festival_name	varchar(255)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
sc_festival_start	varchar(255)		NO	
sc_festival_end	varchar(255)		NO	
sc_festival_amount_upper	decimal(10,2)		NO	
sc_festival_amount_down	decimal(10,2)		NO	
sc_festival_float_proportion	decimal(4,2)		NO	
sc_festival_float_type	tinyint(1)	1	NO	
sc_is_free_freight	tinyint(1)	0	NO	

shop_store_contract Association table of consumer protection service stores

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
contract_id	int(10)		NO	是	Assur
contract_type_id	int(10) unsigned		NO		Ser nur
contract_type_name	varchar(50)		NO		Ser Cat Nai
store_id	int(10) unsigned	0	NO		Shc Nui
					Shc

store_name Column Name	varchar(50) Column Type	Column Default	NO Is Nullable	Auto Increment	NO Cor App sta (en app joir app exi pas
contract_state	tinyint(1) unsigned	0	NO		
contract_use_state	tinyint(1)	2	NO		Joir (bo joir exi
contract_deposit	decimal(8,2)	0.00	NO		Gu bal

shop_store_contract_log Payment log form of consumer security service deposit

Column Name	Column Type	Column Default	Is Nullable
contract_log_id	int(10)		NO
contract_id	int(10)		NO
contract_type_id	int(10)		NO
contract_type_name	varchar(50)		NO
store_id	int(10) unsigned	0	NO
store_name	varchar(50)		NO

Column Name	Column Type	Column Default	Is NOtable
contract_log_operator	varchar(50)		NO
contract_log_date	timestamp	CURRENT_TIMESTAMP	NO
contract_log_desc	varchar(255)		NO
contract_deposit	decimal(10,2)		NO

contract_log_type	tinyint(1) unsigned	4	NO

Column Name	Column Type	Column Default	Is Nullable
contract_log_state	tinyint(1) unsigned	1	NO
contract_cash_pic	varchar(255)		NO

shop_store_custom_service Shop customer service form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

custom_service_id	int(10)		NO	是
store_id	int(10)		NO	
custom_service_name	varchar(20)		NO	
custom_service_qq	varchar(20)		NO	
custom_service_ww	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
custom_service_tool	tinyint(1)	0	NO		
custom_service_enable	tinyint(1) unsigned	0	NO		
custom_service_number	varchar(30)		NO		
custom_service_type	tinyint(1) unsigned	0	NO		

shop_store_domain Secondary domain name table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_id	int(10) unsigned		NO	是	-
store_sub_domain	varchar(100)		NO		Sub domain
store_edit_domain	int(10)	0	NO		Number of edit
store_self_domain	varchar(100)		NO		Custom domain name

shop_store_employee Seller user table - company employee - enable user center through user ID

Column Name	Column Type	Column Default	Is Nullable	At In
employee_id	int(10) unsigned		NO	是
store_id	int(10) unsigned		NO	
user_id	int(10) unsigned		NO	
rights_group_id	varchar(100)		NO	
employee_is_admin	tinyint(3) unsigned	0	NO	
employee_login_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_store_employee_department Department table

Column Name	Column Type	Column Default	Is Nullable	At In
department_id	int(8) unsigned		NO	是
department_parent_id	int(8)	0	NO	
department_name	varchar(50)		NO	
department_add_time	timestamp	CURRENT_TIMESTAMP	NO	

store_id Column Name	Column Type	Column Default	Is Nullable	At In
department_enable	tinyint(1) unsigned	0	NO	
department_buildin	tinyint(1)	0	NO	

shop_store_employee_log Seller log form

Column Name	Column Type	Column Default	Is Nullable	At In
employee_log_id	bigint(20) unsigned		NO	是
employee_log_content	varchar(50)		NO	
employee_log_time	timestamp	CURRENT_TIMESTAMP	NO	
user_id	int(10) unsigned		NO	

user_name	varchar(50)		NO	
store_id	int(10) unsigned		NO	
employee_log_ip	varchar(50)		NO	
employee_log_url	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	At In
employee_log_status	tinyint(1) unsigned	1	NO	

shop_store_employeerights User permission information table - obsolete, use store employee

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comm
employee_id	int(8) unsigned		NO		User numbe
employee_group_id	text		NO		User rights group
employee_rights_ids	text		NO		User rights

shop_store_employee_rights_base Authority table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comm
rights_id	smallint(4) unsigned		NO	是	Authori number
rights_name	varchar(20)		NO		Name c permis
rights_parent_id	smallint(4) unsigned		NO		Permis parent number
rights_remark	varchar(255)		NO		Remark
rights_order	smallint(4)	50	NO		sort

shop_store_employee_rights_group Permission group table

Column Name	Column Type	Column Default	Is Nullable
rights_group_id	smallint(4) unsigned		NO
rights_group_name	varchar(50)		NO
rights_group_rights_ids	varchar(2048)		NO
rights_group_rights_data	varchar(2048)		NO
rights_group_add_time	timestamp	CURRENT_TIMESTAMP	NO
store_id	int(11)		NO

shop_store_entity Physical store store relationship?

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
entity_id	int(10)		NO	是	Physical store
					Shop

store_id Column Name	int(10) Column Type	0 Column Default	NO Is Nullable	Auto Increment	Store ID Con Nar phy stor
entity_name	char(60)	0	NO		
store_lng	varchar(20)	0	NO		long
store_lat	varchar(20)	0	NO		latit

entity_district_info	varchar(255)		NO		area
entity_address	varchar(255)		NO		Please entity store detail add
entity_tel	varchar(30)		NO		Phy stor con nun
entity_transit	varchar(1024)		NO		Pub trar info

shop_store_expense Shop expense table - first expense, unified settlement

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
expense_id	int(10) unsigned		NO	是	Expens
user_id	int(10) unsigned	0	NO		Subord users
					The sh

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
store_id	int(10) unsigned		NO		under which i Commi belong
expense_value	decimal(10,2)	0.00	NO		Pre-tax expens
expense_name	varchar(255)		NO		descrip
expense_status	tinyint(1) unsigned	0	NO		Status (bool): unsettl 1-settle

expense_time	int(10) unsigned	0	NO		Creatio time
--------------	------------------	---	----	--	--------------

shop_store_expresslogistics Logistics = shop store_express

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
logistics_id	int(10)		NO	是	Log
store_id	int(10)	0	NO		Sto
chain_id	int(10)	0	NO		sto exp log
logistics_name	varchar(30)		NO		Log Nar
logistics_pinyin	varchar(30)		NO		Vie
logistics_number	int(11)		NO		Log Cor Nur
					Sin

logistics_state Column Name	tinyint(1) Column Type	0 Column Default	NO Is Nullable	Auto Increment	ele Cor sur Cor
express_id	mediumint(8)	0	NO		Cor Exp Cor
express_name	varchar(30)		NO		Del con
waybill_tpl_id	int(11)	0	NO		-
logistics_is_default	tinyint(1)	0	NO		Def 1-d nor
logistics_tpl_item	varchar(2048)		NO		-
logistics_tpl_top	varchar(255)	0	NO		The the ter mil mr

logistics_tpl_left	varchar(255)	0	NO		Left Wa: ter mil mr
logistics_phone	varchar(20)		NO		Cor nur
logistics_mobile	varchar(20)		NO		Cor cell
logistics_contacter	varchar(100)		NO		Cor
logistics_tax	varchar(20)		NO		Fax
logistics_address	varchar(100)		NO		Cor adc

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
logistics_fee	text		NO		
fee_type	tinyint(1)	0	NO		Fre (en uni reg
logistics_is_enable	tinyint(1)	1	NO		Wh ena 1-e dis:

shop_store_express_logistics_contactor Binding user list of logistics outlets

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
selc_id	int(10) unsigned		NO	是	Contact number
logistics_id	int(10) unsigned	0	NO		Logistic No
selc_name	varchar(10)		NO		Contact

selc_im	varchar(30)		NO		Contact MSN/Q
selc_mobile	bigint(11)		NO		Cell Ph
selc_telephone	varchar(30)		NO		Contact seating machir
selc_district_ids	varchar(20)		NO		Contact (DOT)

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
selc_address	varchar(50)		NO		Contact address
selc_first	tinyint(1)	1	NO		Primary contact 0-non primary 1-primary
selc_code	mediumint(9)	0	NO		Contact

shop_store_extend Extended table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_id	int(10)		NO		-

shop_store_festival Shop Festival table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
store_festival_id	int(10) unsigned		NO	是	Festival activity number
festival_id	int(10) unsigned	0	NO		Platform activity Festival
store_id	int(10) unsigned	0	NO		Merchant number
festival_rate	decimal(10,2)		NO		Float ratio: Percentage

shop_store_info Store table - users can have multiple stores - need to separate tables

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
store_id	int(10) unsigned		NO	是
store_register_region	varchar(255)		NO	
store_deliver_region	varchar(1024)		NO	
store_settlement_cycle	mediumint(4)	30	NO	
store_banner	varchar(255)		NO	
store_slide	varchar(1024)		NO	
store_address	varchar(255)		NO	
store_workingtime	varchar(1024)		NO	
store_tel	varchar(12)		NO	
store_qq	varchar(20)		NO	
store_ww	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
store_is_renovation	tinyint(1)	0	NO	
store_stamp	varchar(255)		NO	
store_free_shipping	int(10)	0	NO	
store_template	varchar(20)	shop1	NO	
store_print_desc	varchar(255)		NO	
store_state_id	smallint(4) unsigned	3210	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
store_payment_state	tinyint(3) unsigned	0	NO	
store_start_time	timestamp	0000-00-00 00:00:00	NO	
store_end_time	timestamp	0000-00-00 00:00:00	NO	
store_close_reason	varchar(255)		NO	
store_points	int(10) unsigned	0	NO	
store_notice	varchar(255)		NO	
store_opening_hours	varchar(255)		NO	
store_close_hours	varchar(255)		NO	
store_points_consume_rate	decimal(4,2)	0.00	NO	
store_circle	varchar(50)		NO	

shop_store_media User attachment table - pictures, videos

Column Name	Column Type	Column Default	

Column Name	Column Type	Column Default	
media_id	bigint(20) unsigned		I
media_number	char(32)		I

gallery_id	bigint(20)		I
store_id	int(10) unsigned	0	I
media_url	varchar(255)		I
media_source	varchar(255)		I
media_order	mediumint(4) unsigned	50	I
media_domain	varchar(255)		I
media_path	varchar(255)		I
media_type	enum('video','other','image')	image	I
media_image_h	int(10) unsigned	0	I
media_image_w	int(10) unsigned	0	I
media_size	int(10) unsigned	0	I

Column Name	Column Type	Column Default	
media_mime_type	varchar(100)		
media_metadata	varchar(255)		

media_alt	varchar(255)		
media_name	varchar(50)		
media_desc	varchar(255)		
media_password	varchar(20)		
media_time	timestamp	CURRENT_TIMESTAMP	

shop_store_media_gallery User album table

Column Name	Column Type	Column Default	Is Nullable	Aut Incr
gallery_id	bigint(20) unsigned		NO	是
gallery_name	varchar(100)		NO	
gallery_desc	varchar(255)		NO	
gallery_num	mediumint(8) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
gallery_is_default	tinyint(4) unsigned	0	NO	
gallery_order	smallint(4) unsigned	50	NO	
gallery_type	enum('video','other','image')	image	NO	
gallery_cover	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	

shop_store_message_setting Store message setting table

Column Name	Column Type	Column Default	Is Nullable
sms_id	int(10) unsigned		NO
store_id	int(10) unsigned		NO
message_template_ids	varchar(1024)		NO

sms_time	timestamp	CURRENT_TIMESTAMP	NO
----------	-----------	-------------------	----

shop_store_meta Store extension table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

meta_id Column Name	varchar(50) Column Type	Column Default	NO Is Nullable	Auto Increi
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	

meta_value	varchar(1024)		NO	
meta_datatype	enum('string','json','number')	string	NO	

shop_store_nav Shop page navigation table

Column Name	Column Type	Column Default	Is Nullable
store_nav_id	int(11)		NO

store_nav_type	tinyint(1)	0	NO
store nav title	varchar(100)		NO

Column Name	Column Type	Column Default	Is Nullable
store_nav_url	varchar(255)		NO
store_nav_position	tinyint(1)	0	NO
store_nav_target_blank	tinyint(1)	0	NO
store_nav_order	tinyint(3) unsigned	255	NO
store_nav_content	text		NO
store_nav_time	timestamp	CURRENT_TIMESTAMP	NO

shop_store_points_item Bonus gift table

Column Name	Column Type	Column Default	Is Nullable
points_item_id	int(10)		NO
points_item_number	varchar(50)		NO
points_item_name	varchar(100)		NO
points_item_price	decimal(10,2)	0.00	NO

Column Name	Column Type	Column Default	Is Nullable
points_item_points	int(10)	0	NO
points_item_image	varchar(255)		NO
points_item_tag	varchar(100)		NO
points_item_storage	int(10)	0	NO

points_item_enable	tinyint(1) unsigned	0	NO
points_item_recommend	tinyint(1)	0	NO
points_item_add_time	timestamp	CURRENT_TIMESTAMP	NO
points_item_keywords	varchar(100)		NO
points_item_description	varchar(200)		NO

points_item_content Column Name	text Column Type	Column Default	NO Nullable
points_item_salenum	int(10)	0	NO
points_item_view	int(10)	0	NO

points_item_user_level	int(10)	0	NO
points_item_islimit	tinyint(1)	0	NO

Column Name	Column Type	Column Default	Is Nullable
points_item_limitnum	int(10)		NO
points_item_islimittime	tinyint(1)	0	NO
points_item_starttime	int(11)	0	NO
points_item_endtime	int(11)	0	NO
points_item_order	int(10)	50	NO

shop_store_product_category Classification of shop goods

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_product_cat_id	int(10) unsigned		NO	是
store_product_cat_name	varchar(50)		NO	
store_product_cat_image	varchar(255)		NO	
store_id	int(10) unsigned		NO	
parent_id	int(10)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
store_product_cat_enable	tinyint(1) unsigned		NO	
store_product_cat_order	tinyint(1) unsigned	50	NO	
store_product_cat_level	tinyint(1) unsigned	1	NO	
store_product_cat_is_leaf	tinyint(1) unsigned	0	NO	

shop_store_product_format Related plate table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_format_id	int(10) unsigned		NO	是
product_format_name	varchar(50)		NO	
store_id	int(10) unsigned		NO	

product_format_header_content	varchar(5000)		NO	
product_format_footer_content	varchar(5000)		NO	

shop_store_product_tag List of commodity labels of merchants

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
store_product_tag_id	int(10)		NO	是	Tag ID
product_tag_id	int(10) unsigned	0	NO		product tag ID
store_id	int(10)	0	NO		Store ID
product_tag_time	datetime		NO		Product tag time
store_product_tag_buildin	tinyint(1) unsigned	0	NO		Build in

shop_store_renewal_apply Renewal application form

Column Name	Column Type	Column Default	Is Nullable
store_renewal_apply_id	int(10) unsigned		NO
user_id	int(10) unsigned		NO
store_id	int(10) unsigned		NO
store_name	varchar(50)		NO
store_grade_id	int(10) unsigned		NO
store_grade_name	varchar(50)		NO
store_grade_fee	decimal(10, 2)		NO

store_grade_fee	decimal(10,2)		NO
Column Name	Column Type	Column Default	Is
store_renewal_apply_renewtime	int(10) unsigned		NO
store_renewal_apply_expense	decimal(10,2)		NO
store_renewal_apply_time	timestamp	CURRENT_TIMESTAMP	NO
store_renewal_apply_starttime	timestamp	0000-00-00 00:00:00	NO
store_renewal_apply_endtime	timestamp	0000-00-00 00:00:00	NO
store_renewal_apply_status	tinyint(1)	0	NO
admin_id	int(10) unsigned	0	NO
admin_name	varchar(50)		NO

store_renewal_apply_desc	varchar(100)		NO
--------------------------	--------------	--	----

shop_store_saler Shop salesman

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
saler_id	int(10) unsigned		NO	是	Vendor number
store_id	int(10) unsigned		NO		Shop Number
user_id	int(10) unsigned		NO		Membership Number

shop_store_setting Shop setting table

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
store_setting_id	int(10) unsigned		NO	是
store_id	tinyint(3) unsigned	0	NO	
store_is_brand	tinyint(1) unsigned	1	NO	
store_is_weight	tinyint(1) unsigned	0	NO	
shop_parent_id	int(11)	0	NO	
store_category_id	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
	unsigned			

store_time	timestamp	CURRENT_TIMESTAMP	NO	
------------	-----------	-------------------	----	--

shop_store_shipping_address Shipping address table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
ss_id	int(10) unsigned		NO	是
ss_name	varchar(10)		NO	
ss_mobile	bigint(11)		NO	
ss_telephone	varchar(30)		NO	
ss_contacter	varchar(20)		NO	
ss_postalcode	varchar(30)		NO	
ss_province_id	int(10)	0	NO	
ss_province	varchar(10)		NO	
ss_city_id	int(10)	0	NO	

ss_city	varchar(10)		NO	
ss_county_id	int(10) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
ss_county	unsigned varchar(10)		NO	
ss_address	varchar(50)		NO	
ss_time	timestamp	CURRENT_TIMESTAMP	NO	
ss_is_default	tinyint(1) unsigned	0	NO	
store_id	int(10)	0	NO	

shop_store_themes Shop style table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
app_id	int(10) unsigned		NO	是	Applicator number
app_name	varchar(1024)		NO		apply nam
app_code	text		NO		Applicator code
tpl_id	int(10) unsigned	0	NO		Template No
store_id	mediumint(8) unsigned	0	NO		The shop under which it belongs

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
subsite_id	mediumint(4) unsigned	0	NO		Sub station 0-main station
app_buildin	tinyint(1) unsigned	0	NO		Built in (bool): 0-no; 1-yes
app_type	tinyint(1) unsigned	1	NO		Type (enum): 1-wap; 2-PC; 3-app
app_tpl	text		NO		Apply template

shop_store_transport_amount Store purchase quota freight template

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
sta_id	int(10) unsigned		NO	是	number
sta_free_amount	decimal(6,2)	0.00	NO		Freight margin
sta_decrease	smallint(3)	1	NO		Reduction of quota
sta_add_price	decimal(6,2)	0.00	NO		Increase freight
					Region city II (DOT); can be sold in

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	different region commands and a
sta_city_ids	varchar(6000)		NO		over 1 count instead ID primary needs calculation cost according to weight etc
sta_city_row	text		NO		Region city II (JSON)
sta_city_name	varchar(6000)	[]	NO		Region city n (JSON)

store_id	int(10)		NO		The store under which belong
----------	---------	--	----	--	------------------------------

shop_store_transport_item User defined logistics template content table - only process area and freight.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
transport_item_id	int(10) unsigned		NO	是

transport_type_id Column Name	mediumint(8) Unsigned Column Type	Column Default	NO Nullable	Auto Increme
logistics_type	varchar(50)		NO	

transport_item_default_num	smallint(3) unsigned	0	NO	
transport_item_default_price	decimal(6,2)	0.00	NO	
transport_item_add_num	smallint(3)	1	NO	
transport_item_add_price	decimal(6,2)	0.00	NO	
transport_item_city_ids	varchar(6000)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
transport_city_ids	text		NO	

transport_item_city_name	varchar(6000)	[]	NO	
--------------------------	---------------	----	----	--

shop_store_transport_offpay_area To pay area.

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Co
offpay_area_id	int(10) unsigned		NO	是	nt
store_id	int(10) unsigned	0	NO		St Ni
offpay_area_city_ids	varchar(5000)		NO		Re ci (E

shop_store_transport_type Custom logistics freight and sales area type table

Column Name	Column Type	Column Default	Is
-------------	-------------	----------------	----

Column Name	Column Type	Column Default	Nulls
transport_type_id	mediumint(8) unsigned		NO

transport_type_name	varchar(20)		NO
store_id	int(10) unsigned	0	NO
chain_id	int(10) unsigned	0	NO
transport_type_pricing_method	smallint(1) unsigned	1	NO
transport_type_time	timestamp	CURRENT_TIMESTAMP	NO
transport_type_freight_free	decimal(10,2) unsigned	0.00	NO
transport_type_buildin	tinyint(1) unsigned	0	NO

Column Name	Column Type	Column Default	Is Nu
transport_type_free	tinyint(1) unsigned	0	NO

shop_store_waybill_tpl Delivery form layout

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Colu Com
waybill_tpl_id	int(10) unsigned		NO	是	-
waybill_tpl_name	varchar(20)		NO		Tem nam
store_id	int(10) unsigned		NO		The unde whic belo
express_id	mediumint(8)		NO		Logi Com Nur
waybill_tpl_width	int(11)	0	NO		Way widt

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
waybill_tpl_height	int(11)	0	NO		Way height mm
waybill_tpl_top	int(255)	0	NO		Offset of way template unit:
waybill_tpl_left	int(255)	0	NO		Left of W template unit:

waybill_tpl_image	varchar(200)		NO		Template image upload the scar image the way The of the image must consist with actu
-------------------	--------------	--	----	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
waybill_tpl_enable	tinyint(1)	1	NO		Is it enable
waybill_tpl_buildin	tinyint(1)	1	NO		System built can be deleted

shop_user_base User basic information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
user_id	int(10) unsigned		NO	是	User number
user_number	varchar(50)		NO		User number
user_account	varchar(50)		NO		User account

user_passwd	char(32)		NO		Password used for discount here
user_nickname	varchar(30)		NO		User nickname
user_key	char(32)		NO		User key

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_delete	tinyint(4)	0	NO		Whether to delete the user (boolean)
user_login_times	mediumint(8) unsigned	1	NO		Number of logins
user_login_time	timestamp	0000-00-00 00:00:00	NO		Last login time

shop_user_cart Shopping cart table - package is handled as one item

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
cart_id	int(10) unsigned		NO	是	number
user_id	int(10) unsigned	0	NO		Buyer ID

store_id	int(10) unsigned	0	NO		Shop Number
product_id	bigint(20)	0	NO		Product number
item_id	bigint(20) unsigned	0	NO		Commodity ID
cart_quantity	smallint(5) unsigned	1	NO		Quantity of goods purchased

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Purchas Column (enum) Comme purchas
cart_type	tinyint(1) unsigned	1	NO		point exchange complin 4-event promoti
activity_id	int(10) unsigned	0	NO		Activity tips for shoppin
activity_item_id	bigint(20) unsigned	0	NO		Add act item nu shoppin
cart_select	tinyint(1)	1	NO		Selecte (bool): (selecte selecte
cart_ttl	int(10)	0	NO		Valid tir stamp
cart_time	int(10) unsigned	0	NO		Add tim
cart_file	varchar(255)		NO		piece

shop_user_delivery_address User address table

Column Name	Column Type	Column Default	Is Nullable	Auto Increme
ud_id	int(10) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
ud_name	varchar(10)		NO	
ud_mobile	varchar(20)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
ud_telephone	varchar(30)		NO	
ud_contacter	varchar(20)		NO	
ud_im	varchar(255)		NO	
ud_province_id	int(10)	0	NO	

ud_province	varchar(10)		NO	
ud_city_id	int(10)	0	NO	
ud_city	varchar(10)		NO	
ud_county_id	int(10) unsigned	0	NO	
ud_county	varchar(10)		NO	
ud_address	varchar(50)		NO	
ud_postalcode	varchar(30)		NO	
ud_tag_name	varchar(50)	0	NO	
ud_longitude	varchar(20)		NO	

ud_latitude	varchar(20)		NO	Auto
Column Name	Column Type	Column Default	Is Nullable	Increme
ud_time	timestamp	CURRENT_TIMESTAMP	NO	
ud_is_default	tinyint(1)	0	NO	

shop_user_exp_history Member experience log

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
exp_log_id	int(10)		NO	是
exp_kind_id	smallint(4) unsigned	1	NO	
exp_type_id	smallint(4) unsigned	0	NO	

user_id	int(10)		NO	
---------	---------	--	----	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
exp_log_value	int(10) unsigned	0	NO	是
user_exp	int(10) unsigned	0	NO	
exp_log_time	timestamp	CURRENT_TIMESTAMP	NO	
exp_log_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	
exp_log_date	timestamp	0000-00-00 00:00:00	NO	

shop_user_favorites_brand Collection brand

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
favorites_brand_id	int(10) unsigned		NO	是

user_id	int(10) unsigned		NO	
brand_id	int(10) unsigned		NO	
favorites_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_favorites_item Favorite items - according to SKU

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
favorites_item_id	int(10) unsigned		NO	是

user_id	int(10) unsigned		NO	
item_id	int(10) unsigned		NO	
favorites_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_favorites_store Collection shop

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
favorites_store_id	int(10) unsigned		NO	是
user_id	int(10) unsigned		NO	

store_id	int(10) unsigned		NO	
favorites_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_invoice User invoice management table

Column Name	Column Type	Column Default	Is Nullable	Auto Increase
-------------	-------------	----------------	-------------	---------------

user invoice id Column Name	int(11) Column Type	Column Default	NO Nullable	主 键
user_id	int(11) unsigned	0	NO	

invoice_title	varchar(50)		NO	
invoice_content	varchar(50)		NO	
invoice_type	enum('company','person')	person	NO	
invoice_kind	tinyint(1) unsigned	1	NO	
invoice_company_code	varchar(100)		NO	
invoice_status	tinyint(1)	0	NO	
invoice_datetime	datetime		NO	

shop_user_message SMS

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_id	int(11)		NO	是
message_parent_id	int(11)		NO	
user_id	int(10) unsigned		NO	
user_from_id	int(10) unsigned		NO	
user_from_nickname	varchar(50)		NO	
message_content	varchar(255)		NO	
message_time	timestamp	CURRENT_TIMESTAMP	NO	
message_is_read	tinyint(1)	0	NO	
message_is_delete	tinyint(1)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_type	tinyint(1)	2	NO	
message_cat	tinyint(1)		NO	
message_data_id	varchar(50)		NO	
message_kind	varchar(10)	text	NO	

shop_user_message_setting Message settings table

Column Name	Column Type	Column Default	Is Nullable
-------------	-------------	----------------	-------------

Column Name	Column Type	Column Default	Is Nullable
ums_id	int(10) unsigned		NO

user_id	int(10) unsigned		NO
message_template_ids	varchar(1024)		NO
ums_time	timestamp	CURRENT_TIMESTAMP	NO

shop_user_meta User data extension table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(1024)		NO	
meta_datatype	enum('string','json','number')	string	NO	

shop_user_points_api_history Member points log

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
id	varchar(100)		NO	
offline_order_id	varchar(100)		NO	
out_order_no	varchar(100)		NO	
order_status	varchar(100)		NO	
money	decimal(8,2)	0.00	NO	
seller_id	varchar(255)		NO	
buyer_id	varchar(255)		NO	
payment_channel	varchar(255)		NO	
subject	varchar(255)		NO	
processed	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
points_log_id	int(10)		NO	
payment_way	varchar(255)		NO	
time	timestamp	CURRENT_TIMESTAMP	NO	
total_amount	varchar(255)		NO	
discount_amount	varchar(255)		NO	
pay_time	int(11)		NO	

shop_user_points_history Member points log

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
points_log_id	int(10)		NO	是
points_kind_id	smallint(4) unsigned	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Incre
points_type_id	smallint(4) unsigned	0	NO	
user_id	int(10)		NO	
points_log_points	decimal(16,6)	0.000000	NO	
user_points	decimal(16,6)	0.000000	NO	

points_log_time	timestamp	CURRENT_TIMESTAMP	NO	
points_log_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	
points_log_date	date	0000-00-00	NO	
user_id_other	int(10)	0	NO	
points_log_state	tinyint(1) unsigned	1	NO	

shop_user_privacy User information privacy settings table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned		NO		User number
user_privacy_email	tinyint(1)	0	NO		Mail settings public visit frequency control
user_privacy_realname	tinyint(1)	0	NO		Real name settings public visit frequency control
user_privacy_sex	tinyint(1)		NO		Gender settings public visit frequency control
user_privacy_birthday	tinyint(1)	0	NO		Birth date settings public visit frequency control
user_privacy_area	tinyint(1)	0	NO		Location settings public visit frequency control

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_privacy_qq	tinyint(1)	0	NO		QQ 0 pu frier visit cont
user_privacy_ww	tinyint(1)	0	NO		Alib War set 1 vi: frier cont
user_privacy_mobile	tinyint(1)	0	NO		Mob sett pub visit frier cont

shop_user_product_browse Product browsing history - SPU - should not be stored directly in the database

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_browse_id	bigint(20) unsigned		NO	
item_id	int(10)		NO	
user_id	int(10)		NO	
browse_date	date	0000-00-00	NO	
browse_time	timestamp	CURRENT_TIMESTAMP	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
category_id	mediumint(8) unsigned	0	NO	
category_id_1	mediumint(8) unsigned	0	NO	
category_id_2	mediumint(8) unsigned	0	NO	
category_id_3	mediumint(8) unsigned	0	NO	

shop_user_product_buy User's purchase quantity history

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
-------------	-------------	----------------	-------------	----------------

product_buy_id	bigint(20) unsigned		NO	是
product_id	bigint(20) unsigned	0	NO	
item_id	bigint(20) unsigned	0	NO	
user_id	int(10) unsigned	0	NO	
product_buy_num	int(10)	0	NO	

product_buy_time	timestamp	CURRENT_TIMESTAMP	NO	Auto
Column Name	Column Type	Column Default	Is Nullable	Increment

shop_user_product_meta User product data extension table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(20000)		NO	
meta_datatype	enum('string','json','number','dot')	string	NO	

shop_user_product_stock User goods inventory table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comment
ps_id	bigint(20) unsigned		NO	是	主键
product_id	bigint(20) unsigned	0	NO		商品ID
item_id	bigint(20) unsigned	0	NO		商品ID
user_id	int(10) unsigned	0	NO		用户ID
ps_num	int(10)	0	NO		数量

ps_time Column Name	timestamp Column Type	CURRENT_TIMESTAMP Column Default	NO IS Nullable	Auto Increment	
---------------------------	-----------------------------	-------------------------------------	----------------------	-------------------	--

shop_user_product_stock_history User goods inventory record

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
upsh_id	int(10)		NO	是
upsh_kind_id	smallint(4) unsigned	1	NO	
upsh_type_id	smallint(4) unsigned	0	NO	
user_id	int(10)		NO	
product_id	bigint(20) unsigned		NO	
item_id	bigint(20) unsigned		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
upsh_num	decimal(16,6)	0.000000	NO	
ps_num	decimal(16,6)	0.000000	NO	
upsh_time	timestamp	CURRENT_TIMESTAMP	NO	
upsh_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	
upsh_date	date	0000-00-00	NO	
user_id_other	int(10)	0	NO	
upsh_state	tinyint(1) unsigned	1	NO	

shop_user_saas Record the unique store of SaaS users

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
user_id	int(10) unsigned		NO	是	User number
store_ids	varchar(10)		NO		User accessible store (DOT)

shop_user_search_history User search history table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
search_id	varchar(32)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
search_keyword	varchar(80)		NO	
search_char_index	varchar(80)		NO	

search_nums	int(11) unsigned	0	NO	
user_id	mediumint(8) unsigned	0	NO	
search_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_sign User sign in form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
sign_id	int(10)		NO	是	Sign in No
user_id	int(10)		NO		User number
sign_time	timestamp	0000-00-00 00:00:00	NO		Check in time
sign_day	int(10)		NO		Check in days

shop_user_tag User interest tab

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_tag_id	int(10)		NO	是
tag_id	int(10)		NO	

user_id	int(10)		NO	
user_tag_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_voucher User voucher form

Column Name	Column Type	Column Default	Is Nullable
user_voucher_id	int(11)		NO

activity_id	int(10) unsigned		NO
voucher_state_id	smallint(4) unsigned	1501	NO

Column Name	Column Type	Column Default	Is Nullable
user_voucher_time	timestamp	CURRENT_TIMESTAMP	NO
user_id	int(11) unsigned	0	NO
order_id	varchar(50)		NO
user_voucher_activetime	timestamp	0000-00-00 00:00:00	NO
voucher_price	decimal(10,2)		NO
voucher_subtotal	decimal(10,2)		NO
voucher_end_date	timestamp	0000-00-00 00:00:00	NO
store_id	int(11)	0	NO
item_id	int(10)		NO

voucher_type	mediumint(2)	0	NO
--------------	--------------	---	----

shop_user_wechat WeChat official account binding table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment

wechat_openid Column Name	varchar(255) Column Type	Column Default	NO Nullable	Auto Increment	Growth Column Value Comme
wechat_unionid	varchar(255)		NO		-
wechat_app_id	varchar(255)		NO		App number

user_id	int(10) unsigned		NO		-
---------	---------------------	--	----	--	---

shop_wechat_accesstoken Wechat access Token central control server table - currently directly in cache zero_Api_Wechat

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	(
wechat_app_id	varchar(255)		NO		/

wechat_access_token	varchar(1024)		NO		à - t à f l l i
wechat_expires_in	int(10) unsigned	0	NO		€

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
wechat_ttl	int(10) unsigned	0	NO		

shop_wechat_keyword Wechat magic keyword table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
wk_id	mediumint(8) unsigned		NO	是	Trigger key number
wk_parent_id	mediumint(8) unsigned	0	NO		Key p number
wk_name	varchar(20)		NO		Trigger keywords
wk_type_id	smallint(4) unsigned	1	NO		Trigger type (list) 1-plain text; 2-graphic text;
wk_url	varchar(255)		NO		link
wk_desc	varchar(255)		NO		Keyword descriptio
wk_title	varchar(50)		NO		Title [Graphic and Textual Validity]

wk_image	varchar(255)		NO		Cover [picture
----------	--------------	--	----	--	-------------------

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	and text Column valid] Column Comment
wk_enable	tinyint(1) unsigned	1	NO		Whether to enable (bool): 0-disable; 1 enable
wk_is_buildin	tinyint(1) unsigned	0	NO		Bool: 0-no 1-yes
wk_remark	varchar(255)		NO		Remarks
store_id	int(8) unsigned	0	NO		Mall No
wk_sort	tinyint(4)	50	NO		sort

shop_wechat_menu Wechat menu

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
wm_id	mediumint(8) unsigned		NO	是	Menu number

wm_parent_id	mediumint(8) unsigned	0	NO		Superior menu
wm_name	varchar(20)		NO		Menu Na
					Action ty (enum): link; 2-simulatic keyword; scan cod 4-scan co [waiting informat E-customer

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
wm_type_id	smallint(4) unsigned		NO		3-system photo sending; photo album sending; wechat photo alt sending; geograph location
wm_target	varchar(255)		NO		Action operation
wm_enable	tinyint(1) unsigned	1	NO		Whether enable (bool): 0-disable; enable
store_id	int(8)	0	NO		Mall No
wm_sort	tinyint(3) unsigned	50	NO		sort

wm_is_buildin	tinyint(1) unsigned	0	NO		Bool: 0-no 1-yes
---------------	------------------------	---	----	--	---------------------

shop_wechat_tplmsg Message template table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
tplmsg_id	mediumint(8) unsigned		NO	是	Temp number
tplmsg_title	varchar(100)		NO		Temp title

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
-------------	-------------	----------------	-------------	----------------	----------------

tplmsg_type_id	smallint(4) unsigned	1	NO		Temp type (list): order remir 2- paym remir 3- delive remir
tplmsg_name	varchar(100)		NO		Wech mess temp title
tplmsg_number	varchar(255)		NO		Temp librar
tplmsg_tpl_id	varchar(255)		NO		Temp librar
tplmsg_enable	tinyint(1) unsigned	1	NO		Whet to en: (bool); disab 1-ena
tplmsg_is_buildin	tinyint(1) unsigned	0	NO		Bool: no: 1

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Remarks
tplmsg_remark	varchar(255)		NO		
tplmsg_sort	tinyint(4)	50	NO		sort
store_id	int(8) unsigned	0	NO		Mail ID

message_id	varchar(100)		NO		Message ID: Assoc temp
------------	--------------	--	----	--	------------------------

sns_base_filter_keyword Sensitive word filtering - enable API

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
filter_id	int(10) unsigned		NO	是
filter_find	varchar(50)		NO	
filter_replace	varchar(50)		NO	
filter_type	tinyint(1)	1	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
filter_time	timestamp	CURRENT_TIMESTAMP	NO	
filter_buildin	tinyint(1) unsigned	0	NO	
user_id	int(10) unsigned	0	NO	
filter_enable	tinyint(1) unsigned	1	NO	

sns_story_base Dynamic information table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
story_id	int(10) unsigned		NO	是
user_id	int(11) unsigned		NO	
story_index	varchar(255)		NO	
story_title	varchar(100)		NO	
story_content	text		NO	

Column Name	Column Type	Column Default	Nullable	Auto Increment
story_file	varchar(1024)		NO	
story_video	varchar(255)		NO	
story_type	tinyint(1) unsigned	1	NO	
story_src_id	int(10) unsigned	0	NO	
story_time	int(11) unsigned		NO	
story_status	tinyint(1) unsigned	0	NO	

story_enable	tinyint(1) unsigned	1	NO	
story_privacy	tinyint(1) unsigned	0	NO	
story_comment_count	int(11) unsigned	0	NO	
	int(11)			

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
story_forward_count	int(11) unsigned	0	NO	
story_like_count	int(11) unsigned	0	NO	
story_collection_count	int(11) unsigned	0	NO	
story_forward	tinyint(1) unsigned	1	NO	
story_is_top	tinyint(1) unsigned	0	NO	
story_brower_count	tinyint(11)	0	NO	

item_id	varchar(100)		NO	
story_category_id	smallint(4)	0	NO	
story_tags	varchar(255)		NO	
story_source	smallint(4)	1001	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
product_id	bigint(20)		NO	

sns_story_category Block

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
story_category_id	smallint(4)		NO	是
story_category_name	varchar(50)		NO	
story_category_parent_id	int(6)	0	NO	
story_category_logo	varchar(255)		NO	
story_category_bg	varchar(255)		NO	
story_category_keywords	varchar(100)		NO	
story_category_desc	varchar(255)		NO	
story_category_count	smallint(4)		NO	
story_category_template	varchar(255)		NO	
story_category_alias	varchar(50)		NO	
story_category_order	tinyint(255) unsigned	50	NO	

--	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
story_category_buildin	tinyint(1)		NO	是

sns_story_collection Collection table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
collection_id	int(11)		NO	是	number
story_id	int(11)		NO		Dynamic information number
user_id	int(11)		NO		Membership Number
collection_time	int(11)		NO		Collection time

sns_story_comment Comment form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_id	int(11)		NO	是
user_id	int(11)		NO	
story_id	int(11)		NO	
comment_content	varchar(255)		NO	
comment_state	tinyint(1)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
to_user_id	int(11)		NO	
comment_like_count	int(10)	0	NO	
comment_time	timestamp	CURRENT_TIMESTAMP	NO	
comment_is_show	tinyint(1)	0	NO	

sns_story_comment_helpful Evaluate useful voting forms

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
comment_helpful_id	bigint(20)		NO	是	num
comment_id	int(20) unsigned		NO		Con num
user_id	int(10) unsigned	0	NO		Clic use num
story_id	int(11)		NO		Arti num

comment_helpful_time	int(11)		NO		Eva time
----------------------	---------	--	----	--	-------------

sns_story_comment_reply Q & a response form

Column Name	Column Type	Column Default	Is Nullable	Auto Increment

comment_reply_id Column Name	int(11) Unsigned Column Type	Column Default	NO Nullable	是 Auto Incremer
comment_id	int(11)	0	NO	

comment_reply_parent_id	int(11)	0	NO	
story_id	int(11) unsigned		NO	
user_id	int(10) unsigned	0	NO	
user_nickname	varchar(50)		NO	
user_id_to	int(10)		NO	
comment_reply_content	varchar(255)		NO	
comment_reply_time	int(11)		NO	
comment_reply_show_flag	tinyint(1)	1	NO	
comment_reply_islook	tinyint(1) unsigned	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_reply_helpful_num	int(11) unsigned	0	NO	

sns_story_comment_reply_helpful Evaluate useful voting forms

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
comment_reply_helpful_id	bigint(20)		NO	是
comment_reply_id	bigint(11) unsigned		NO	
user_id	bigint(10) unsigned	0	NO	
story_id	int(11)		NO	
comment_reply_helpful_time	int(11)		NO	

sns_story_forward Relay table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
forward_id	int(11)		NO	是	number
user_id	int(11)		NO		Forwarded post No
story_new_id	int(11)		NO		New post number after forwarding

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
story_id	int(11)		NO		Original post number
forward_time	int(11)		NO		Add time

sns_story_like Likes list

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
like_id	int(11)		NO	是	number
story_id	int(11)		NO		Dynamic information number
user_id	int(11)		NO		Membership Number
like_time	int(11)		NO		Collection time

sns_story_timeline User message timeline table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
timeline_id	bigint(20)		NO	是	number
user_id	int(11) unsigned		NO		User number
story_id	int(10) unsigned	0	NO		Story or product comment
timeline_time	int(11)	0	NO		Activity time

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
timeline_type	tinyint(1) unsigned	1	NO		Type: 1-Story; 2-product review

sns_user_block User blacklist

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_black_id	int(11) unsigned		NO	是
user_id	int(10) unsigned		NO	
black_id	int(11) unsigned	0	NO	
user_black_time	timestamp	CURRENT_TIMESTAMP	NO	

sns_user_friend User friend relationship table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_friend_id	int(11) unsigned		NO	是
user_id	int(10) unsigned		NO	
friend_id	int(11) unsigned	0	NO	
friend_note	varchar(50)		NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
user_friend_addtime	timestamp	CURRENT_TIMESTAMP	NO	
friend_state	tinyint(1)	1	NO	

friend_invite	tinyint(1) unsigned	0	NO	
---------------	------------------------	---	----	--

sns_user_group Friends Management Group

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
group_id	int(10)		NO	是	Friend group number
group_name	varchar(30)		NO		Group name
					Group type (enum): 0 -

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
group_type	tinyint(1)	0	NO		Open limit c 00 people temporary group; 1 - upper limit c 300 people general group; 2 - upper limit c 500 people VIP group

user_id	int(10) unsigned		NO		Administratc
group_num	int(10) unsigned	0	NO		Number

sns_user_group_rel Friend group relationship

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
group_rel_id	int(10)		NO	是	Friend group number
group_id	int(10)	0	NO		Group name
user_id	int(10) unsigned	0	NO		User ID error

sns_user_message SMS Chat

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment

message_id	int(11) unsigned	Column Default	NO Nullable	Auto Increment	是
message_id	int(11) unsigned		NO		是
message_parent_id	int(11) unsigned	0	NO		否

user_id	int(10) unsigned	1	NO		是
user_nickname	varchar(50)		NO		否
user_other_id	int(10) unsigned	0	NO		否
user_other_nickname	varchar(50)		NO		否
message_title	varchar(50)		NO		否
message_content	varchar(1024)		NO		否
message_time	int(11) unsigned	0	NO		否
message_is_read	tinyint(1) unsigned	0	NO		否

Column Name	Column Type	Column Default	Is Nullable	Auto Increment
message_is_delete	tinyint(1) unsigned	0	NO	

message_type	tinyint(1)	2	NO	
message_kind	tinyint(1) unsigned	1	NO	
message_cat	varchar(10)	text	NO	
message_data_type	tinyint(1)	1	NO	
message_data_id	varchar(50)		NO	
message_length	varchar(10)	0	NO	

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	
message_h	int(10)	0	NO		
item_id	int(10)	0	NO		

sns_user_message_analytics SMS Chat statistics

Column Name	Column Type	Column Default	Is Nullable
user_message_analytics_id	int(11) unsigned		NO
user_id	int(10) unsigned	1	NO
user_other_id	int(10) unsigned	0	NO
message_content	varchar(255)		NO

message_time	timestamp	CURRENT_TIMESTAMP	NO
--------------	-----------	-------------------	----

Column Name	Column Type	Column Default	Is Nullable
message_new_num	tinyint(1) unsigned		NO

sns_user_zone group

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
zone_id	int(10)		NO	是	Friend group number
zone_name	varchar(30)		NO		group name
zone_type	tinyint(1)	0	NO		Group type (enum): upper limit 100 people temporary group; 1 upper limit 300 people general group; 2 - upper limit of 500 people in VIP group
zone_permission	tinyint(4)	0	NO		Application joining requirements (enum): default is public joining; authentication required for private group
zone_declared	varchar(50)		NO		Group announcement

	int(10)				
--	---------	--	--	--	--

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Comments
user_id	int(10) unsigned	0	NO		Adminis Column
zone_bind_id	varchar(32)		NO		Comme Third pa group ni
zone_user_num	int(10) unsigned	2	NO		Number people

sns_user_zone_message Group messages - chat

Column Name	Column Type	Column Default	Is Nullable
zone_message_id	int(11) unsigned		NO
user_id	int(10) unsigned	1	NO
zone_id	int(10) unsigned	0	NO
zone_message_content	varchar(255)		NO
zone_message_time	timestamp	CURRENT_TIMESTAMP	NO

zone_message_is_delete	tinyint(1) unsigned	0	NO
------------------------	------------------------	---	----

Column Name	Column Type	Column Default	Is Nullable
zone_message_type	tinyint(1)	2	NO

sns_user_zone_rel Group user relationship table

Column Name	Column Type	Column Default	Is Nullable	Auto Increment	Column Comment
zone_rel_id	int(11) unsigned		NO	是	Relation number
zone_id	int(10)		NO		Group number
user_id	int(10) unsigned		NO		User ID error

zone_rel_permission	tinyint(3) unsigned	0	NO		Applica mode (enum); join; 1-verified
---------------------	------------------------	---	----	--	---------------------------------------

数据库字典 - ZH

商城数据字典

本数据字典由PHP脚本自动导出,字典的备注来自数据库表及其字段的注释(`comment`).开发者在增改库表及其字段时,请在 `migration` 时写明注释,以备后来者查阅.

account_ban_ip IP禁止表-缓存中

字段名	数据类型	默认值	允许非空	自动递增	备注
ban_ip	varchar(25)		NO		IP
ban_reason	varchar(50)		NO		原因
ban_unlock_time	int(12) unsigned	0	NO		解锁时间
ban_lock_time	int(12) unsigned	0	NO		锁定时间
ban_autorelease	int(1)	1	NO		自动打开 (ENUM):1- 自动解锁; 0-人工解锁
ban_status	tinyint(1)	1	NO		锁定状态 (ENUM):1- 锁定中; 2- 已解锁
ban_type	tinyint(1) unsigned	1	NO		锁定类型 (ENUM):1- 禁止访问; 2-禁止注册

account_base_app 应用配置表

字段名	数据类型	默认值	允许非空	自动递增	备注
app_id	int(10) unsigned		NO	是	应用编号

字段名	unsigned 数据类型	默认值	允许非空	自动递增	备注
app_name	varchar(40)		NO		应用名称:程 url
app_label	varchar(255)		NO		应用标签

app_type	smallint(5) unsigned	0	NO		应用类型
app_seq	int(11)	0	NO		应用序号
app_key	varchar(255)		NO		应用密钥
app_ip	varchar(255)		NO		IP列表(dot)
app_url_site	varchar(255)		NO		服务网址
app_url_api	varchar(255)		NO		API网址
app_url_admin	varchar(255)		NO		后台网址:A
app_url_login	varchar(255)		NO		登录URL
app_url_logout	varchar(255)		NO		登出网址
app_url_reg	varchar(255)		NO		注册网址
app_url_recharge	varchar(255)		NO		兑换网址
app_url_order	varchar(255)		NO		检查订单是
app_logo	varchar(255)		NO		图片地址
app_hosts	varchar(255)		NO		域名列表(d
app_return_fields	varchar(255)		NO		返回字段(d
app_enable	tinyint(1) unsigned	0	NO		是否启用(E

account_base_config 系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(20000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(1024)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

account_base_config_dev 系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(20000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO

字段名	数据类型	默认值	允许非空
config_comment	varchar(1024)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO

config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO
-----------------	----------------------------	------	----

account_base_role_level 角色等级表-平台

字段名	数据类型	默认值	允许非空
role_level_id	int(11)		NO
role_level_name	varchar(50)		NO
role_level_exp	int(10)	0	NO
role_level_fans_user	int(10)	0	NO
role_level_fans_store	int(10)	0	NO
role_level_spend	int(10)	0	NO
role_level_product_id	int(11)	0	NO
role_level_logo	varchar(255)		NO

字段名	数据类型	默认值	允许非空
role_level_validity	tinyint(1) unsigned	0	NO
role_level_exp_reduction	int(10) unsigned	0	NO
role_level_annual_fee	int(10) unsigned	0	NO
role_level_rate	decimal(6,2)	0.00	NO
role_level_fx_rate	decimal(6,2)	100.00	NO
role_level_privilege	varchar(2048)		NO
role_level_time	timestamp	CURRENT_TIMESTAMP	NO

role_level_is_buildin	tinyint(1)	0	NO
-----------------------	------------	---	----

account_base_user_level 用户等级表-平台

字段名	数据类型	默认值	允许非空
user_level_id	int(11)		NO
user_level_name	varchar(50)		NO
user_level_exp	int(10)	0	NO
user_level_fans_user	int(10)	0	NO
user_level_fans_store	int(10)	0	NO
user_level_fans_vip	int(10)	0	NO

user_level_fans_team 字段名	int(10) 数据类型	0 默认值	NO 允许非空
user_level_spend	int(10)	0	NO
user_level_product_id	varchar(30)		NO
user_level_logo	varchar(255)		NO
user_level_validity	tinyint(1) unsigned	0	NO

user_level_exp_reduction	int(10) unsigned	0	NO
user_level_annual_fee	int(10) unsigned	0	NO
user_level_rate	decimal(6,2)	0.00	NO
user_level_fx_rate	decimal(6,2)	100.00	NO
user_level_privilege	varchar(2048)		NO
user_level_time	timestamp	CURRENT_TIMESTAMP	NO
user_level_is_buildin	tinyint(1)	0	NO



account_number_seq Id管理表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
prefix	varchar(20)		NO		前缀
number	mediumint(8) unsigned	0	NO		增长值

account_user_analytics 用户角色信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned	0	NO		用户ID
user_spend	decimal(10,2) unsigned	0.00	NO		消费金额
user_refund	decimal(10,2) unsigned	0.00	NO		退款金额
user_order_buy_num	int(10) unsigned	0	NO		购买订单数
user_order_return_num	int(10)		NO		退货订单数
user_product_buy_num	int(10)		NO		购买商品数
user_product_return_num	int(10)		NO		退货商品数

account_user_base 用户基本信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户编号
user_account	varchar(50)		NO		用户名
user_password	char(32)		NO		密码
user_nickname	varchar(50)		NO		用户昵称
user_state	tinyint(1) unsigned	1	NO		状态(ENUM): 未激活;2-已激活

字段名	数据类型	默认值	允许非空	自动递增	
user_key	varchar(100)		NO		Cookie加密K 备注 修改密码更改 登录修改涉及 影响用户中心
user_salt	varchar(100)	salt-	NO		加点盐
user_token	varchar(100)		NO		for site conn check: user_key密码 user_token connect请求
rights_group_id	varchar(100)		NO		权限组(DOT)
user_is_admin	tinyint(1)	0	NO		是否管理员(B 1-是

store_ids	varchar(200)		NO		店铺账号(DO
chain_ids	varchar(200)		NO		门店账号(DO
user_quickcode	varchar(32)		NO		快速登录码

account_user_bind_account 用户账号绑定表

字段名	数据类型	默认值	允许非空	自动递增
user_account	varchar(50)		NO	
user_id	int(10) unsigned		NO	
bind_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_bind_connect 用户绑定表

字段名	数据类型	默认值	允许非空	自动
bind_id	varchar(100)		NO	

字段名	数据类型	默认值	允许非空	自动增
bind_type	tinyint(4) unsigned		NO	
user_id	int(10) unsigned	0	NO	

bind_time	timestamp	CURRENT_TIMESTAMP	NO	
bind_nickname	varchar(50)		NO	
bind_icon	varchar(255)		NO	
bind_gender	tinyint(1)	1	NO	
bind_vip	tinyint(1) unsigned	0	NO	
bind_level	tinyint(1) unsigned	0	NO	
bind_client_id	varchar(80)		NO	
bind_country	varchar(20)		NO	
bind_province	varchar(20)		NO	
bind_city	varchar(20)		NO	
bind_county	varchar(20)		NO	
bind_code	varchar(100)		NO	
bind_openid	varchar(100)		NO	
bind_unionid	varchar(100)		NO	
bind_access_token	varchar(255)		NO	
bind_expires_in	int(8)	0	NO	
bind_refresh_token	varchar(255)		NO	
bind_token_ttl	int(10) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增	备注
bind_active	tinyint(3)	0	NO		

account_user_bind_email 用户邮件绑定表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_email	varchar(50)	0	NO		用
user_id	int(10) unsigned		NO		用
bind_time	timestamp	CURRENT_TIMESTAMP	NO		-

account_user_bind_mobile 用户手机绑定表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_mobile	varchar(20)	0	NO		-
user_id	int(10) unsigned		NO		-
bind_time	timestamp	CURRENT_TIMESTAMP	NO		-

account_user_chain 门店顾客关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned	0	NO		会员编号
chain_id	int(10) unsigned	0	NO		所属门店
store_id	int(10) unsigned	0	NO		店铺编号

account_user_history 用户密码历史信息表

字段名	数据类型	默认值	允许非空	备注
user_id	int(10) unsigned		NO	
user_history_password	varchar(255)		NO	
user_history_ip	varchar(255)		NO	
user_history_time	timestamp	CURRENT_TIMESTAMP	NO	

account_user_info 用户详细信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		用户ID
user_type_id	smallint(4) unsigned	0	NO		用户类型
user_exp_total	bigint(16) unsigned	0	NO		经验值
user_level_validity_time	int(11)	0	NO		有效期
user_level_card	varchar(20)		NO		会员卡号

user_level_id	smallint(4) unsigned	1001	NO		用户等级
user_group	int(11)	0	NO		用户组
user_avatar	varchar(255)		NO		头像
user_gender	tinyint(1) unsigned	1	NO		性别 (1:男; 2:女)

字段名	数据类型	默认值	允许非空	自动递增	备注
user_birthday	date	0000-01-01	NO		生日
user_intl	varchar(6)	+86	NO		国际区号
user_mobile	varchar(20)		NO		手机号码 (mobile)
user_tel	varchar(30)		NO		电话号码
user_email	varchar(50)		NO		用户邮箱 (email)
user_qq	varchar(20)		NO		QQ号码
user_ww	varchar(255)		NO		阿里旺旺
user_province_id	int(10) unsigned	0	NO		省份
user_city_id	int(10) unsigned	0	NO		城市
user_county_id	int(10) unsigned	0	NO		县
user_address	varchar(255)		NO		详细地址
user_sign	varchar(255)		NO		签名
user_realname	varchar(20)		NO		真实姓名
user_idcard	varchar(30)		NO		身份证号

user_idcard_images	varchar(1024)		NO		身份证号 (Digital)
user_certification	tinyint(1) unsigned	0	NO		实名认证 (Boolean) 未实名认证/已实名认证
					审核

字段名	数据类型	默认值	允许非空	自动递增	备注
user_is_new	tinyint(1)	1	NO		新注册
user_notename	varchar(50)		NO		昵称
user_withdraw_state	tinyint(1)	0	NO		提现状态 (0:未提现)

account_user_level_log 用户等级记录表

字段名	数据类型	默认值	允许非空	自动递增
user_level_log_id	int(11)		NO	是
user_id	int(10)		NO	
user_level_id	smallint(4)	0	NO	
user_level_pre_id	smallint(4) unsigned	0	NO	
ull_time	timestamp	CURRENT_TIMESTAMP	NO	
ull_note	varchar(50)		NO	
admin_id	int(10)	0	NO	

account_user_login 用户登录信息表

字段名	数据类型	默认值	允许非空	自动
user_id	int(10) unsigned		NO	
user_reg_datetime	timestamp	CURRENT_TIMESTAMP	NO	
user_active_time	timestamp	1970-01-02 00:00:00	NO	
user_reg_ip	varchar(15)		NO	
user_lastlogin_time	timestamp	1970-01-02 00:00:00	NO	

字段名	数据类型	默认值	允许非空	自动
user_lastlogin_ip	varchar(15)		NO	
user_count_login	int(11) unsigned	0	NO	
user_reg_date	date		NO	
user_reg_time	int(11)	0	NO	
user_clientid	varchar(255)		NO	

account_user_login_history 用户登录信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_login_history_id	int(11)		NO	是	日志编号
user_id	int(10) unsigned		NO		用户编号
user_account	varchar(50)		NO		用户账号
user_login_ip	varchar(20)		NO		登录IP
user_login_time	int(11)	0	NO		登录时间
user_login_state	tinyint(1)	1	NO		登录状态 (BOOL): 登录失败 1- 登录成功

account_user_role 用户角色信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned	0	NO		用户编号
role_level_id	int(10)	1001	NO		角色等级编号

字段名	数据类型	默认值	允许非空	自动递增	备注
user_is_sp	tinyint(10) unsigned	0	NO		服务商 (BOOL):0- 否;1-是;
user_is_da	tinyint(10) unsigned	0	NO		区代理 (BOOL):0- 否;1-是;
user_is_ca	tinyint(10) unsigned	0	NO		市代理 (BOOL):0- 否;1-是;
user_is_new	tinyint(1)	1	NO		新用户 (BOOL):0- 否;1-是;

account_user_sns 用户SNS信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		用户编号
user_blog	int(10) unsigned	0	NO		微博数量

user_friend	int(10) unsigned	0	NO		好友数量
user_fans	int(10) unsigned	0	NO		粉丝数量
user_growth	int(10) unsigned	0	NO		成长值
user_sign	varchar(500)		NO		用户签名
user_report	tinyint(1)	1	NO		是否可以 (BOOL) 不可以;

字段名	数据类型	默认值	允许非空	自动递增	备注
user_buy	tinyint(1)	1	NO		是否可以备注 (BOOL 不可以;
user_comment	tinyint(1) unsigned	1	NO		是否允许 (BOOL 不可以;
user_fans_store	int(10)	0	NO		推广店铺
user_story	int(10)	0	NO		帖子数量
user_story_comment	int(10)	0	NO		评论数量
user_favorites_store	int(10)	0	NO		收藏店铺
user_favorites_item	int(10)	0	NO		收藏商品
user_favorites_brand	int(10)	0	NO		收藏品牌
user_story_collection	int(10)	0	NO		收藏帖子
user_story_like	int(10)	0	NO		帖子点赞
user_story_forward	int(10)	0	NO		帖子转发

account_wechat_access_token 微信access_token中控服务器表-目前直接在cache中Zero_Api_Wechat

字段名	数据类型	默认值	允许非空	自动递增	备注
wechat_app_id	varchar(255)		NO		App ID
wechat_access_token	varchar(1024)		NO		access_token 统一标识 如果过期重新获取
wechat_expires_in	int(10) unsigned	0	NO		expires_in
wechat_ttl	int(10) unsigned	0	NO		有效期 expires_in

admin_base_config 系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(255)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

admin_base_menu 菜单表-10个递增

字段名	数据类型	默认值	允许非空	自动递增	备注
menu_id	int(10)		NO	是	菜单编号
menu_parent_id	int(10)	0	NO		菜单编号
menu_rel	varchar(20)	pageTab	NO		是否链接
menu_name	varchar(20)		NO		菜单名称
menu_label	varchar(50)		NO		菜单标题

字段名	数据类型	默认值	允许非空	自动递增	备注
menu_order	tinyint(4) unsigned	50	NO		菜单排序
menu_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL 禁用;1-
menu_class	varchar(255)		NO		样式class
menu_icon	varchar(30)		NO		图标设置
menu_bubble	varchar(255)		NO		bubble
menu_url_mdu	varchar(255)		NO		模块名称

menu_url_ctl	varchar(50)		NO		控制器名称
menu_url_met	varchar(20)		NO		控制器方法
menu_url_parem	varchar(250)		NO		url参数
menu_url	varchar(100)		NO		页面网址
menu_time	timestamp	0000- 00-00 00:00:00	NO		最后更新时间
menu_type	tinyint(1) unsigned	1	NO		菜单类型 (LIST): 通用;2- 订单系统 商城系统
menu_note	varchar(5000)		NO		备注
menu_func	varchar(255)		NO		功能开关 跟设置 g_key
menu_role	tinyint(3) unsigned	1	NO		角色类型 (LIST): 平台;2- 商检管理 门店

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

admin_base_menu_untech 菜单表-10个递增

字段名	数据类型	默认值	允许非空	自动递增	备注
menu_id	int(10)		NO	是	菜单id
menu_parent_id	int(10)	0	NO		菜单id
menu_rel	varchar(20)	pageTab	NO		-
menu_name	varchar(20)		NO		菜单名称
menu_label	varchar(50)		NO		菜单标签
menu_order	tinyint(4) unsigned	50	NO		排序
menu_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL)
menu_class	varchar(255)		NO		class name
menu_icon	varchar(30)		NO		图标class
menu_bubble	varchar(255)		NO		bubble
menu_url_mdu	varchar(255)		NO		模块名称
menu_url_ctl	varchar(50)		NO		控制器名称
menu_url_met	varchar(20)		NO		控制器方法
menu_url_parem	varchar(250)		NO		url参数
menu_url	varchar(100)		NO		类型 1 2 url
menu_time	timestamp	0000- 00-00 00:00:00	NO		最后更新时间

字段名	数据类型	默认值	允许非空	自动递增	备注
menu_type	tinyint(1) unsigned	1	NO		菜单类型 (LIST): 通用;2- 订单系统 商城系统
menu_note	varchar(5000)		NO		-
menu_func	varchar(255)		NO		功能开 跟设置 g_key
menu_role	tinyint(3) unsigned	1	NO		角色类 (LIST): 平台;2- 商检管 -门店

admin_base_protocol 基础通信协议表

字段名	数据类型	默认值	允许非空	自
cmd_id	mediumint(8) unsigned		NO	是

ctl	varchar(50)		NO	
met	varchar(50)		NO	
mdu	varchar(50)		NO	
db	enum('master','slave')	master	NO	
typ	enum('e','json','msgpack','amf')	json	NO	
rights_id	varchar(255)		NO	
log	tinyint(1)	0	NO	
struct	varchar(100)		NO	
comment	varchar(255)		NO	

Comment 字段名	数据类型	默认值	允许非空	自
0	varchar(255)	int16_t:cmd_id	NO	
1	varchar(255)		NO	
2	varchar(255)		NO	
3	varchar(255)		NO	
4	varchar(255)		NO	
5	varchar(255)		NO	
6	varchar(255)		NO	
7	varchar(255)		NO	
8	varchar(255)		NO	
9	varchar(255)		NO	
10	varchar(255)		NO	
11	varchar(255)		NO	
12	varchar(255)		NO	

13	varchar(255)		NO	
14	varchar(255)		NO	
15	varchar(255)		NO	
16	varchar(255)		NO	
17	varchar(255)		NO	
18	varchar(255)		NO	
19	varchar(255)		NO	
20	varchar(255)		NO	
21	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	自
22	varchar(255)		NO	
23	varchar(255)		NO	
24	varchar(255)		NO	
25	varchar(255)		NO	
26	varchar(255)		NO	
27	varchar(255)		NO	
28	varchar(255)		NO	
29	varchar(255)		NO	
30	varchar(255)		NO	
31	varchar(255)		NO	
32	varchar(255)		NO	

admin_log_action 用户行为日志表

字段名	数据类型	默认值	允许非空	自动递增
log_id	bigint(20) unsigned		NO	是
user_id	mediumint(10)	0	NO	
user_account	varchar(100)		NO	
user_name	varchar(20)		NO	
action_id	mediumint(8)	0	NO	
action_type_id	mediumint(9)		NO	
log_param	varchar(1024)		NO	
log_ip	varchar(20)		NO	
log_date	date		NO	

字段名	数据类型	默认值	允许非空	自动递增
log_time	timestamp	CURRENT_TIMESTAMP	NO	

admin_log_error 系统错误日志表

字段名	数据类型	默认值	允许非空	自动递增
log_error_id	bigint(20) unsigned		NO	是
log_error_type	varchar(10)	0	NO	
log_error_name	varchar(100)		NO	
log_error_line	varchar(255)	0	NO	
log_error_time	int(11)		NO	
log_error_info	varchar(1024)		NO	
log_error_date	date		NO	
log_time	timestamp	CURRENT_TIMESTAMP	NO	

admin_rights_base 权限表

字段名	数据类型	默认值	允许非空	自动递增	备注
rights_id	int(10) unsigned		NO	是	权限编号
rights_name	varchar(20)		NO		权限名称
rights_parent_id	int(10) unsigned		NO		权限父编号
rights_remark	varchar(255)		NO		备注
rights_order	smallint(4)	50	NO		排序
menu_func	varchar(255)		NO		功能开启: 跟设置con fig_key

admin_rights_base_untech 权限表

字段名	数据类型	默认值	允许非空	自动递增	备注
rights_id	int(10) unsigned		NO	是	权限编号
rights_name	varchar(20)		NO		权限名称
rights_parent_id	int(10) unsigned		NO		权限父编号
rights_remark	varchar(255)		NO		备注
rights_order	smallint(4)	50	NO		排序
menu_func	varchar(255)		NO		功能开启: 跟设置con fig_key

admin_rights_data_type 数据权限类型表-数据自己去读

字段名	数据类型	默认值	允许非空	自动递增
rights_data_type_id	mediumint(6) unsigned		NO	是
rights_data_type_name	varchar(50)		NO	
rights_data_type_primary_key	text		NO	

admin_rights_group 权限组表

字段名	数据类型	默认值	允许非空
rights_group_id	smallint(4) unsigned		NO
rights_group_name	varchar(50)		NO
rights_group_rights_id	varchar(2048)		NO

字段名	数据类型	默认值	允许非空
rights_group_rights_id	varchar(2048)		NO
rights_group_rights_data	varchar(2048)		NO

rights_group_add_time	timestamp	CURRENT_TIMESTAMP	NO
-----------------------	-----------	-------------------	----

admin_user_rights_data 用户数据权限表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_rights_data_id	mediumint(8) unsigned	0	NO		-
user_id	mediumint(8) unsigned		NO		用户
user_rights_data_value	mediumint(8)		NO		主键

rights_data_type_id	mediumint(8) unsigned	0	NO		权限
---------------------	--------------------------	---	----	--	----

analytics_access_history 访问日志表

字段名	数据类型	默认值	允许非空	自动递增	备注
access_id	bigint(20)		NO	是	编号
user_id	int(10) unsigned	0	NO		用户

access_client_id	char(32)	默认值	NO	自动递增	唯一
字段名	数据类型		允许非空		备注
access_os	varchar(200)	0.00	NO		操作
access_browser_name	varchar(200)	0.00	NO		浏览
access_browser_version	varchar(200)	0	NO		浏览
access_spider	varchar(200)		NO		搜索
access_country	varchar(255)		NO		国家

access_province	varchar(200)		NO		省份
access_city	varchar(200)		NO		市
access_county	varchar(255)		NO		区
access_lang	varchar(255)		NO		语言
access_ip	varchar(255)		NO		访问
access_url	varchar(255)		NO		访问
access_time	int(11)		NO		访问
access_year	mediumint(4)		NO		年
access_month	tinyint(2)		NO		月
access_day	tinyint(2)		NO		日
access_hour	tinyint(2)		NO		时
access_date	date		NO		年月
access_datetime	datetime		NO		时间
access_refer_domain	varchar(255)		NO		来源
access_refer_url	varchar(255)		NO		来源
access_mobile	tinyint(1)	0	NO		是否
access_pad	tinyint(1)	0	NO		是否
access_pc	tinyint(1)	0	NO		是否

字段名	数据类型	默认值	允许非空	自动递增	备注
access_device	tinyint(1)	3	NO		终端 (EM Pho Pac

access_type	smallint(4)	2310	NO		终端 (EM 其他 pc; H5 AP 小
access_from	smallint(4)	2320	NO		终端 (EM 其他 微信 百度 支付 头条

analytics_user_reg_source 用户来源终端表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_reg_id	int(11)		NO	是	注册编号
user_reg_date	date		NO		日期编号
user_reg_num	varchar(10)	0.00	NO		操作系统
user_reg_mobile	int(10)	0	NO		是否手机
user_reg_pad	int(10)	0	NO		是否平板

字段名	数据类型	默认值	允许非空	自动递增	备注
user_reg_pc	int(10)	0	NO		是否PC
user_reg_h5	int(10)	0	NO		-
user_reg_app	int(10)	0	NO		-
user_reg_mp	int(10)	0	NO		-
user_reg_wechat	int(10)	0	NO		-
user_reg_baidu	int(10)	0	NO		-
user_reg_alipay	int(10)	0	NO		-
user_reg_toutiao	int(10)	0	NO		-

city_market_order_base 市场需求订单基本信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
mo_id	varchar(50)		NO		主键
mo_time	int(11)	0	NO		时间戳

mo_order_type	tinyint(2)		NO		订单类型
mo_source_type	tinyint(1)	0	NO		来源类型
mo_amount	decimal(10,2)		NO		金额
mo_receive_date	date		NO		接收日期
mo_receive_rang	tinyint(2)		NO		接收范围
mo_receive_stime	int(11)		NO		接收时间戳

字段名	数据类型	默认值	允许非空	自动递增	
mo_receive_etime			NO		
mo_receive_istimer	tinyint(1)		NO		
mo_receive_province_id	int(10)	0	NO		
mo_receive_city_id	int(10)	0	NO		
mo_receive_county_id	int(10) unsigned	0	NO		
mo_receive_address	varchar(255)		NO		
mo_receive_area	varchar(255)		NO		
mo_receive_latitude	varchar(20)		NO		
mo_receive_longitude	varchar(20)		NO		
mo_receive_remark	varchar(255)		NO		
mo_receive_greeting_card	varchar(255)		NO		
mo_receive_name	varchar(50)		NO		
mo_receive_tel	varchar(255)		NO		
user_id	int(10) unsigned	0	NO		

user_mobile	int(11) unsigned	0	NO		
item_id	bigint(20) unsigned	0	NO		
mo_item_desc	varchar(255)		NO		
mo_item_quantity	smallint(5) unsigned	1	NO		
mo_item_images	varchar(255)		NO		
mo_remark	varchar(255)		NO		

字段名	数据类型	默认值	允许非空	自动递增
voice	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	
order_id	varchar(50)		NO	
old_store_id	int(10)	0	NO	
mo_status	tinyint(2)	1	NO	
mo_order_item_file	varchar(255)		NO	
mo_confirm_status	tinyint(1)	0	NO	
mo_pay_status	tinyint(1)	1	NO	
mo_user_id	int(11)	0	NO	
mo_diff_amount	decimal(10,2)		NO	

city_paotui_order_base 跑腿订单基本信息表

字段名	数据类型	默认值	允许非空
po_id	varchar(50)		NO
pt_id	int(11)	0	NO
po type	tinyint(1)	0	NO

字段名	unsigned 数据类型	默认值	允许非空
-----	------------------	-----	------

po_state_id	smallint(4)	1	NO
po_endtime	int(11)	0	NO
po_distance	int(10)	0	NO
po_time	int(11)	0	NO
po_freight	decimal(10,2)	0.00	NO
store_longitude	varchar(20)		NO
store_latitude	varchar(20)		NO
po_receive_longitude	varchar(20)		NO
po_receive_latitude	varchar(20)		NO
paotuer_id	int(10) unsigned	0	NO
po_expectedtime	int(11)		NO

mo_id 字段名	varchar(50) 数据类型	默认值	NO 允许非空
order_payment_amount	decimal(10,2)		NO
order_time	timestamp	CURRENT_TIMESTAMP	NO

city_paotui_order_info 跑腿订单信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
po_id	varchar(50)		NO		跑腿订
po_user_id	int(10) unsigned	0	NO		客户编
po_user_name	varchar(255)		YES		客户姓
po_receive_name	varchar(50)		NO		收货人
po_receive_tel	varchar(255)		NO		联系方
po_receive_address	varchar(255)		NO		收货地
po_receive_latitude	varchar(20)		NO		维度
po_receive_longitude	varchar(20)		NO		经度
po_receive_time	varchar(255)		NO		收货时
store_id	int(10) unsigned	0	NO		商户编
store_name	varchar(50)		NO		商户名
store_logo	varchar(512)		NO		店铺图
store_address	varchar(255)		NO		商户址
store_tel	varchar(255)		NO		卖家电
po_signin_image	varchar(5120)		NO		签收附 (DOT

字段名	数据类型	默认值	允许非空	自动递增	备注
po_remark	varchar(255)		NO		
po_freight_text	varchar(255)		NO		运费明
po_signin_time	int(11)		NO		签收时
store_remark	varchar(255)		NO		商家备
po_pickup_image	varchar(5120)		NO		取货照 (DOT

city_paotui_order_market 跑腿订单大厅表

字段名	数据类型	默认值	允许非空	自动递增	备注
po_id	varchar(50)		NO		跑腿订单编号
pt_id	int(11)	0	NO		所属团队
po_state_id	smallint(4)	1	NO		订单状态 (LIST):1-待接单;2-已接单/ 取货中;3-配送中;4-已完成/ 已签收;5-已取消/已作废;
po_endtime	int(11)	0	NO		结束时间
po_type	tinyint(1) unsigned	0	NO		订单类型 (ENUM):0-抢单;2-指派订单
po_distance	int(10)	0	NO		配送距离:米

city_paotui_team 跑腿配送团队表

字段名	数据类型	默认值	允许非空	自动递增	备注
pt_id	int(10)		NO	是	团队编号
pt_name	varchar(30)		NO		团队名称

字段名	数据类型	默认值	允许非空	自动递增	备注
pt_type	tinyint(1)	0	NO		备注 团队类型 (ENUM):0-默认
pt_declared	varchar(50)		NO		团队公告

user_id	int(10) unsigned	0	NO		管理员
pt_paotui_num	int(10) unsigned	2	NO		配送员人数
pt_store_num	int(11) unsigned	0	NO		商户数量
pt_province_id	int(10) unsigned	0	NO		省编号
pt_paotui_id	int(10) unsigned	0	NO		市编号
pt_county_id	int(10) unsigned	0	NO		区编号
pt_address	varchar(255)		NO		地址
pt_longitude	varchar(255)		NO		经度
pt_latitude	varchar(255)		NO		纬度

city_paotui_team_member_rel 团队用户关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
ptm_rel_id	int(11) unsigned		NO	是	关系编号
pt_id	int(10)		NO		群组编号
...	int(10)		NO		用户

user_id 字段名	unsigned 数据类型	默认值	NO 允许非空	自动递增	用户 备注
ptm_rel_permission	tinyint(3) unsigned	0	NO		申请加入模式 (ENUM): 0- 加入; 1- 待验证;

city_paotui_team_store_rel 团队商户关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
pts_rel_id	int(11) unsigned		NO	是	关系编号
pt_id	int(10)		NO		群组编号
store_id	int(10) unsigned		NO		用户
pts_rel_permission	tinyint(3) unsigned	0	NO		申请加入模式 (ENUM): 0- 加入; 1- 待验证;

city_store_paotuer_rel 骑手和店铺关系表

字段名	数据类型	默认值	允许非空	自动递增
spr_id	int(11)		NO	是
user_id	int(10) unsigned	1	NO	
store_id	int(10)	0	NO	
ptm_time	timestamp	CURRENT_TIMESTAMP	NO	
ptm_is_employee	tinyint(1) unsigned	0	NO	
ptm_is_enable	tinyint(1)		NO	

字段名	数据类型	默认值	允许非空	自动递增
-----	------	-----	------	------

city_user_paotui 成员表

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10) unsigned	1	NO	
ptm_time	timestamp	CURRENT_TIMESTAMP	NO	
ptm_state	tinyint(1) unsigned	0	NO	
user_fee_amount	decimal(10,2)	0.00	NO	
user_fee	decimal(10,2)		NO	
ptm_is_active	tinyint(1) unsigned	0	NO	

cms_article_analytics 新闻点赞数据

字段名	数据类型	默认值	允许非空	自动递增	备注
article_id	mediumint(8)		NO	是	-
article_clicked	mediumint(8) unsigned	0	NO		点击
article_praise	mediumint(8) unsigned	0	NO		点赞
article_comment_count	mediumint(9) unsigned	0	NO		文章

cms_article_attachment 附件信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
attachment_id	mediumint(8) unsigned		NO	是	文章
user_id	mediumint(8) unsigned	0	NO		文章
attachment_time	int(10)		NO		文章
attachment_content	longtext		NO		文章
attachment_title	text		NO		文章
attachment_remark	text		NO		文章
attachment_password	varchar(20)		NO		文章
attachment_name	varchar(200)		NO		文章
attachment_link	varchar(200)		NO		文章 链接
attachment_url	varchar(255)		NO		附件
attachment_mime_type	varchar(100)		NO		上传
attachment_file	varchar(100)		NO		附件
attachment_metadata	text		NO		-
attachment_alt	varchar(255)		NO		文章

cms_article_base 文章内容

字段名	数据类型	默认值	允许非空	备注
article_id	int(5)		NO	主
article_title	varchar(50)		NO	
article_name	varchar(255)		NO	
article_excerpt	varchar(255)		NO	

article_excerpt 字段名	varchar(255) 数据类型	默认值	NO 允许非空
article_content	mediumtext		NO
article_url	varchar(100)		NO
category_id	smallint(4) unsigned		NO
article_template	varchar(50)		NO

article_seo_title	varchar(200)		NO
article_seo_keywords	varchar(200)		NO
article_seo_description	varchar(200)		NO
article_reply_flag	tinyint(1) unsigned	1	NO
article_lang	varchar(5)	cn	NO
article_type	tinyint(1) unsigned	1	NO
article_sort	tinyint(2) unsigned	0	NO
article_status	tinyint(1) unsigned	0	NO
article_add_time	timestamp	CURRENT_TIMESTAMP	NO
article_image	varchar(255)		NO
user_id	int(10) unsigned	0	NO
article_tags	varchar(255)		NO

article_is_popular	tinyint(1)	0	NO		
字段名	数据类型	默认值	允许非空	自动递增	备注

cms_article_base_user 文章用户关联表-不使用，效率问题使用redis优化

字段名	数据类型	默认值	允许非空	自动递增	备注
article_id	mediumint(8) unsigned		NO	是	文章编号
user_id	mediumint(8) unsigned	0	NO		文章作者编号
article_time	int(10)		NO		文章日期
article_status	varchar(20)	publish	NO		文章状态['dr 'publish' / 'p 'future' / 'pri
article_type	varchar(20)	post	NO		['post' / 'pa 'nav_menu_ custom post 文章类型：文 链接、菜单、 post表示为已 revision表示 page为页面

cms_article_category 文章分类

字段名	数据类型	默认值	允许非空	自动递增	备注
category_id	smallint(4)		NO	是	分类编号
category_name	varchar(50)		NO		分类名称
category_parent_id	int(6)	0	NO		-
category_image_url	varchar(100)		NO		-
category_keywords	varchar(100)		NO		分类关键
category_desc	varchar(255)		NO		分类描述

字段名	数据类型	默认值	允许非空	自动递增	备注内容
category_count	smallint(4)		NO		分类内容
category_template	varchar(255)		NO		分类模板
category_alias	varchar(50)		NO		-
category_order	tinyint(255) unsigned	50	NO		分类排序
category_buildin	tinyint(1)	0	NO		系统内置 (ENUM): 非内置;1 内置;

cms_article_category_relationship 文章关系表

字段名	数据类型	默认值	允许非空	自动递增
category_relationship_id	mediumint(8) unsigned		NO	是
article_id	mediumint(8)		NO	
category_id	smallint(4)	0	NO	
category_relationship_order	mediumint(8)	0	NO	

article_status	varchar(255)	publish	YES	

article_publish_time 字段名	int(10) 数据类型	默认值	YES 允许非空	自动递增

cms_article_comment 文章评论表

字段名	数据类型	默认值	允许非空
comment_id	bigint(20) unsigned		NO
article_id	bigint(20) unsigned	0	NO
comment_user_ip	varchar(100)		NO
comment_time	timestamp	CURRENT_TIMESTAMP	NO
comment_content	text		NO
comment_karma	int(11)	0	NO
comment_approved	varchar(20)	1	NO
comment_agent	varchar(255)		NO
comment_type	varchar(20)		NO
comment_parent_id	bigint(20) unsigned	0	NO
user_id	mediumint(8) unsigned	0	NO
comment_helpful_num	int(11) unsigned	0	NO

comment_is_show	tinyint(1)	0	NO
-----------------	------------	---	----

comment_is_show 字段名	tinyint(1) 数据类型	0 默认值	NO 允许非空
------------------------	--------------------	----------	------------

cms_article_comment_helpful 商品评价有用投票表

字段名	数据类型	默认值	允许非空	自动 主键
comment_id	bigint(20) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
article_id	int(11)		NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

cms_article_comment_reply 问答回复表

字段名	数据类型	默认值	允许非空
comment_reply_id	int(11) unsigned		NO
comment_id	int(11)	0	NO

comment_reply_parent_id	int(11)	0	NO
article_id	int(11) unsigned		NO
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO
user_id_to	int(10)		NO
comment_reply_content	varchar(255)		NO
comment_reply_time	timestamp	CURRENT_TIMESTAMP	NO

字段名	数据类型	默认值	允许非空	自动递增
comment_reply_show_flag	tinyint(1) unsigned	0	NO	
comment_reply_islook	tinyint(1) unsigned	0	NO	
comment_reply_helpful_num	int(11) unsigned	0	NO	

cms_article_comment_reply_helpful 商品评价有用投票表

字段名	数据类型	默认值	允许非空	自动递增
comment_reply_id	bigint(20) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
article_id	int(11)		NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

cms_article_group 网站初始化内容分组表

字段名	数据类型	默认值	允许非空	自动递增	备注
article_group_id	int(10) unsigned		NO	是	编号
article_group_title	varchar(60)		NO		标题
article_group_lang	varchar(5)	cn	NO		语言
article_group_sort	smallint(4) unsigned	0	NO		排序
article_group_logo	varchar(100)		NO		logo
article_group_parent_id	int(10) unsigned	0	NO		上级

cms_article_id_number 文章序号表-暂时不用，为了优化高效，使用redis等

字段名	数据类型	默认值	允许非空	自动递增	备注
article_id	mediumint(8) unsigned		NO	是	文章编号
article_time	int(10)		NO		文章日期
article_order	mediumint(8)	0	NO		文章的页面序号 不使用的話一般: 0

cms_article_praise 新闻点赞数据

字段名	数据类型	默认值	允许非空	自动递增	备注
article_id	mediumint(8)		NO	是	-
article_clicked	mediumint(8)		YES		点击
article_praise	mediumint(8)	0	YES		点赞
article_comment_count	mediumint(9)		YES		文章

cms_article_read

字段名	数据类型	默认值	允许非空	自动递增	备注
read_id	mediumint(8)		NO	是	阅读编号
article_id	mediumint(8)		NO		文章编号
read_ip	varchar(20)		NO		阅读者ip
read_time	date		NO		阅读时间

cms_article_recommend 推荐表

字段名	数据类型	默认值	允许非空	自动递增
-----	------	-----	------	------

字段名 recommend_id	数据类型 mediumint(8) unsigned	默认值	允许非空 NO	自动递增 是
article_id	mediumint(8)		NO	

recommend_type	enum('slider','hot')	slider	NO	
recommend_image_url	varchar(100)		NO	

cms_article_reply 问答回复表

字段名	数据类型	默认值	允许非空
article_reply_id	int(11) unsigned		NO
article_reply_parent_id	int(11)	0	NO
article_id	int(11) unsigned		NO
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO
user_id_to	int(10)		NO
user_name_to	varchar(50)		NO

article_reply_content	varchar(255)		NO
article_reply_time	timestamp	CURRENT_TIMESTAMP	NO
article_reply_show_flag	tinyint(1)	1	NO
article_reply_islook	tinyint(1) unsigned	0	NO

cms_article_tag 文章标签表

字段名	数据类型	默认值	允许非空	自动递增	备注
tag_id	int(10) unsigned		NO	是	分类编号
tag_name	varchar(50)		NO		分类名称
tag_count	smallint(4) unsigned	0	NO		分类内容数量
user_id	int(11) unsigned	0	NO		用户编号

cms_article_tag_relationship 文章标签关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
tag_relationship_id	mediumint(8) unsigned		NO	是	-
article_id	mediumint(8)		NO		-
tag_id	smallint(4)	0	NO		-
tag_relationship_order	smallint(4)	0	NO		-

hall_bank_card_config 用户银行卡配置表

字段名	数据类型	默认值	允许非空	自动递增	备注
config_id	int(10) unsigned		NO	是	编号
bank_name	varchar(30)	0	NO		银行名称
bank_code	int(10) unsigned	0	NO		银行编码

hall_company_nature 企业性质分类-平台设置

字段名	数据类型	默认值	允许非空	自动递增	备注

company_nature_id 字段名	int(10) 数据类型 unsigned	默认值	NO 允许非空	是 自动递增	备注 企业性
company_nature_name	varchar(50)		NO		企业性

company_nature_order	tinyint(1) unsigned	255	NO		显示次
----------------------	------------------------	-----	----	--	-----

hall_company_scale 企业规模分类-平台设置

字段名	数据类型	默认值	允许非空	自动递增	备注
company_scale_id	int(10) unsigned		NO	是	企业规模
company_scale_name	varchar(50)		NO		企业规模
company_scale_order	tinyint(1) unsigned	255	NO		显示次序

hall_danbao 担保公司

字段名	数据类型	默认值	允许非空	自动递增	备注
id	int(11)		NO	是	编号
name	varchar(255)		NO		公司名称
organ_code	varchar(255)		NO		社会信用
reg_type	varchar(255)	1	NO		多证合一 传递社会
imageBase64	text		NO		印章图片
accountId	varchar(50)		NO		账户标识 创建后账 的唯一标

mail 字段名	varchar(255) 数据类型	默认值	NO 允许非空	自动递增	邮箱 备注
mobile	varchar(255)		NO		电话
moneymoremore_id	varchar(10)		NO		用户的乾
is_authorize	tinyint(1)	0	NO		签商通是 (BOOL): 已授权
account_address	varchar(255)		NO		工作室开
Linker	varchar(255)		NO		收件人
FillAddress	varchar(255)		NO		收件地址
opening_bank	varchar(255)		NO		开户行
bank_account	varchar(255)		NO		银行账户

hall_industry_category 企业行业领域

字段名	数据类型	默认值	允许非空	自动递增	备注
industry_category_id	mediumint(8) unsigned		NO	是	行业领
category_parent_id	mediumint(8) unsigned	0	NO		行业领
category_name	varchar(50)		NO		领域名
category_order	tinyint(1) unsigned	50	NO		排序
category_is_leaf	tinyint(1)	1	NO		是否叶 冗余
category_is_enable	tinyint(1)	1	NO		是否启 (BOOL) 不显示

hall_invoice_category 发票科目

字段名	数据类型	默认值	允许非空	自动递增	备注
invoice_category_id	mediumint(8) unsigned		NO	是	科目编号
category_parent_id	mediumint(8) unsigned	0	NO		科目父级
category_name	varchar(50)		NO		科目名称
category_order	tinyint(1) unsigned	50	NO		排序
category_is_leaf	tinyint(1)	1	NO		是否叶节点 冗余
category_is_enable	tinyint(1)	1	NO		是否启用 (BOOL) 不显示; 显示

hall_purchase_order_base 需求订单

字段名	数据类型	默认值
purchase_order_id	varchar(50)	
purchase_order_title	varchar(50)	
purchase_order_time	int(11)	0
purchase_order_amount	decimal(10,2)	0.00
purchase_order_state	smallint(4)	1000

字段名	数据类型	默认值
purchase_order_approval_state	tinyint(1)	0
purchase_order_files	text	
purchase_order_description	text	
category_id	int(10) unsigned	
purchase_order_quantity	int(3)	1

purchase_order_unit	varchar(5)	1
buyer_user_id	int(10) unsigned	0
buyer_user_name	varchar(50)	
supply_user_id	int(10) unsigned	0
supply_user_name	varchar(50)	
purchase_province	varchar(50)	
purchase_city	varchar(50)	
purchase_county	varchar(50)	
purchase_province_id	int(10)	0
purchase_city_id	int(10)	0
purchase county id	int(10)	0

字段名	unsigned 数据类型	默认值
origin_place_id	int(10) unsigned	0
purchase_deadline	timestamp	CURRENT_TIMESTAMP
purchase_payment_time	timestamp	0000-00-00 00:00:00
purchase_is_check	smallint(4)	0
purchase_is_trusteeship	smallint(4)	3010

purchase_task_state	smallint(4)	1000
purchase_mode_id	smallint(4)	1001
purchase_tender_discount	smallint(4)	1001
purchase_tender_endtime	int(10)	0
purchase_complete_time	int(11)	0

字段名 purchase_buyer_evaluation_status	数据类型 tinyint(1)	默认值 0
purchase_supply_evaluation_status	tinyint(1)	0
purchase_commission_fee	decimal(10,2) unsigned	0.00
purchase_product_spec	varchar(255)	
application_user_ids	varchar(255)	
purchase_verify_reason	text	
purchase_product_images	varchar(1024)	

hall_service_category 需求类型

字段名	数据类型	默认值	允许非空	自动递增	备注
service_category_id	mediumint(8) unsigned		NO	是	需求编号
category_parent_id	mediumint(8) unsigned	0	NO		需求父级
category_name	varchar(50)		NO		需求名称
category_order	tinyint(1) unsigned	50	NO		排序
category_is_leaf	tinyint(1)	1	NO		是否叶子 冗余
category_is_enable	tinyint(1)	1	NO		是否启用 (BOOL) 不显示;

字段名	数据类型	默认值	允许非空	自动递增	备注
category_html	text		NO		合同html
category_html2	text		NO		第三方合

hall_service_order_base 需求订单

字段名	数据类型	默认值
service_order_id	varchar(50)	
service_order_number	varchar(50)	
service_order_title	varchar(50)	
service_order_time	timestamp	CURRENT_TIMESTAMP
service_order_payment_amount	decimal(10,2)	0.00
service_order_state	smallint(4)	1000
service_order_approval_state	tinyint(1)	0
service_order_images	text	
service_order_files	text	
service_order_description	text	
service_category_id	int(10) unsigned	
buyer_user_id	int(10) unsigned	0
buyer_user_name	varchar(50)	

worker_user_id	int(10)	0
----------------	---------	---

字段名	数据类型	默认值
worker_user_name	varchar(50)	
province	varchar(50)	
city	varchar(50)	
county	varchar(50)	
province_id	int(10)	0
city_id	int(10)	0
county_id	int(10) unsigned	0
user_number	int(3)	1
work_days	int(2)	1
service_is_check	smallint(4)	0
service_is_trusteeship	smallint(4)	3010
payment_time	timestamp	0000-00-00 00:00:00
service_task_state	smallint(4)	1000
service_mode_id	smallint(4)	1001
service_tender_discount	smallint(4)	1001
service_tender_endtime	int(10)	0
success_time	timestamp	0000-00-00 00:00:00
order_buyer_evaluation_status	tinyint(1)	0
order_worker_evaluation_status	tinyint(1)	0
service_deadline	timestamp	

字段名	数据类型	默认值
order_commission_fee	decimal(10,2) unsigned	
contacts_phone	varchar(50)	
application_user_ids	varchar(50)	
application_time_end	timestamp	0000-00-00 00:00:00
service_result_files	text	
long_term_cooperation_start	timestamp	0000-00-00 00:00:00
long_term_cooperation_date_range	tinyint(2) unsigned	
rejection_reason	varchar(50)	
cooperation_type	tinyint(1) unsigned	0
invoice_type	tinyint(1) unsigned	0
invoice_category_name	varchar(50)	
invoice_property	tinyint(1)	1
invoice_category_id	int(10) unsigned	0
service_result_summary	varchar(255)	
show_result_files	tinyint(1)	0
success_info	text	
worker_studio_id	int(10) unsigned	0
worker_user_item	text	
worker_item_studio_id	text	

字段名	数据类型	默认值
danbao	tinyint(1)	0
danbao_id	int(10)	
pingtai_pdf1	varchar(255)	
pingtai_pdf2	varchar(255)	
contract_file	text	
loan_no_list	text	

hall_supply_order_base 智客订单

字段名	数据类型	默认值	允许非空	自动递增	备注
supply_order_id	int(50)		NO	是	订单
purchase_order_id	varchar(50)		NO		采购
supply_order_title	varchar(50)		NO		订单
supply_order_time	int(11)	0	NO		下单
product_unit_price	decimal(10,2)	0.00	NO		供货
supply_quantity	int(10)		NO		供货
supply_order_amount	decimal(10,2)	0.00	NO		金额
supply_order_description	varchar(255)		NO		描述

supply_task_state	int(4)		NO		派单已
supply_is_selected	smallint(4)	0	NO		选中
buyer_user_id	int(10) unsigned	0	NO		买家

字段名	数据类型	默认值	允许非空	自动递增	备注
buyer_user_name	varchar(50)		NO		委
supply_user_id	int(10) unsigned	0	NO		所
supply_user_name	varchar(50)		NO		供
supply_complete_time	int(11)	0	NO		订
supply_province	varchar(50)		NO		货
supply_city	varchar(50)		NO		市
supply_county	varchar(50)		NO		县
supply_province_id	int(10)	0	NO		省
supply_city_id	int(10)	0	NO		市
supply_county_id	int(10) unsigned	0	NO		县
item_id	int(11)	0	NO		商
product_name	varchar(255)		NO		-
supply_images	varchar(1025)		YES		货

hall_user_company 企业公司信息表

字段名	数据类型	默认值	允许非空	备注
user_id	int(10) unsigned	0	NO	
company_name	varchar(50)		NO	
company_province_id	int(10) unsigned	0	NO	
company_province	varchar(50)		NO	
company_city_id	int(10) unsigned	0	NO	
company_city	varchar(50)		NO	

company_city 字段名	varchar(50) 数据类型	默认值	NO 允许非空	E
company_county_id	int(10) unsigned	0	NO	
company_county	varchar(50)		NO	
company_address	varchar(100)		NO	
company_zipcode	varchar(255)		NO	
contacts_name	varchar(255)		NO	
contacts_position	varchar(255)		NO	
contacts_phone	varchar(255)		NO	
contacts_email	varchar(255)		NO	
company_phone	varchar(255)		NO	

unified_social_credit_code	varchar(25)		NO	
business_license_electronic	varchar(255)		NO	
industry_category_parent_id	int(10)		YES	
industry_category_id	int(10)		YES	
company_scale_id	tinyint(1)		YES	
company_nature_id	tinyint(1)		YES	
company_description	varchar(255)		NO	
company_state	tinyint(1) unsigned	0	NO	
company_website	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	备注
company_registered_capital	int(10) unsigned		NO	
company_employee_count	int(10) unsigned	0	NO	
company_taxnum	varchar(20)		NO	
company_invoice	varchar(50)		NO	
legal_person	varchar(50)		NO	
legal_person_number	varchar(50)		NO	
legal_person_electronic	varchar(255)		NO	
business_license_location	varchar(255)		NO	
establish_date	date		NO	

business_licence_start	date		NO	
business_licence_end	date		NO	
business_sphere	varchar(255)		NO	
organization_code	varchar(20)		NO	
organization_code_start	date		NO	
organization_code_end	date		NO	
organization_code_electronic	varchar(255)		NO	
general_taxpayer	varchar(255)		NO	
bank_account_name	varchar(50)		NO	
bank_account_number	varchar(30)		NO	
bank_name	varchar(50)		NO	
bank_code	varchar(20)		NO	
bank_address	varchar(255)		NO	

bank_licence_electronic 字段名	varchar(255) 数据类型	默认值	NO 允许非空	E
tax_registration_certificate	varchar(20)		NO	
tax_registration_certificate_electronic	varchar(255)		NO	
payment_voucher	varchar(255)		NO	
payment_voucher_explain	varchar(255)		NO	
contacts_fee	float(10,2)		NO	
contacts_deposit	float(10,2)		NO	
business_id	varchar(20)	0	NO	
payment_type	tinyint(1) unsigned	0	NO	

company_evaluation_num	int(10) unsigned	0	NO	
company_credit	decimal(10,2) unsigned	0.00	NO	
accountId	varchar(50)		NO	
imageBase64	text		NO	
legal_card_photo1	varchar(255)		NO	
legal_card_photo2	varchar(255)		NO	
legal_card_no	varchar(255)		NO	

hall_user_education 服务提供者(智客)教育背景

字段名	数据类型	默认值	允许非空	自动递增
user_education_id	int(10)		NO	是

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10) unsigned		NO	
user_education_school_name	varchar(50)		NO	

user_education_starttime	date	0000-00-00	NO	
user_education_endtime	date	0000-00-00	NO	
user_education_level	varchar(10)	0	NO	
user_education_profession	varchar(50)		NO	

hall_user_email 用户邮箱表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_email_id	int(10) unsigned		NO	是	编号
user_id	int(10) unsigned	0	NO		用户编号
user_email	varchar(30)		NO		邮箱
is_default	tinyint(1)	0	NO		是否默认

hall_user_project 服务提供者(智客)职业/项目经验

字段名	数据类型	默认值	允许非空	自动递增	备注
project_id	int(10) unsigned		NO	是	project_id

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		user_id
project_name	varchar(50)		NO		项目名称
project_summary	text		NO		项目描述

project_start	date	0000-00-00	NO		项目开始时间
project_end	date	0000-00-00	NO		项目结束时间

hall_user_service 服务提供者(智客)发布服务

字段名	数据类型	默认值	允许非空	自动
service_id	int(10) unsigned		NO	是
user_id	int(10) unsigned		NO	
service_name	varchar(50)		NO	

service_price	decimal(10,2)	0.00	NO	
service_industry_id	int(10) unsigned	0	NO	
service_content	text		YES	
service_status	tinyint(1) unsigned	0	NO	
service time	timestamp	CURRENT_TIMESTAMP	NO	

hall_user_worker 服务提供者(智客)

字段名	数据类型	默认值	允许非空	自
user_id	int(10) unsigned		NO	是
user_idcard_type	int(10)	0	NO	
user_idcard	varchar(30)		NO	
user_political_status	varchar(30)		YES	
user_educational_level	varchar(30)		YES	
industry_category_id	int(10) unsigned	0	NO	
industry_category_parent_id	int(10)		NO	
user_service_industry	varchar(255)		YES	
user_is_in_company	tinyint(1) unsigned	0	NO	
user_company_name	varchar(50)		YES	
user_self_introduction	text		YES	
user_title	varchar(255)		YES	
user_label	varchar(255)		YES	
user_industry	varchar(30)		YES	

字段名	数据类型	默认值	允许非空	自
user_years	tinyint(1) unsigned	0	YES	
user_project_images	text		YES	
user_certification_status	tinyint(1) unsigned	0	NO	
user_information_certification_status	tinyint(1) unsigned	0	NO	
user_evaluation_num	int(10) unsigned	0	NO	
user_credit	decimal(10,2) unsigned	0.00	NO	
bank_name	varchar(50)		YES	
bank_code	varchar(50)		YES	
worker_mobile	varchar(11)		NO	

hall_worker_industry_category 工作室注册行业

字段名	数据类型	默认值	允许非空	自动递增	备注
industry_category_id	mediumint(8) unsigned		NO	是	行业编
category_parent_id	mediumint(8) unsigned	0	NO		行业父
category_name	varchar(50)		NO		行业名
category_order	tinyint(1) unsigned	50	NO		排序
category_is_leaf	tinyint(1)	1	NO		是否叶 冗余
category_is_enable	tinyint(1)	1	NO		是否启 (BOOL 不显示

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

hall_worker_order_base 智客订单

字段名	数据类型	默认值	允许非空	自动递增	备注
worker_order_id	int(10) unsigned				NC
service_order_id	varchar(50)				NC
worker_order_title	varchar(50)				NC
worker_order_time	timestamp	CURRENT_TIMESTAMP			NC
worker_order_payment_amount	decimal(10,2)	0.00			NC
worker_order_days	int(10)	0			NC
user_id	int(10) unsigned	0			NC
buyer_user_id	int(10) unsigned	0			NC
worker_order_description	varchar(255)				NC
worker_task_state	int(4)				NC
worker_order_state	tinyint(1)	1			NC
worker_is_selected	smallint(4)	0			NC
buyer_user_name	varchar(50)				NC

字段名	数据类型	默认值	允许非空
worker_user_id	unsigned	0	NC
worker_user_name	varchar(50)		NC
buyer_user_problem	text		YE
buyer_user_self_introduction	text		YE
worker_parent_order_number	varchar(50)		NC
worker_is_check	smallint(4)	0	NC
worker_result_files	text		YE
service_result_summary	varchar(255)		YE
success_time	timestamp	0000-00-00 00:00:00	NC
success_info	text		NC
loan_no_list	text		YE
worker_order_danbao_amount	decimal(10,2)	0.00	NC
yongjin	decimal(10,2)	0.00	NC
pay_time	datetime		NC
type	varchar(255)		NC
pdf	varchar(255)		NC

hall_worker_registration_form 智客报名表

字段名	数据类型	默认值	允许非空
registration_form_id	int(10) unsigned		NO
service_order_id	int(10)		NO

字段名	数据类型	默认值	允许非空
worker_user_id	int(10) unsigned		NO
worker_studio_id	int(10) unsigned		NO

registration_form_status	tinyint(1)	0	NO
registration_form_mobile	varchar(20)		NO
registration_form_summary	varchar(200)		NO
registration_form_time	timestamp	CURRENT_TIMESTAMP	NO

hall_worker_service_industry 智客服务行业-平台设置

字段名	数据类型	默认值	允许非空	自动递增	备注
service_industry_id	int(10) unsigned		NO	是	服务行
service_industry_name	varchar(50)		NO		服务行
service_industry_order	tinyint(1) unsigned	255	NO		显示次

hall_worker_studio 工作室信息(智客)

字段名	数据类型	默认值	允许非空
worker_studio_id	int(10) unsigned		NO

字段名	数据类型	默认值	允许非空
user_id	int(10) unsigned		NO
worker_studio_status	tinyint(1) unsigned	0	NO
worker_studio_name	varchar(30)		NO

account_address	varchar(30)		NO
tax_ide_number	varchar(30)		NO
worker_studio_address	varchar(50)		NO
industry_sector	varchar(50)		NO
business_scope	varchar(255)		NO
business_license	varchar(255)		NO
worker_studio_validate	timestamp	CURRENT_TIMESTAMP	NO
accountId	varchar(50)		NO
imageBase64	text		NO
worker_mobile	varchar(50)		NO
worker_tax_amount	decimal(50,2)		NO

invoicing_bill_type_id 采购退货类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
bill_type_id	mediumint(8) unsigned		NO	是	编号
bill_type_name	varchar(20)		NO		采购退货类型
bill_type_desc	varchar(100)		NO		采购退货类型

invoicing_customer_base 商家客户表-一个用户可以属于多个商家客户

字段名	数据类型	默认值	允许非空	自动递增	备
customer_id	mediumint(8) unsigned		NO	是	客
customer_number	varchar(32)		NO		客
customer_name	varchar(20)		NO		客
customer_type_id	smallint(4) unsigned	0	NO		客
customer_level_id	smallint(4) unsigned	1	NO		客
customer_tax_rate	decimal(5,2)	0.00	NO		税
customer_remark	varchar(200)		NO		备
customer_bank	varchar(30)		NO		开
customer_card	varchar(30)		NO		银
customer_account_name	varchar(50)		NO		开
customer_taxnum	varchar(30)		NO		纳
customer_invoice	varchar(50)		NO		发
seller_id	int(10) unsigned	1	NO		所
store_id	int(10) unsigned	0	NO		店
chain_id	int(10) unsigned	0	NO		门

字段名	数据类型	默认值	允许非空	自动递增	备用
user_id	int(10) unsigned	0	NO		备

invoicing_customer_contacter 客户联系人表

字段名	数据类型	默认值	允许非空	自动递增
customer_contacter_id	mediumint(8) unsigned		NO	是
customer_id	mediumint(8) unsigned		NO	
customer_contacter_name	varchar(10)		NO	
customer_contacter_im	varchar(30)		NO	
customer_contacter_mobile	bigint(11)		NO	
customer_contacter_telephone	varchar(30)		NO	
customer_contacter_district_ids	varchar(20)		NO	
customer_contacter_address	varchar(50)		NO	
customer_contacter_first	tinyint(1)	1	NO	
customer_contacter_code	mediumint(9)	0	NO	

invoicing_customer_level 客户等级表-默认按客户级别定价

字段名	数据类型	默认值	允许非空	自动递增
customer_level_id	smallint(4) unsigned		NO	是
customer_level_name	varchar(60)		NO	

字段名	数据类型	默认值	允许非空	自动递增
customer_level_desc	varchar(200)		NO	
customer_level_discontrate	decimal(6,2)	100.00	NO	
customer_level_is_buildin	tinyint(1) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

invoicing_stock_bill 商品出入库单据表-所有商品变动

字段名	数据类型	默认值	允许非空	自动递增
stock_bill_id	varchar(50)		NO	
stock_bill_number	varchar(32)		NO	
stock_bill_checked	tinyint(4)	0	NO	
stock_bill_date	date		NO	
stock_bill_modify_time	timestamp	0000-00-00 00:00:00	NO	
stock_bill_time	timestamp	0000-00-00 00:00:00	NO	

bill_type_id	smallint(4) unsigned	0	NO	
stock_transport_type_id	smallint(4) unsigned	0	NO	
store_id	int(10)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
warehouse_id	int(10) unsigned	0	NO	
order_id	varchar(50)		NO	
stock_bill_remark	varchar(255)		NO	
employee_id	int(10) unsigned	0	NO	
admin_id	int(10) unsigned	0	NO	
stock_bill_other_money	decimal(20,6)	0.000000	NO	
stock_bill_amount	decimal(20,6) unsigned	0.000000	NO	
stock_bill_enable	tinyint(1) unsigned	1	NO	
stock_bill_src_id	varchar(50)		NO	

invoicing_stock_bill_item 出入库单据item表

字段名	数据类型	默认值	允许非空	自动递增
stock_bill_item_id	bigint(20)		NO	是
order_item_id	bigint(20) unsigned	0	NO	
stock_bill_id	varchar(50)		NO	
product_id	int(10) unsigned	0	NO	
product_name	varchar(255)		NO	
item_id	bigint(20) unsigned		NO	

item_name 字段名	varchar(100) 数据类型	默认值	NO 允许非空	自动递增
bill_item_quantity	decimal(20,6)	1.000000	NO	
bill_item_unit_price	decimal(10,2)	0.00	NO	
bill_item_subtotal	decimal(10,2)	0.00	NO	
unit_id	smallint(4)	0	NO	
warehouse_item_quantity	decimal(20,6)	0.000000	NO	
store_id	int(10)		NO	
warehouse_id	int(10)	0	NO	
stock_transport_type_id	smallint(4)	0	NO	
bill_item_remark	varchar(255)		NO	

bill_type_id	smallint(4) unsigned	0	NO	
--------------	-------------------------	---	----	--

invoicing_stock_po 采购订单表

字段名	数据类型	默认值	允许非空	自动递增	备注
po_id	varchar(50)		NO		购货(退 单编号
po_number	varchar(32)		NO		购货(退 编号
po_checked	tinyint(4)	0	NO		是否审 1:che 已审核 0:non- check 未审核

字段名	数据类型	默认值	允许非空	自动递增	备注
po_date	date		NO		备注 单据日
po_modify_time	timestamp	0000-00-00 00:00:00	NO		更新时
po_time	timestamp	0000-00-00 00:00:00	NO		创建时
store_id	int(10)	0	NO		所属店
supplier_id	int(10)	0	NO		供应商
po_remark	varchar(255)		NO		备注

employee_id	int(10) unsigned	0	NO		采购员
admin_id	int(10) unsigned	0	NO		制单人
po_other_money	decimal(20,6)	0.000000	NO		其他金
po_amount	decimal(20,6) unsigned	0.000000	NO		应付金
po_items	varchar(1024)		NO		采购商

invoicing_stock_po_item 采购订单商品表

字段名	数据类型	默认值	允许非空	自动递增
stock_bill_item_id	bigint(20)		NO	是
stock_bill_id	varchar(50)		NO	
product_id	int(10) unsigned	0	NO	
product_name	varchar(255)		NO	

product_name 字段名	varchar(255) 数据类型	默认值	NO 允许非空	自动递增
item_id	bigint(20) unsigned		NO	
item_name	varchar(100)		NO	
bill_item_quantity	decimal(20,6)	1.000000	NO	
bill_item_unit_price	decimal(10,2)	0.00	NO	
bill_item_subtotal	decimal(10,2)	0.00	NO	
unit_id	smallint(4)	0	NO	

warehouse_item_quantity	decimal(20,6)	0.000000	NO	
store_id	int(10)		NO	
warehouse_id	int(10)		NO	
customer_id	int(10) unsigned	0	NO	
supplier_id	int(10) unsigned	0	NO	
stock_transport_type_id	smallint(4)	0	NO	
bill_type_id	smallint(4) unsigned	0	NO	
bill_item_remark	varchar(255)		NO	

invoicing_stock_transport_type 库存类型表

字段名	数据类型	默认值	允许非空	自动递增
stock_transport_type_id	mediumint(8) unsigned		NO	是

字段名	数据类型	默认值	允许非空	自动递增
stock_transport_type_name	varchar(20)		NO	
stock_transport_type_text	varchar(20)		NO	

invoicing_supplier_base 供应商信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
supplier_id	mediumint(8) unsigned		NO	是	供应
supplier_number	varchar(32)		NO		供应
supplier_name	varchar(20)		NO		供应
supplier_type_id	smallint(4) unsigned	0	NO		供应
supplier_tax_rate	float(5,2)	0.17	NO		增值
supplier_remark	varchar(200)		NO		备注
supplier_level_id	mediumint(8) unsigned	0	NO		-
supplier_bank	varchar(30)		NO		开户
supplier_card	varchar(30)		NO		银行
supplier_account_name	varchar(50)		NO		开户
supplier_taxnum	varchar(30)		NO		纳税
supplier_invoice	varchar(50)		NO		发票
store_id	int(10) unsigned	0	NO		店铺

invoicing_supplier_contacter 供应商联系人表

字段名	数据类型	默认值	允许非空	自动递增
	mediumint(8)			

supplier_contacter_id 字段名	数据类型	默认值	NO 允许非空	是 自动递增
supplier_id	mediumint(8) unsigned		NO	
supplier_contacter_name	varchar(10)		NO	

supplier_contacter_im	varchar(30)		NO	
supplier_contacter_mobile	bigint(11)		NO	
supplier_contacter_telephone	varchar(30)		NO	
supplier_contacter_district_ids	varchar(20)		NO	
supplier_contacter_address	varchar(50)		NO	
supplier_contacter_first	tinyint(1)	1	NO	
supplier_contacter_code	mediumint(9)	0	NO	

invoicing_supplier_level 供应商等级表

字段名	数据类型	默认值	允许非空	自动递增	备注
supplier_level_id	smallint(4) unsigned		NO	是	供应商等级
supplier_level_name	varchar(60)		NO		供应商等级
supplier_level_desc	varchar(200)		NO		供应商等级
store_id	int(10) unsigned	0	NO		所属店铺

invoicing_supplier_product 供应商商品表

字段名	数据类型	默认值	允许非空	自动递增	备注
supplier_product_id	mediumint(8) unsigned		NO	是	供应商商
supplier_id	mediumint(8) unsigned		NO		供应商编
product_id	bigint(20) unsigned	0	NO		商品编号

invoicing_supplier_type 供应商类别表

字段名	数据类型	默认值	允许非空	自动递增	备注
supplier_type_id	smallint(4) unsigned		NO	是	供应商类
supplier_type_name	varchar(20)		NO		供应商类
supplier_type_desc	varchar(50)		NO		供应商类

invoicing_warehouse_base 仓库仓库表

字段名	数据类型	默认值	允许非空	自动递增	备注
warehouse_id	mediumint(8) unsigned		NO	是	仓
warehouse_number	varchar(60)		NO		仓
warehouse_name	varchar(120)		NO		仓
warehouse_address	varchar(255)		NO		仓
warehouse_type_id	mediumint(8) unsigned	0	NO		仓
					台

warehouse_enable	tinyint(1) 数据类型 unsigned	默认值	NO	允许非空	自动递增	仓库
warehouse_is_default	tinyint(1)	1	NO			仓库 (E 非默认)
warehouse_contact	varchar(20)		NO			仓库
warehouse_phone	smallint(5) unsigned	0	NO			仓库
warehouse_delivery_type	tinyint(1) unsigned	1	NO			发货 (E 发货)
warehouse_delivery_ids	varchar(255)		NO			仓库 (E 如仓库)
store_id	int(10) unsigned	0	NO			场所

invoicing_warehouse_item 商品SKU存放详情表

字段名	数据类型	默认值	允许非空	自动
warehouse_item_id	bigint(20)		NO	是
product_id	mediumint(8) unsigned	0	NO	
unit_id	mediumint(8) unsigned	0	NO	
item_id	mediumint(8) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动
category_id	unsigned	0	NO	
warehouse_id	mediumint(8) unsigned	0	NO	
warehouse_item_cost	decimal(20,6)	0.000000	NO	
warehouse_item_quantity	decimal(20,6)	0.000000	NO	
warehouse_item_lock_quantity	decimal(20,6)	0.000000	NO	

warehouse_item_quantity_min	mediumint(8) unsigned	0	NO	
warehouse_item_quantity_max	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

invoicing_warehouse_type 仓库类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
warehouse_type_id	mediumint(8) unsigned		NO	是	编号
warehouse_type_name	varchar(20)		NO		仓库
warehouse_type_desc	varchar(100)		NO		仓库

invoicing_warehouse_warning 仓库报警表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
warehouse_warning_id	int(10) unsigned	0	YES		仓库大

product_id	int(10) unsigned	0	NO		商品编
item_id	int(10) unsigned	0	NO		商品sk 为空代
warehouse_warning_min	int(10) unsigned	0	NO		最低库
warehouse_warning_max	int(10) unsigned	0	NO		最高库

live_live_tag 文章标签表

字段名	数据类型	默认值	允许非空	自动递增	备注
live_tag_name	varchar(50)		NO		标签名称
live_tag_count	mediumint(4) unsigned	0	NO		标签数量
user_id	int(11) unsigned	0	NO		用户编号
live_tag_enable	tinyint(1)	1	NO		启用状态 (BOOL):0- 停用;1- 启用
live_tag_order	smallint(4)	50	NO		标签排序

live_user_history 直播记录

字段名	数据类型	默认值
uh_id	int(11)	
uh_name	varchar(255)	
uh_poster	varchar(255)	https://static.shopsuite.cn/xcxfile/appicon/live/vid
user_id	int(10) unsigned	0
room_id	int(11)	
uh_enable	tinyint(1)	1
uh_stime	int(10)	0
uh_etime	int(10)	0
uh_video	varchar(255)	https://txmov2.a.yximgs.com/bs2/newWatermark
item_id	varchar(1024)	0

live_user_room 主播管理

字段名	数据类型	默认值
room_id	int(11)	
room_name	varchar(255)	
room_slogan	varchar(255)	
room_pwd	varchar(255)	
room_is_microphone	tinyint(1)	0

字段名	数据类型	默认值
room_pattern	tinyint(1)	1
room_logo	varchar(255)	
room_poster	varchar(255)	https://static.shopsuite.cn/xcxfile/appi
user_id	int(10) unsigned	0

room_state	tinyint(1)	0
room_enable	tinyint(1)	1
room_stime	int(10)	0
room_etime	int(10)	0
room_video	varchar(255)	https://txmov2.a.yximgs.com/bs2/new
item_ids	varchar(1024)	
item_id	bigint(20)	0
live_tag_name	varchar(255)	
live_virtual_click_num	int(11)	0
live_virtual_like_num	int(11)	0

字段名	数据类型	默认值
live_like_num	int(11)	0

pay_base_bank 结算银行记录表

字段名	数据类型	默认值	允许非空	自动递增
bank_id	smallint(4) unsigned		NO	是
bank_name	varchar(120)		NO	
bank_remark	varchar(255)		NO	
bank_order	tinyint(4)	0	NO	
bank_enable	tinyint(1)	0	NO	
settlement_account_type_id	smallint(4)	1004	NO	

pay_base_config 系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(1024)		NO

字段名	数据类型	默认值	允许非空
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formater	varchar(255)		NO
config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO

pay_base_recharge_level 定额充值表

字段名	数据类型	默认值	允许非空
recharge_level_id	int(11)		NO
recharge_level_name	varchar(50)		NO
recharge_level_img	varchar(255)		NO
recharge_level_value	int(10)	0	NO

recharge_level_gift	decimal(14,2)	0.00	NO
recharge_level_validity	int(10) unsigned	0	NO
recharge_level_rate	decimal(6,2)	0.00	NO
recharge_level_time	timestamp	CURRENT_TIMESTAMP	NO
recharge_level_repeat	tinyint(1)		NO
recharge_level_description	varchar(255)		NO

recharge_level_duration 字段名	decimal(6,2) 数据类型	0.00 默认值	NO 允许非空
--------------------------------	----------------------	-------------	------------

pay_base_settlement_account 资金结算账户表 -user_bank取代

字段名	数据类型	默认值	允许非空	自动递
settlement_account_id	mediumint(8) unsigned		NO	是
settlement_account_name	varchar(120)		NO	
settlement_account_number	mediumint(8)		NO	
settlement_account_type_id	smallint(4) unsigned		NO	
settlement_account_begin_date	int(11)		NO	
settlement_account_amount_money	float(10,3)		NO	
settlement_account_remark	varchar(255)		NO	
settlement_account_order	tinyint(4)		NO	
settlement_account_enable	tinyint(1)	1	NO	
user_id	int(10) unsigned	0	NO	

pay_base_settlement_account_type 资金结算账户类别表

字段名	数据类型	默认值	允许非空	自动递
settlement_account_type_id	smallint(4) unsigned		NO	是

settlement_account_type_name 字段名	varchar(120) 数据类型	默认值	NO 允许非空	自动递
settlement_account_type_remark	varchar(255)		NO	

pay_card_history 卡片使用记录表

字段名	数据类型	默认值	允许非空	自
card_history_id	int(10) unsigned		NO	是
card_code	varchar(50)		NO	
card_type_id	smallint(6) unsigned		NO	
user_id	int(10) unsigned		NO	
card_history_value	decimal(20,6)	0.000000	NO	
user_recharge_card	decimal(20,6)	0.000000	NO	
card_history_time	timestamp	CURRENT_TIMESTAMP	NO	
store_id	int(10) unsigned	0	NO	
card_history_remark	varchar(255)		NO	

pay_card_info 卡片信息表

字段名	数据类型	默认值	允许非空	自动递增
card_code	varchar(50)		NO	
card_password	varchar(20)		NO	
card_type_id	smallint(6) unsigned		NO	
card_fetch_time	timestamp	0000-00-00 00:00:00	NO	
	smallint(6)			

字段名	数据类型	默认值	允许非空	自动递增
card_media_id	smallint(6) unsigned	0	NO	自动递增
server_id	int(10) unsigned	0	NO	
user_id	int(10) unsigned		NO	
user_account	varchar(100)		NO	
card_time	timestamp	CURRENT_TIMESTAMP	NO	
store_id	int(10) unsigned	0	NO	

pay_card_media 卡片渠道表

字段名	数据类型	默认值	允许非空	自动递增	备注
card_media_id	mediumint(9) unsigned		NO	是	卡片媒体ID
card_media_name	varchar(50)		NO		卡片的媒体名称

pay_card_type 卡片基础信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
card_type_id	smallint(6) unsigned		NO	是	卡片类型ID
app_id	int(10) unsigned	9999	NO		AppID
card_type_name	varchar(100)		NO		类型名称
card_type_prize	varchar(1024)		NO		类型奖品
card_type_desc	varchar(255)		NO		类型描述
card_type_starttime	timestamp	0000-00-00 00:00:00	NO		有效时间

字段名	数据类型	默认值	允许非空	自动递增	备注
card_type_endtime	timestamp	0000-00-00 00:00:00	NO		有效
card_type_image	varchar(255)		NO		卡片
store_id	int(10) unsigned	0	NO		所属

pay_consume_deposit 充值表-支付流水表-支付回调callback使用-确认付款

字段名	数据类型	默认值	允许非空	自动递增
deposit_id	bigint(20) unsigned		NO	是
order_id	varchar(255)		NO	
deposit_trade_no	varchar(255)		NO	
payment_channel_id	smallint(4)	0	NO	
app_id	int(10) unsigned	0	NO	
server_id	int(10) unsigned	0	NO	

deposit_app_id_channel	int(10) unsigned	0	NO	
deposit_subject	varchar(255)		NO	
deposit_payment_type	smallint(4)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
deposit_trade_status	varchar(100)		NO	
deposit_seller_id	varchar(30)		NO	
deposit_seller_email	varchar(100)		NO	
deposit_buyer_id	varchar(30)		NO	
deposit_buyer_email	varchar(100)		NO	
currency_id	int(11)	86	NO	
currency_symbol_left	varchar(12)	¥	NO	
deposit_total_fee	decimal(10,2)	0.00	NO	
deposit_quantity	int(10) unsigned	1	NO	
deposit_price	decimal(10,2)	0.00	NO	
deposit_body	varchar(400)		NO	
deposit_gmt_create	datetime	0000- 00-00 00:00:00	NO	
deposit_gmt_payment	datetime	0000- 00-00 00:00:00	NO	

deposit_gmt_close	datetime	0000- 00-00 00:00:00	NO	
deposit_is_total_fee_adjust	tinyint(1)	0	NO	
deposit_use_coupon	tinyint(1)	0	NO	
deposit_discount	decimal(6,2)	0.000	NO	

deposit_discount 字段名	decimal(6,5) 数据类型	0.000 默认值	NO 允许非空	自动递增
deposit_notify_time	datetime	0000- 00-00 00:00:00	NO	
deposit_notify_type	varchar(100)		NO	
deposit_notify_id	varchar(200)		NO	
deposit_sign_type	varchar(100)		NO	
deposit_sign	varchar(1000)		NO	
deposit_extra_param	varchar(200)		NO	
deposit_service	varchar(100)		NO	
deposit_state	tinyint(1) unsigned	0	NO	
deposit_async	tinyint(1) unsigned	0	NO	
deposit_review	tinyint(1) unsigned	0	NO	
deposit_enable	tinyint(3) unsigned	1	NO	
store_id	int(10) unsigned	0	NO	
user_id	int(10) unsigned	0	NO	

chain_id	int(10) unsigned	0	NO	
----------	---------------------	---	----	--

pay_consume_record 交易明细表-账户收支明细-资金流水表-账户金额变化流水

--	--	--	--	--

字段名 字段名	数据类型 数据类型	默认值 默认值
consume_record_id	bigint(20)	

order_id	varchar(255)	
user_id	int(10) unsigned	0
user_nickname	varchar(50)	
currency_id	int(11)	86
currency_symbol_left	varchar(12)	¥
record_total	decimal(10,2)	0.00
record_money	decimal(10,2)	0.00
record_commission_fee	decimal(10,2)	0.00
record_distribution_commission_fee	decimal(10,2)	0.00
record_date	date	0000-00-00
record_year	smallint(4)	0
record_month	tinyint(2)	0
record_day	tinyint(2)	0
record_title	varchar(100)	
record_desc	varchar(255)	
record_time	timestamp	CURRENT_TIMESTAMP

字段名	数据类型	默认值
trade_type_id	smallint(4) unsigned	0
payment_type_id	smallint(4) unsigned	0
payment_channel_id	smallint(4) unsigned	0
store_id	int(10) unsigned	0
chain_id	int(10) unsigned	0
payment_met_id	smallint(5) unsigned	1
record_enable	tinyint(1) unsigned	1

pay_consume_trade 交易订单表-强调唯一订单-充值则先创建充值订单

字段名	数据类型	默认值	允许
consume_trade_id	int(11) unsigned		NO
trade_title	varchar(100)		NO
order_id	varchar(255)		NO
buyer_id	int(10) unsigned	0	NO
store_id	int(10) unsigned	0	NO
subsite_id	int(8) unsigned	0	NO
seller_id	int(10) unsigned	0	NO
chain_id	int(11) unsigned		NO
trade_is_paid	smallint(4) unsigned	0	NO
order_state_id	smallint(4) unsigned	1	NO
trade_type_id	smallint(1) unsigned		NO
payment_channel_id	smallint(4) unsigned	0	NO
app_id	int(10) unsigned	0	NO
server_id	int(10) unsigned	0	NO
trade_mode_id	smallint(4) unsigned	1	NO

字段名	数据类型	默认值	允许
recharge_level_id	int(11)	0	NO
currency_id	int(11)	86	NO
currency_symbol_left	varchar(12)	¥	NO
order_payment_amount	decimal(10,2)	0.00	NO
order_commission_fee	decimal(10,2)	0.00	NO
trade_payment_amount	decimal(10,2)	0.00	NO
trade_payment_money	decimal(10,2)	0.00	NO
trade_payment_recharge_card	decimal(10,2)	0.00	NO
trade_payment_points	decimal(10,2)	0.00	NO
trade_payment_sp	decimal(10,2)	0.00	NO
trade_payment_credit	decimal(10,2) unsigned	0.00	NO
trade_payment_redpack	decimal(10,2)	0.00	NO
trade_discount	decimal(10,2)	0.00	NO
trade_amount	decimal(10,2)	0.00	NO
trade_date	date	0000-00-00	NO
trade_year	smallint(4) unsigned	0	NO
trade_month	tinyint(2) unsigned	0	NO

字段名	数据类型	默认值	允许
trade_day	tinyint(2) unsigned	0	NO
trade_desc	varchar(255)		NO
trade_remark	varchar(255)		NO
trade_create_time	timestamp	CURRENT_TIMESTAMP	NO
trade_pay_time	timestamp	0000-00-00 00:00:00	NO
trade_finish_time	timestamp	0000-00-00 00:00:00	NO
trade_delete	tinyint(1) unsigned	0	NO

pay_consume_trade_combine 合并支付表，一个或多个订单-所有支付入口-暂不使用：联合支付，传入多个订单编号，合并计算价格，传入支付渠道更好？

字段名	数据类型	默认值	允许非空	自动递增	备注
ctc_id	varchar(35)		NO		主
order_ids	varchar(1024)		NO		外 (
ctc_time	timestamp	CURRENT_TIMESTAMP	NO		创

pay_consume_withdraw 提现申请表

字段名	数据类型	默认值	允许非空
withdraw_id	int(10)		NO
user_id	int(10) unsigned	0	NO
store_id	int(10)	0	NO

store_id 字段名	unsigned 数据类型	0 默认值	NO 允许非空
order_id	text		NO
return_id	text		NO
withdraw_amount	decimal(10,2) unsigned	0.00	NO

withdraw_state	tinyint(2) unsigned	0	NO
withdraw_desc	varchar(255)		NO
withdraw_bank	varchar(50)		NO
withdraw_account_no	varchar(32)		NO
withdraw_account_name	varchar(50)		NO
withdraw_fee	decimal(10,2) unsigned	0.00	NO
withdraw_time	timestamp	CURRENT_TIMESTAMP	NO
withdraw_bankflow	varchar(50)		NO
withdraw_user_id	int(10) unsigned	0	NO
withdraw_opertime	timestamp	0000-00-00 00:00:00	NO
withdraw_mobile	varchar(255)		NO
withdraw_trans_state	varchar(255)		YES
	tinyint(2)		

withdraw_mode 字段名	tinyint(4) 数据类型	0 默认值	NO 允许非空

pay_payment_channel 支付渠道表-可以用config取代-收款账户

字段名	数据类型	默认值	允许非空	自增
payment_channel_id	smallint(4) unsigned		NO	是
payment_channel_code	varchar(20)		NO	
payment_channel_name	varchar(100)		NO	
payment_channel_img	varchar(255)		NO	
payment_channel_config	varchar(2048)	[]	NO	
payment_channel_status	tinyint(1) unsigned	0	NO	
payment_channel_allow	enum('both','wap','pc')	both	NO	
payment_channel_wechat	tinyint(4) unsigned	1	NO	
payment_channel_enable	tinyint(4) unsigned	1	NO	
payment_type_id	smallint(4) unsigned	1	NO	
payment_channel_order	tinyint(1) unsigned	50	NO	

--	--	--	--	--

字段名	数据类型	默认值	允许非空	自动
payment_channel_buildin	tinyint(1) unsigned	0	NO	自云
store_id	int(10) unsigned	0	NO	
chain_id	int(10) unsigned	0	NO	

pay_payment_type 支付方式表

字段名	数据类型	默认值	允许非空	自动递增	备注
payment_type_id	smallint(4) unsigned		NO	是	编号
payment_type_code	varchar(20)		NO		代码名
payment_type_name	varchar(100)		NO		支付名
payment_type_order	tinyint(4) unsigned	50	NO		排序
payment_type_remark	varchar(255)		NO		备注
payment_type_enable	tinyint(1) unsigned	0	NO		是否启用 (BOOLEAN 禁用; 启用)

pay_plantform_resource 平台佣金汇总表

字段名	数据类型	默认值	允许非空	自动
plantform_resource_id	int(10) unsigned		NO	
plantform_commission_fee	decimal(16,6)	0.000000	NO	
plantform_recharge_card	decimal(16,6)	0.000000	NO	

字段名	数据类型	默认值	允许非空	自动
platform_points	decimal(16,6)	0.000000	NO	
platform_credit	decimal(16,6)	0.000000	NO	
platform_credit_used	decimal(16,6)	0.000000	NO	
platform_credit_total	decimal(16,6)	0.000000	NO	
platform_redpack	decimal(16,6)	0.000000	NO	
platform_redpack_frozen	decimal(16,6)	0.000000	NO	
platform_sp	decimal(16,6)	0.000000	NO	

platform_bp	decimal(16,6)	0.000000	NO	
platform_margin	decimal(16,6)	0.000000	NO	
platform_transfer_commission	decimal(16,6)	0.000000	NO	

pay_service_fee 服务费用

字段名	数据类型	默认值	允许非空	自动递增	备注
id	int(6)		NO	是	-
name	varchar(100)		NO		-
fee_rates	float(12,2)	0.00	YES		-
fee_min	int(2)	0	YES		-
fee_max	int(2)	0	YES		-

pay_trade_type 交易类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
trade_type_id	smallint(4)		NO	是	状态编号
trade type name	varchar(50)		NO		订单状态

字段名	数据类型	默认值	允许非空	自动递增	备注名称
trade_type_text	varchar(20)		NO		
trade_type_remark	varchar(200)		NO		备注

pay_user_bank_card 结算账户表

字段名	数据类型	默认值	允许非
user_bank_id	int(11) unsigned		NO
user_id	int(11)		NO
bank_id	int(11)	0	NO
bank_name	varchar(20)		NO
settlement_account_type_id	smallint(4)	1004	NO
user_bank_card_name	varchar(50)		NO
user_bank_card_code	varchar(50)		NO
user_bank_card_address	varchar(30)		NO
user_bank_card_time	timestamp	CURRENT_TIMESTAMP	NO
user_bank_card_mobile	varchar(20)		NO
province_id	varchar(50)	0	NO
city_id	varchar(50)	0	NO
type_id	int(11)	0	NO
user_bank_default	tinyint(1)		NO
user_bank_enable	tinyint(4)	1	NO

字段名	数据类型	默认值	允许非空
user_bank_begin_date	int(11)		NO
user_bank_amount_money	decimal(16,6)		NO

pay_user_pay 用户基础信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户编号
user_pay_passwd	varchar(32)		NO		支付确认密
user_pay_salt	varchar(100)		NO		salt

pay_user_resource 用户资源表-资金账户表

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10) unsigned		NO	
currency_id	int(11)	86	NO	

currency_symbol_left	varchar(12)	¥	NO	
user_money	decimal(16,6)	0.000000	NO	
user_money_frozen	decimal(16,6)	0.000000	NO	
user_recharge_card	decimal(16,6)	0.000000	NO	
user_recharge_card_frozen	decimal(16,6)	0.000000	NO	

字段名	数据类型	默认值	允许非空	自动递增
user_points	decimal(16,6)	0.000000	NO	
user_points_frozen	decimal(16,6)	0.000000	NO	
user_credit	decimal(16,6)	0.000000	NO	
user_credit_frozen	decimal(16,6)	0.000000	NO	
user_credit_used	decimal(16,6)	0.000000	NO	
user_credit_total	decimal(16,6)	0.000000	NO	
user_margin	decimal(16,6)	0.000000	NO	
user_redpack	decimal(16,6)	0.000000	NO	
user_redpack_frozen	decimal(16,6)	0.000000	NO	
user_sp_frozen	decimal(16,6)	0.000000	NO	
user_sp_base	decimal(16,6)	0.000000	NO	
user_sp_buy	decimal(16,6)	0.000000	NO	
user_sp_profit	decimal(16,6)	0.000000	NO	
user_bp	decimal(16,6)	0.000000	NO	

user_discount_num	mediumint(6) unsigned	0	NO	
-------------------	--------------------------	---	----	--

service_sms_record 短信发送记录

字段名	数据类型	默认值	允许非空	自动递增
sms_record_id	bigint(20)		NO	是
user_id	int(11)		NO	
sms_mobile	varchar(32)		NO	

sms_content 字段名	varchar(1024) 数据类型	默认值	NO 允许非空	自动递增
sms_date	date		NO	
sms_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_activity_cutprice 砍价记录历史

字段名	数据类型	默认值	允许非空	自动递增	备注
ac_id	int(10) unsigned		NO	是	砍价编号
activity_id	int(10) unsigned	0	NO		砍价商品:
user_id	int(10) unsigned	0	NO		用户编号
ac_sale_price	decimal(10,2) unsigned	0.00	NO		砍价后价:
ac_datetime	datetime		NO		创建时间
order_id	varchar(20)		NO		订单号
ac_mix_limit_price	decimal(10,2)		NO		砍价底价

shop_activity_cutprice_history 砍价记录历史

字段名	数据类型	默认值	允许非空	自动递增	备注
ach_id	int(10) unsigned		NO	是	砍价历史编
activity_id	int(10) unsigned	0	NO		活动编号
user_id	int(10) unsigned	0	NO		砍价用户
ach_price	decimal(10,2) unsigned	0.00	NO		砍掉价格

字段名	数据类型	默认值	允许非空	自动递增	备注
item_id	int(10) unsigned	0	NO		商品编号
ach_datetime	datetime	0000-00-00 00:00:00	NO		砍价时间
ac_id	int(10) unsigned	0	NO		砍价编号

shop_activity_flashsale_history 秒杀记录表

字段名	数据类型	默认值	允许非空	自动递增	备注
afh_id	int(11) unsigned		NO	是	秒杀编号
activity_id	int(11) unsigned	0	NO		活动编号
user_id	int(11) unsigned	0	NO		秒杀用户编号
item_id	int(11) unsigned	0	NO		秒杀商品编号
afh_enable	tinyint(4) unsigned	1	NO		秒杀记录是否有效
afh_time	timestamp	0000-00-00 00:00:00	NO		秒杀时间

shop_activity_groupbooking 形成的拼团

字段名	数据类型	默认值	允许非空	自动递增
gb_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
activity_id	int(11)		NO	
gb_datetime	timestamp	CURRENT_TIMESTAMP	NO	
gb_endtime	timestamp	0000-00-00 00:00:00	NO	
gb_enable	tinyint(1) unsigned	2	NO	

gb_amount_quantity	int(11)		NO	
gb_quantity	int(11)		NO	

shop_activity_groupbooking_history 拼团记录表

字段名	数据类型	默认值	允许非空	自动递增	备注
gbh_id	int(11) unsigned		NO	是	拼团ID
user_id	int(11) unsigned	0	NO		用户ID

activity_id	int(11)		NO		团活动ID
gbh_time	timestamp	CURRENT_TIMESTAMP	NO		参团时间
order_id	varchar(20)		NO		拼团订单ID
gb_id	int(11)		NO		参团批次ID
gbh_flag	tinyint(4) unsigned	0	NO		是否已参团 (0:未参团, 1:已参团)
					拼团结束时间 (EI)

字段名	数据类型	默认值	允许非空	自动递增	备注
gb_enable	tinyint(1)	2	NO	自动递增	成 进 失

shop_activity_groupbuy_store 形成的团购

字段名	数据类型	默认值	允许非空	自动递增	备注
gbs_id	int(11) unsigned		NO	是	团购编号
user_id	int(11) unsigned	0	NO		创建团用户
activity_id	int(11)		NO		团购活动编
gbs_datetime	datetime		NO		开团时间
gbs_endtime	datetime		NO		团结算时间
gbs_enable	tinyint(1) unsigned	2	NO		团购状态 (ENUM):1- 成功;2- 进程中;0- 失
gbs_amount_quantity	int(11)		NO		参与团购总
gbs_quantity	int(11)		NO		成团有效数

shop_activity_groupbuy_store_history 拼团记录表

字段名	数据类型	默认值	允许非空	自动递增	备注
gbsh_id	int(11) unsigned		NO	是	
user_id	int(11) unsigned	0	NO		
activity_id	int(11)		NO		
gbsh_time	timestamp	CURRENT_TIMESTAMP	NO		

order_id 字段名	varchar(20) 数据类型	默认值	NO 允许非空	自动递增
gbs_id	int(11)	0	NO	
gbsh_flag	tinyint(4) unsigned	0	NO	
gbsh_enable	tinyint(1)	2	NO	

shop_activity_lottery 大转盘/砸金蛋奖品表 (暂无用)

字段名	数据类型	默认值	允许非空	自动递增	备注
al_id	int(11) unsigned		NO	是	奖品编号
award_type	tinyint(4) unsigned	0	NO		奖品类型
activity_id	int(11) unsigned	0	NO		活动编号

voucher_activity_id	int(11) unsigned	0	NO		活动奖品
awards_probability	decimal(8,4) unsigned	0.0000	NO		中奖百分
award_level	tinyint(11) unsigned	0	NO		奖项等级
award_title	varchar(50)		NO		奖品名称
award_quantity	tinyint(4) unsigned	0	NO		奖品数量

字段名	数据类型	默认值	允许非空	自动递增	备注
award_enabled	tinyint(4) unsigned	1	NO		备注 奖品是否

shop_activity_lottery_history 砸金蛋/大转盘抽奖记录表

字段名	数据类型	默认值	允许非空	自动递增	备注
alh_id	int(10) unsigned		NO	是	用户中奖编号
user_id	int(10) unsigned	0	NO		用户编号
activity_id	int(10) unsigned	0	NO		活动编号
alh_item_id	int(10) unsigned	0	NO		抽奖物品编号
alh_date	date		NO		日期
alh_datetime	datetime		NO		时间
alh_is_send	tinyint(4) unsigned	0	NO		奖品是否已发送
user_name	varchar(50)		NO		领奖人姓名
user_phone	varchar(50)		NO		领奖人电话
user_address	varchar(50)		NO		收货地址
alh_award_flag	tinyint(1)	0	NO		是否中奖 (BOOL):0-未中奖;1-中奖

shop_activity_marketing_history 市场活动参加人员记录表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
amh_id	int(10) unsigned		NO	是	用户中奖编号
user_id	int(10) unsigned	0	NO		用户编号
activity_id	int(10) unsigned	0	NO		活动编号
user_name	varchar(50)		NO		-
user_phone	varchar(50)		NO		-
user_company	varchar(50)		NO		-
user_position	varchar(50)		NO		-
amh_datetime	datetime		NO		-

shop_activity_pf_groupbuy_store_history 拼团记录表

字段名	数据类型	默认值	允许非空	自动递增
pfgbsh_id	int(11) unsigned		NO	是
user_id	int(11) unsigned	0	NO	
item_id	int(11)		NO	
activity_id	int(11)		NO	
pfgbsh_time	timestamp	CURRENT_TIMESTAMP	NO	
order_id	varchar(20)		NO	
pfgbsh_flag	tinyint(4) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
pfgbsh_item_num	int(11) unsigned		NO	
pfgbsh_enable	tinyint(1)	2	NO	

shop_activity_zerobuy_user 零元购用户分享表

字段名	数据类型	默认值	允许非空	自动递增	备注
zbu_id	int(10)		NO	是	零元购
zb_id	int(10)		NO		零元购
product_id	int(10)		NO		零元购
item_name	varchar(255)		NO		零元购
item_id	int(10)		NO		零元购
zbu_share_num	int(10)	0	NO		分享次数
zbu_share_time	timestamp	0000-00-00 00:00:00	NO		分享时间
zbu_user_id	int(10)		NO		分享人ID
zbu_user_nickname	varchar(255)		NO		分享人昵称

zbu_state	int(10)	0	NO		分享状态 (ENU 进行中 已完成)
zb_starttime	timestamp	0000-00-00	NO		开始时间

字段名	数据类型	默认值	允许非空	自动递增	备注
zb_starttime	timestamp	00-00-00:00:00	NO	自动递增	开始时间
zb_endtime	timestamp	0000-00-00 00:00:00	NO		结束时间

shop_award

字段名	数据类型	默认值	允许非空	自动递增	备注
award_id	int(11) unsigned		NO	是	奖品编号
award_type	tinyint(4) unsigned	0	NO		奖品类型
activity_id	int(11) unsigned	0	NO		活动编号
voucher_activity_id	int(11) unsigned	0	NO		活动奖品
awards_probability	decimal(8,4) unsigned	0.0000	NO		中奖百分
award_level	tinyint(11) unsigned	0	NO		奖项等级
award_title	varchar(50)		NO		奖品名称
award_quantity	tinyint(4) unsigned	0	NO		奖品数量
award_enabled	tinyint(4) unsigned	1	NO		奖品是否

shop_base_activity_type 活动类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
activity_type_id	smallint(4) unsigned		NO	是	礼包编

字段名	数据类型	默认值	允许非空	自动递增	备注
activity_type_name	varchar(50)		NO		活动名称
activity_type_title	varchar(50)		NO		活动标题
activity_type_icon	varchar(50)		NO		图标
activity_type_category	tinyint(4)	0	NO		活动类别

0: 不限时, 1: 限时 || cd_num_id | tinyint(4) | 0 | NO | - | channel_id | smallint(6) | 0 | NO | 渠道id,参考gm的channel表 || cmd_id | smallint(4) | 0 | NO | 协议编号 || activity_type_tpl | tinyint(4) | 0 | NO | 活动模板类型 || activity_type_order | smallint(6) | 0 | NO | 活动排序字段 || activity_type_introduce | varchar(100) | NO | 活动介绍 || activity_type_prize | varchar(5000) | NO | 活动奖励json格式 || activity_type_enable | tinyint(1) unsigned | 0 | NO | 是否启用(BOOL):0-不启用;1-启用 |

shop_base_area 地区表

字段名	数据类型	默认值	允许非空	自动递增	备注
area_id	mediumint(8)		NO	是	地区编号
area_name	varchar(50)		NO		区域名称 - 华北、东北、华东、华南、华中、西南、西北、港澳台、海外
area_parent_id	mediumint(8) unsigned	0	NO		父编号
area_sort	smallint(6) unsigned	0	NO		排序

shop_base_ask_category 咨询问题分类表

字段名	数据类型	默认值	允许非空	自动递增	备注
ask_category_id	smallint(6) unsigned		NO	是	问题分类

ask_category_name 字段名	varchar(50) 数据类型	默认值	NO 允许非空	自动递增	分类名称 备注
ask_category_enable	tinyint(1) unsigned	1	NO		是否启用 (ENUM): 禁用; 1-1

shop_base_config 系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO
config_comment	varchar(255)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO

config_category	enum('系统参数','基础参数','扩展参数')	基础参数	NO
-----------------	----------------------------	------	----

shop_base_contract_type 消费者保障服务表-店铺加入

字段名	数据类型	默认值	允许非空	自动递增	备注
contract_type_id	smallint(4)		NO	是	消费
contract_type_name	varchar(50)		NO		消费
contract_type_desc	varchar(50)		NO		消费
contract_type_text	varchar(1024)		NO		消费
contract_type_deposit	decimal(8,2) unsigned	0.00	NO		保证
contract_type_icon	varchar(255)		NO		项目
contract_type_url	varchar(255)		NO		说明
contract_type_order	tinyint(3) unsigned	255	NO		排序
contract_type_enable	tinyint(1) unsigned	1	NO		是否关闭

shop_base_crontab 计划任务表

字段名	数据类型	默认值	允许非空	自动递增	备注
crontab_id	int(6) unsigned		NO	是	任务id
crontab_name	varchar(50)		NO		名称
crontab_file	varchar(50)		NO		脚本
crontab_last_exe_time	int(10)	0	NO		上次执行时间
crontab_next_exe_time	int(10)	0	NO		下次执行时间

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

crontab_minute	varchar(200)	*	NO		分钟 (LIST 每分; 2; 3- 5-5; 7; 8- 10-1 11; 1 13-1 14; 1 16-1 17; 1 19-1 20; 2 22-2 23; 2 25-2 26; 2 28-2 29; 3 31-3 32; 3 34-3 35. 5
----------------	--------------	---	----	--	---

字段名	数据类型	默认值	允许非空	自动递增	备注
					38; 3 40-4 41; 4 43-4 44; 4 46-4 47; 4 49-4 50; 5 52-5 53; 5 55-5 56; 5 58-5 59; 6

crontab_hour	varchar(200)	*	NO		小时 (LIST 任意; 2; 3- 5-5; 7; 8- 10-1 11; 1 13-1 14; 1 16-1 17; 1 19-1 20; 2 22-2 23; 2
					每天 (LIST 任意; 2; 3- 5-5; 7; 8- 10-1

字段名	数据类型	默认值	允许非空	自动递增	备注
crontab_day	varchar(200)	*	NO		13-1 14; 1 16-1 17; 1 19-1 20; 2 22-2 23; 2 25-2 26; 2 28-2 29; 3

crontab_month	varchar(200)	*	NO		每月 (LIST 任意; 2-2月 3月; 5-5月 6月; 8-8月 9月; 10月 11月 12月
crontab_week	varchar(200)	*	NO		每周 (LIST 每周; 周一; 周二; 周三; 周四; 周五; 周六;
	tinyint(1)				是否)

crontab_enable 字段名	tinyint(1) unsigned	1 默认值	NO 允许非空	自动递增	(ENL 备注; 禁用;
crontab_buildin	tinyint(1) unsigned	0	NO		是否 (ENL 否; 1
crontab_remark	varchar(255)		NO		备注

shop_base_currency 货币设置表

字段名	数据类型	默认值	允许非空
currency_id	int(10) unsigned		NO
currency_title	varchar(32)		NO
currency_symbol_left	varchar(12)		NO
currency_symbol_right	varchar(12)		NO
currency_decimal_place	tinyint(1) unsigned		NO
currency_exchange_rate	decimal(15,8) unsigned		NO
currency_status	tinyint(1) unsigned	1	NO
currency_time	timestamp	CURRENT_TIMESTAMP	NO
currency_is_default	tinyint(1)	0	NO

shop_base_delivery_time 配送时间设置表

字段名	数据类型	默认值	允许非空	自动递增	备注
delivery_time_id	tinyint(4) unsigned		NO	是	设置编号
delivery_time_name	varchar(50)		NO		设置名称
delivery_time_text	varchar(255)		NO		释注
delivery_time_enable	tinyint(4)	1	NO		是否启用

shop_base_delivery_type 配送方式设置表

字段名	数据类型	默认值	允许非空	自动递增	备注
delivery_type_id	tinyint(4) unsigned		NO	是	设置编号
delivery_type_name	varchar(50)		NO		设置名称
delivery_type_text	varchar(255)		NO		释注

shop_base_district 地区表

字段名	数据类型	默认值	允许非空	自动递增	备注
district_id	int(10)		NO	是	地区编号
district_name	varchar(255)		NO		地区名称
district_parent_id	int(10) unsigned	0	NO		父编号
district_sort	smallint(6)	0	NO		排序
district_area	varchar(50)		NO		区域名称 - 华北、 东北、 华东、 华南、 华中

字段名	数据类型	默认值	允许非空	自动递增	备注
					华北、 西南、 西北、 港澳台、 海外
district_is_leaf	tinyint(1)	1	NO		无子类
district_level	tinyint(1)	1	NO		等级
area_id	mediumint(8) unsigned	0	NO		区域编号

shop_base_express 快递表

字段名	数据类型	默认值	允许非空	自动递增	备注
express_id	int(10)		NO	是	快递公司
express_name	varchar(30)		NO		快递公司
express_pinyin	varchar(30)		NO		快递公司
express_pinyin_100	varchar(30)		NO		快递公司
express_site	varchar(255)		NO		官网
express_is_fav	tinyint(1)	0	NO		是否常用
express_order	tinyint(1) unsigned	0	NO		排序: 越小越靠

express_enable	tinyint(1) unsigned	0	NO		状态 (BOOL): 禁用;1-启
----------------	------------------------	---	----	--	-------------------------

shop_base_festival 平台节日表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
festival_id	unsigned		NO	是	节日活
festival_name	varchar(255)		NO		活动名

festival_category_ids	varchar(255)		NO		商品分 (DOT)
festival_time	int(11)		NO		节日日
festival_start_time	int(11)		NO		开始时
festival_end_time	int(11)		NO		结束时
festival_rate	decimal(10,2)		NO		浮动比 百分比

shop_base_lang_meta 用户数据翻译扩展表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

meta_id	varchar(50)				NO
data_id	varchar(32)	0			NO
meta_key	varchar(20)				NO
meta_ori	varchar(5120)				NO
meta_value	text				NO
meta_datatype	enum('string','json','number')	string			NO
meta_time	timestamp	CURRENT_TIMESTAMP			NO

meta_buildin 字段名	tinyint(1) 数据类型	0 默认值	NO 允许
table_name	varchar(50)		NO
primary_key	varchar(50)		NO
column_name	varchar(50)		NO
store_id	int(10)		NO

shop_base_lang_standard 语言翻译表

字段名	数据类型	默认值	允许非空	自动递增	备注
zh_CN	varchar(200)		NO		中文
zh_TW	varchar(200)		NO		繁体中文
en_GB	varchar(200)		NO		英文
th_TH	varchar(200)		NO		泰语
es_MX	varchar(200)		NO		西班牙
ar_SA	varchar(200)		NO		阿拉伯
vi_VN	varchar(200)		NO		越南语
tr_TR	varchar(200)		NO		土耳其
ja_JP	varchar(200)		NO		日语
id_ID	varchar(200)		NO		印尼语
de_DE	varchar(200)		NO		德语
fr_FR	varchar(200)		NO		法语
pt_PT	varchar(200)		NO		葡萄牙
it_IT	varchar(200)		NO		意大利
ru_RU	varchar(200)		NO		俄罗斯

字段名	数据类型	默认值	允许非空	自动递增	备注
ro_RO	varchar(200)		NO		罗马尼亚
az_AZ	varchar(200)		NO		阿塞拜疆语
el_GR	varchar(200)		NO		希腊语
fi_FI	varchar(200)		NO		芬兰语
lv_LV	varchar(200)		NO		拉脱维亚语
nl_NL	varchar(200)		NO		荷兰语
da_DK	varchar(255)		NO		丹麦语
sr_RS	varchar(255)		NO		塞尔维亚语
pl_PL	varchar(200)		NO		波兰语
uk_UA	varchar(200)		NO		乌克兰语
kk_KZ	varchar(200)		NO		哈萨克斯坦
my_MM	varchar(200)		NO		缅甸语
time	timestamp	0000-00-00 00:00:00	NO		时间
is_imp	tinyint(1)	0	NO		重要文字
is_used	tinyint(1)	1	NO		是否启用 (BOOL):1- 启用;0- 禁用
frontend	tinyint(1)	0	NO		前端启用 (BOOL):1- 启用;0- 禁用
backend	tinyint(1)	0	NO		后端启用 (BOOL):1- 启用;0- 禁用

shop_base_layout 页面布局表

字段名	数据类型	默认值	允许非空	自动递增	备注
layout_id	int(10) unsigned		NO	是	页面编号
layout_name	varchar(64)		NO		页面名称

shop_base_layout_module

字段名	数据类型	默认值	允许非空	自动递增	备注
layout_module_id	int(11)		NO	是	-
layout_id	int(11)		NO		-
code	varchar(64)		NO		-
position	varchar(14)		NO		-
sort_order	int(3)		NO		-

shop_base_layout_route 店铺页面布局路由表

字段名	数据类型	默认值	允许非空	自动递增	备注
layout_route_id	int(11)		NO	是	-
layout_id	int(10) unsigned		NO		布局编号
store_id	int(10) unsigned		NO		店铺编号
layout_route_format	varchar(255)		NO		路由格式

shop_base_market_category 市场分类表

字段名	数据类型	默认值	允许非空	自动递增	备注
market_category_id	mediumint(8) unsigned		NO	是	市场分类

字段名	数据类型	默认值	允许非空	自动递增	备注
category_parent_id	mediumint(8) unsigned	0	NO		市场分类
category_name	varchar(50)		NO		市场分类
category_image	varchar(255)		NO		分类图片 客户群

category_order	tinyint(1) unsigned	50	NO		排序
category_level	tinyint(1) unsigned	0	NO		车型分类
category_is_leaf	tinyint(1)	1	NO		是否叶节点
category_is_enable	tinyint(1)	1	NO		是否启用 (BOOL) 不显示;
market_latitude	varchar(20)		NO		纬度
market_longitude	varchar(20)		NO		经度

shop_base_meta_item 扩展字段选项表

字段名	数据类型	默认值	允许非空	自动递增	备注
meta_item_id	int(10) unsigned		NO	是	选项值
meta_key	int(10) unsigned		NO		选项编
meta_item_name	varchar(20)		NO		选项值
meta_item_image	varchar(255)		NO		选项值
meta_item_order	tinyint(3) unsigned	50	NO		-
					所属分

字段名	数据类型	默认值	允许非空	自动递增	备注
category_name	varchar(20)		NO		(LIST) 备注 user;p produ

shop_base_meta_key 扩展字段键名表

字段名	数据类型	默认值	允许非空	自动递增	备注
meta_key	int(10) unsigned		NO	是	选项值
meta_name	varchar(20)		NO		-
meta_order	int(3)		NO		-
option_id	int(11) unsigned	0	NO		选项编号
meta_required	tinyint(1) unsigned	0	NO		是否必须(E 非必填;1-或
meta_placeholder	varchar(100)		NO		placeholder
meta_datatype	varchar(20)		NO		数据类型:e email;mol json;dot-d

shop_base_option 选项表

字段名	数据类型	默认值	允许非空	自动递增	备注
option_id	int(10) unsigned		NO	是	选项编号
option_type	varchar(32)		NO		选项名称
option_sort	tinyint(3) unsigned	50	NO		选项排序

shop_base_product_assist 商品辅助属性表

字段名	数据类型	默认值	允许非

assist_id 字段名	mediumint(8) unsigned 数据类型	默认值	NO 允许非
assist_name	varchar(20)		NO
type_id	mediumint(8) unsigned	0	NO

assist_item	varchar(2048)		NO
assist_is_search	tinyint(1) unsigned	0	NO
assist_format	enum('select','checkbox','radio','text')	checkbox	NO
assist_order	tinyint(3) unsigned	50	NO

shop_base_product_assist_item 商品辅助属性值表

字段名	数据类型	默认值	允许非空	自动递增	备注
assist_item_id	mediumint(8) unsigned		NO	是	辅助属性值
assist_item_name	varchar(100)		NO		辅助属性值
assist_id	mediumint(8) unsigned		NO		所属属性值
assist_item_order	tinyint(3) unsigned	50	NO		辅助属性值

shop_base_product_brand 品牌表 - 540

字段名	数据类型	默认值	允许非空	自动递增	备注
brand_id	mediumint(8)		NO	是	品牌编号

品牌ID 字段名	数据类型	默认值	允许非空	自动递增	备注
brand_name	varchar(60)		NO		品牌名称
brand_name_pinyin	varchar(255)		NO		品牌拼音
brand_initial	varchar(2)		NO		首字母

brand_desc	varchar(255)		NO		品牌描述
category_id	mediumint(8) unsigned	0	NO		所属分类 一级分类
brand_show_type	tinyint(1)	1	NO		展示方式 1-“全部商品” 2-“全部品牌” 页面的展示 如果设置 则显示该 “品牌图” 如果设置 则显示该 “品牌名”
brand_image	varchar(255)		NO		品牌LOGO
brand_recommend	tinyint(1)	0	NO		是否推荐 是; 0-否
brand_enable	tinyint(1)	1	NO		是否启用 启用; 0-
store_id	int(10) unsigned	0	NO		店铺编号
brand_apply	tinyint(1)	1	NO		品牌申请 申请中; 申请功能 系统后台

shop_base_product_category 商品分类表-分类强调区别, 类型强调共性

字段名	数据类型	默认值	允许非空	自动
category_id	mediumint(8) unsigned		NO	是
category_parent_id	mediumint(8) unsigned	0	NO	
category_name	varchar(50)		NO	
category_image	varchar(255)		NO	
type_id	mediumint(8) unsigned	1001	NO	
category_virtual_enable	tinyint(1) unsigned	0	NO	
category_show_type	enum('COLOR','SPU')	COLOR	NO	
category_commission_rate	decimal(6,2) unsigned	0.00	NO	
category_order	tinyint(1) unsigned	50	NO	
category_level	tinyint(1) unsigned	0	NO	
category_is_leaf	tinyint(1)	1	NO	
category_is_enable	tinyint(1)	1	NO	
page_id	bigint(20)		NO	
page_id_pc	bigint(20)		NO	

shop_base_product_category_mobile 移动端首页分类使用

字段名	数据类型	默认值	允许非空	自动递增	备注
category_id	mediumint(8) unsigned		NO	是	商品类别编号 一级分类使用
category_name	varchar(50)		NO		分类名称
category_alias	varchar(50)		NO		分类别名
category_image	varchar(255)		NO		分类图片
page_id	bigint(20) unsigned	1	NO		页面编号
category_order	tinyint(3) unsigned	50	NO		排序

shop_base_product_category_nav 商品类别导航表-首页分类使用

字段名	数据类型	默认值	允许非空	自动递增	备注
category_id	mediumint(8) unsigned		NO	是	商品类别编号
category_name	varchar(50)		NO		分类名称
category_alias	varchar(50)		NO		分类别名
category_image	varchar(255)		NO		分类图片
category_ids_recommend	text		NO		推荐商品类别ID
item_ids_recommend	text		NO		推荐商品ID
brand_ids_recommend	varchar(2048)		NO		推荐品牌ID

字段名	数据类型	默认值	允许非空	自动递增	备注
category_nav_adv	varchar(2048)	1	NO	自动递增	
temp_type	tinyint(3) unsigned	1	NO		
category_order	tinyint(3) unsigned	50	NO		

shop_base_product_category_recommend_item 商品分类下推荐商品-推荐的商品将显示在按商品分类搜索时的商品列表页面，显示位置位于主商品列表的上方。

字段名	数据类型	默认值	允许非空	自动递增	备注
category_id	mediumint(8) unsigned		NO	是	商品分类最后使用
items_ids_recommend	text		NO		推荐商品ID列表(DOT)

shop_base_product_category_tag 商品类别tag表

字段名	数据类型	默认值	允许非空	自动递增	备注
category_id	mediumint(8) unsigned		NO		商品分类最后使用
category_ids	varchar(255)		NO		商品分类(DOT)
category_tags	varchar(255)		NO		分类标记(DOT)

shop_base_product_extension 商品扩展属性表

字段名	数据类型	默认值	允许非空
extension_id	mediumint(8) unsigned		NO

extension_name 字段名	varchar(20) 数据类型	默认值	NC
type_id	mediumint(8) unsigned	0	NC
extension_item_ids	varchar(2048)		NC

extension_is_search	tinyint(1) unsigned	0	NC
extension_format	enum('select','checkbox','radio','text')	checkbox	NC
extension_order	tinyint(3) unsigned	50	NC

shop_base_product_extension_item 商品扩展属性值表

字段名	数据类型	默认值	允许非空	自动递增	备注
extension_item_id	mediumint(8) unsigned		NO	是	辅助属性
extension_item_name	varchar(100)		NO		辅助属性
extension_id	mediumint(8) unsigned		NO		所属属性
extension_item_order	tinyint(3) unsigned	50	NO		辅助属性

shop_base_product_kind 商品种类表-发布后不能修改 实物商品（物流发货） 虚拟商品（无需物流）

字段名	数据类型	默认值	允许非空	自动递增	备注
kind_id	smallint(4) unsigned		NO	是	商品种类编号
kind_name	varchar(20)		NO		商品种类名称
kind_remark	varchar(50)		NO		商品种类备注

shop_base_product_spec 商品规格表

字段名	数据类型	默认值	允许非空	自动递增	备注
spec_id	mediumint(8) unsigned		NO	是	规格ID
spec_name	varchar(20)		NO		规格名称
spec_remark	varchar(50)		NO		规格备注
spec_format	enum('text','image')	text	NO		显示格式
spec_order	smallint(6) unsigned	50	NO		排序
spec_category_id	mediumint(8) unsigned	0	NO		规格选择(只读)
spec_buildin	tinyint(3) unsigned	0	NO		系统默认

shop_base_product_state 产品状态表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_state_id	smallint(4) unsigned		NO	是	商品状态:1-正常;2-下架;3-待审

字段名	数据类型	默认值	允许非空	自动递增	1000-备注
product_state_name	varchar(50)		NO		产品状
product_state_text_1	varchar(255)		NO		产品状
product_state_text_2	varchar(255)		NO		产品状
product_state_remark	varchar(255)		NO		备注

shop_base_product_tag 商品标签表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_tag_id	mediumint(8) unsigned		NO	是	商品标签:
product_tag_name	varchar(255)		NO		商品标签:

shop_base_product_type 商品类型表-强调共性,类别cat是强调区别.

字段名	数据类型	默认值	允许非空	自动递增	备注
type_id	mediumint(8) unsigned		NO	是	编号
type_name	varchar(20)		NO		类型名称
type_remark	varchar(50)		NO		备注
type_is_assist	tinyint(4) unsigned	0	NO		是否启用辅 (ENUM):1-
type_is_param	tinyint(4) unsigned	0	NO		是否启用参 (ENUM):1-
type_is_brand	tinyint(4) unsigned	0	NO		是否启用品 (ENUM):1-
type_is_entity	tinyint(4) unsigned	0	NO		是否启用实 (ENUM):1-

字段名	数据类型	默认值	允许非空	自动递增	备注
type_category_id	mediumint(8) unsigned	0	NO		分类编号- 可关联到任 (可以使用 ategory_ic 只在后台快 作用) - 要取消快捷 通过UI交互 现
type_is_draft	tinyint(1) unsigned	1	NO		是否草稿(E 草稿;0-发布
type_spec_ids	varchar(255)		NO		规格id(DO
type_brand_ids	varchar(255)		NO		品牌编号
type_assist_ids	varchar(255)		NO		辅助属性(C
type_buildin	tinyint(1) unsigned	0	NO		系统内置(E 内置; 0-非

shop_base_product_type_brand_rel 商品类型与品牌关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
type_brand_id	int(10) unsigned		NO	是	主键, 多对多必 须有
type_id	mediumint(8) unsigned	0	NO		类型编号
brand_id	mediumint(8) unsigned	0	NO		品牌编号

shop_base_product_type_spec_rel 商品类型与规格对应表

字段名	数据类型	默认值	允许非空	自动递增	备注
type_spec_id	int(10) unsigned		NO	是	-

字段名	数据类型	默认值	允许非空	自动递增	备注
type_id	mediumint(8) unsigned		NO		类型编号
spec_id	mediumint(8) unsigned		NO		规格编号

shop_base_product_unit 商品计量单位表-提供修改新增类别功能 - 530

字段名	数据类型	默认值	允许非空	自动递增	备注
unit_id	mediumint(8) unsigned		NO	是	商品计量单位id
parent_unit_id	mediumint(8) unsigned	0	NO		商品计量单位父id
unit_name	varchar(20)		NO		商品计量单位名称
unit_remark	varchar(50)		NO		商品计量单位备注
unit_rate	varchar(20)	0	NO		换算关系
unit_guid	varchar(11)		NO		gu编号
unit_is_base	tinyint(1) unsigned	0	NO		基本单位
unit_type_id	mediumint(8) unsigned		NO		商品计量单位类型id

unit_is_buildin	tinyint(1) unsigned	0	NO		系统内置(ENU 非内置; 1-系统 重量和长度单位 系统内置)
-----------------	------------------------	---	----	--	---

shop_base_product_unit_type 商品计量单位类别表

字段名	数据类型	默认值	允许非空	自动递增	备注
unit_type_id	mediumint(8) unsigned		NO	是	商品计量
parent_unit_type_id	mediumint(8) unsigned	0	NO		商品计量
unit_type_name	varchar(255)		NO		商品计量
unit_type_remark	varchar(50)		NO		商品计量
unit_type_is_buildin	tinyint(1) unsigned	0	NO		系统内置 非内置; 重量和长 系统内置

shop_base_product_verify 产品审核信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_verify_id	smallint(4) unsigned		NO	是	审核状
product_verify_name	varchar(50)		NO		审核状
product_verify_text_1	varchar(255)		NO		审核状
product_verify_text_2	varchar(255)		NO		审核状
product_verify_remark	varchar(255)		NO		备注

shop_base_readme 说明表

字段名	数据类型	默认值	允许非空	自动递

readme_key 字段名	varchar(50) 数据类型	默认值	NO 允许非空	自动递
readme_comment	varchar(255)		NO	
dfadf	mediumint(9)		YES	

dfff	timestamp	CURRENT_TIMESTAMP	NO	
------	-----------	-------------------	----	--

shop_base_sell_info 平台广告基础表

字段名	数据类型	默认值	允许非空	自动递增
adv_id	smallint(10)		NO	是
adv_name	varchar(50)		NO	
adv_tmp	varchar(50)		NO	
adv_type	tinyint(1)	0	NO	
days	smallint(4)		NO	
price	decimal(10,2) unsigned	0.00	NO	
adv_num	smallint(4)		NO	
left_adv_num	smallint(4)		NO	

buy_limit	smallint(4)		NO	
user_id	int(10) unsigned	0	NO	
created_at	timestamp	0000-00-00 00:00:00	NO	
updated_at	timestamp	CURRENT_TIMESTAMP	NO	

shop_base_site_nav 页面导航表

字段名	数据类型	默认值	允许非空	自动递增	备注
nav_id	int(11)		NO	是	导航
nav_type	tinyint(1)	0	NO		类别 自定 商品 文章 活动
nav_item_id	int(10) unsigned	0	NO		类别
nav_title	varchar(100)		NO		导航
nav_url	varchar(250)		NO		导航
nav_position	tinyint(1)	0	NO		导航 (EN 头部 底部)
nav_target_blank	tinyint(1)	0	NO		是否 (BO 否)
nav_image	varchar(255)		NO		导航
nav_dropdown_menu	varchar(15000)		NO		导航 (HT
nav_order	tinyint(3) unsigned	50	NO		排序
nav_enable	tinyint(1) unsigned	1	NO		是否 (BO 否)
nav_buildin	tinyint(4) unsigned	0	NO		系统 (EN 否)

shop_base_state_code 状态码表

字段名	数据类型	默认值	允许非空	自动递增	备注
state_code_id	smallint(4) unsigned		NO	是	商品状态: 正常;100 下架仓库 3-待审核; 1000-违
state_code_name	varchar(50)		NO		产品状态
state_code_text_1	varchar(255)		NO		产品状态
state_code_text_2	varchar(255)		NO		产品状态
state_code_text_3	varchar(255)		NO		-
state_code_code	varchar(255)		NO		CODE
state_code_remark	varchar(255)		NO		备注
state_category	varchar(255)		NO		所属分类

shop_base_state_code_lang 状态码表

字段名	数据类型	默认值	允许非空	自动递增	备注
lang_id	int(10) unsigned		NO	是	编号
state_code_id	smallint(4)		NO		商品状态:1 正常;1002 下架仓库中 3-待审核; 1000-违规
state_code_text_1	varchar(255)		NO		产品状态
state_code_text_2	varchar(255)		NO		产品状态
state_code_text_3	varchar(255)		NO		-

lang 字段名	varchar(255) 数据类型	默认值	NO 允许非空	自动递增	所属语言 备注
-------------	----------------------	-----	------------	------	------------

shop_base_store_buy_info 商户购买记录表

字段名	数据类型	默认值	允许非空	自动递增
buy_id	smallint(10)		NO	是
adv_id	smallint(10)		NO	
store_id	int(10) unsigned	0	NO	
days_total	smallint(4)		NO	
price_total	decimal(10,2) unsigned	0.00	NO	
sku_ids	varchar(255)		NO	
created_at	timestamp	0000-00-00 00:00:00	NO	
updated_at	timestamp	CURRENT_TIMESTAMP	NO	

shop_base_store_category 市场分类表

字段名	数据类型	默认值	允许非空	自动递增	备
store_category_id	mediumint(8) unsigned		NO	是	店
store_category_name	varchar(50)		NO		店
store_category_deposit	decimal(10,2)	0.00	NO		份
store_category_parent_id	mediumint(8) unsigned	0	NO		店
store_category_order	tinyint(1) unsigned	50	NO		排
category_image	varchar(255)		NO		允
category_level	tinyint(1)	0	NO		分

字段名	数据类型	默认值	允许非空	自动递增	备注
category_level	unsigned	0	NO		
category_is_leaf	tinyint(1)	1	NO		是
category_is_enable	tinyint(1)	1	NO		是 (E 不
category_ids	varchar(50)		NO		商

shop_base_store_grade 店铺等级表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_grade_id	smallint(4) unsigned		NO	是	店
store_grade_name	varchar(50)		NO		-
store_grade_fee	decimal(6,2)	0.00	NO		此 全 在 示
store_grade_desc	varchar(255)		NO		目
store_grade_product_limit	mediumint(8)	0	NO		限
store_grade_album_limit	mediumint(8) unsigned	0	NO		限
store_grade_template	varchar(50)		NO		店
store_grade_function_id	varchar(50)		NO		店 fi

store_grade_sort	mediumint(8)	0	NO		号
------------------	--------------	---	----	--	---

shop_base_store_template 店铺模板表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
store_template_name	varchar(100)		NO		店铺模 根据模 找寻对

store_style_name	varchar(255)		NO		风格名
store_template_img	varchar(255)		NO		模板对

shop_base_user_tag 用户标签表

字段名	数据类型	默认值	允许非空	自动递
tag_id	int(10)		NO	是
tag_order	int(10)		NO	
tag_name	varchar(50)		NO	
tag_image	varchar(255)		NO	
tag_recommend	tinyint(1)	0	NO	
tag_content	varchar(1024)		NO	
tag_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_base_user_type 用户分类表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_type_id	smallint(4) unsigned		NO	是	客户类别编号
user_type_name	varchar(20)		NO		客户类别名称
user_type_remark	varchar(50)		NO		客户类别注释

shop_chain_base 门店表

字段名	数据类型	默认值	允许非空	自
chain_id	int(10) unsigned		NO	是
store_id	int(10) unsigned	0	NO	
chain_name	varchar(20)		NO	
chain_mobile	varchar(20)		NO	
chain_telephone	varchar(30)		NO	
chain_contacter	varchar(20)		NO	
chain_lng	varchar(20)	0	NO	
chain_lat	varchar(20)	0	NO	
chain_district_info	varchar(255)		NO	
chain_district_id	varchar(255)		NO	
chain_address	varchar(255)		NO	
chain_opening_hours	varchar(255)		NO	
chain_close_hours	varchar(255)		NO	
chain_traffic_line	varchar(255)		NO	
chain_img	varchar(255)		NO	
chain_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_chain_company 机构公司信息表

字段名	数据类型	默认值	允许非空	自
company_id	int(10) unsigned		NO	是
	int(10)			

user_id 字段名	int(10) 数据类型 unsigned	0 默认值	NO 允许非空	自
chain_id	int(10) unsigned		NO	
company_name	varchar(50)		NO	
company_area	varchar(50)		NO	

company_address	varchar(100)		NO	
company_zipcode	varchar(255)		NO	
company_phone	varchar(255)		NO	
company_website	varchar(255)		NO	
company_description	varchar(255)		NO	
contacts_name	varchar(255)		NO	
contacts_position	varchar(255)		NO	
contacts_phone	varchar(255)		NO	
contacts_email	varchar(255)		NO	
company_registered_capital	int(10) unsigned	0	NO	
company_employee_count	int(10) unsigned	0	NO	
company_taxnum	varchar(20)		NO	
company_invoice	varchar(50)		NO	
legal_person	varchar(50)		NO	
legal_person_number	varchar(50)		NO	
legal_person_electronic	varchar(255)		NO	
business_license_location	varchar(255)		NO	

establish_date 字段名	date 数据类型	默认值	NO 允许非空	自
business_licence_start	date		NO	
business_licence_end	date		NO	
business_sphere	varchar(255)		NO	
business_license_electronic	varchar(255)		NO	

organization_code	varchar(20)		NO	
organization_code_start	date		NO	
organization_code_end	date		NO	
organization_code_electronic	varchar(255)		NO	
general_taxpayer	varchar(255)		NO	
bank_account_name	varchar(50)		NO	
bank_account_number	varchar(30)		NO	
bank_name	varchar(50)		NO	
bank_code	varchar(20)		NO	
bank_address	varchar(255)		NO	
bank_licence_electronic	varchar(255)		NO	
tax_registration_certificate	varchar(20)		NO	
tax_registration_certificate_electronic	varchar(255)		NO	
payment_voucher	varchar(255)		NO	
payment_voucher_explain	varchar(255)		NO	
store_class_ids	text		NO	
store_class_names	text		NO	
store_class_commission	text		NO	

contacts_fee 字段名	float(10,2) 数据类型	默认值	NO 允许非空	自
contacts_deposit	float(10,2)		NO	
business_id	varchar(20)	0	NO	
payment_type	tinyint(1) unsigned	0	NO	

shop_chain_config 门店参数设置表

字段名	数据类型	默认值	允许非空	自动递增	备注
chain_id	int(10) unsigned		NO		门店编号
cc_state	tinyint(1) unsigned	0	NO		接单设置 (BOOL):0- 开启接单;1- 停止接单
cc_day_max	int(10) unsigned	0	NO		日最大接单量

shop_chain_item 门店商品表-可以具备门店价格

字段名	数据类型	默认值	允许非空	自动递增	备注
chain_item_id	int(10)		NO	是	-
chain_id	int(10)	0	NO		门店编
store_id	int(10)	0	NO		商店编
item_id	int(10)	0	NO		商品编
product_id	int(10)	0	NO		商品c
chain_item_quantity	decimal(10,2)	0.00	NO		商品商
chain_item_unit_price	decimal(10,2)	9.00	NO		-

shop_chain_user 门店用户表

字段名	数据类型	默认值	允许非空	自动递增	备注
chain_user_id	int(10) unsigned		NO	是	门店用户编号
user_id	int(10) unsigned		NO		会员编号
chain_id	int(10) unsigned	0	NO		所属门店
store_id	int(10) unsigned		NO		店铺编号

shop_distribution_base_config 此表废弃-系统参数设置表

字段名	数据类型	默认值	允许非空
config_key	varchar(50)		NO
config_value	varchar(10000)		NO
config_type	varchar(20)		NO
config_enable	tinyint(1) unsigned	1	NO

config_comment	varchar(255)		NO
config_datatype	enum('string','json','number','dot')	string	NO
config_name	varchar(50)		NO
config_formatter	varchar(255)		NO

config_category 字段名	enum('系统参数','基础参数','扩展参数') 数据类型	基础参数 默认值	NO 允许非空

shop_distribution_order_base 此表废弃-订单详细信息

字段名	数据类型	默认值	允许非空	自动递增
order_id	varchar(50)		NO	
store_distributor_id	int(10) unsigned	0	NO	
order_distribution_seller_type	tinyint(1) unsigned	1	NO	
order_distribution_buyer_type	tinyint(1) unsigned	1	NO	
order_source_id	varchar(50)	0	NO	
directseller_flag	tinyint(1) unsigned	0	NO	
directseller_id_0	int(10) unsigned	0	NO	
directseller_id_1	int(10)	0	NO	
directseller_id_2	int(10)		NO	

directseller_discount	decimal(10,2)	0.00	NO	
-----------------------	---------------	------	----	--

字段名	数据类型	默认值	允许非空	自动递增
buyer_flag	tinyint(1)	0	NO	
buyer_id_0	int(10)	0	NO	
buyer_id_1	int(10)	0	NO	
buyer_id_2	int(10)	0	NO	
order_time	int(11)		NO	
order_state_id	smallint(4) unsigned	2011	NO	
buyer_user_id	int(10)	0	NO	

shop_distribution_order_item 此表废弃-订单分销商品关系表

字段名	数据类型	默认值	允许非空	自动递增
order_item_id	int(10)		NO	是
order_id	varchar(50)		NO	
item_id	int(10)		NO	
product_id	int(10)	0	NO	
distributor_commission_0	decimal(16,6) unsigned	0.000000	NO	
distributor commission 1	decimal(16,6)	0.000000	NO	

字段名	unsigned 数据类型	默认值	允许非空	自动递增
distributor_commission_2	decimal(16,6) unsigned	0.000000	NO	
directseller_commission_0	decimal(16,6) unsigned	0.000000	NO	
directseller_commission_1	decimal(16,6) unsigned	0.000000	NO	
directseller_commission_2	decimal(16,6) unsigned	0.000000	NO	
buyer_commission_0	decimal(16,6) unsigned	0.000000	NO	
buyer_commission_1	decimal(16,6) unsigned	0.000000	NO	

buyer_commission_2	decimal(16,6) unsigned	0.000000	NO	
directseller_id_0	int(10) unsigned	0	NO	
directseller_id_1	int(10) unsigned	0	NO	
directseller_id_2	int(10) unsigned	0	NO	
directseller_item_discount	decimal(10,2) unsigned	0.00	NO	
buyer_id_0	int(10) unsigned	0	NO	
buyer_id_1	int(10) unsigned	0	NO	
buyer_id_2	int(10) unsigned	0	NO	
order item time	int(10)	0	NO	

字段名	unsigned 数据类型	默认值	允许非空	自动递增
-----	------------------	-----	------	------

shop_distribution_plantform_user 平台推广粉丝来源关系表, 此记录不可以改变,

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户
user_parent_id	int(10)	0	NO		上级注 不可推广
user_partner_id	int(10) unsigned	0	NO		所属
user_time	int(11) unsigned	0	NO		注册
user_team_count	int(10)	0	NO		团队
user_level_id	mediumint(10)	1001	NO		用户
user_province_team_id	int(10)	0	NO		所属
user_city_team_id	int(10)	0	NO		所属
user_county_team_id	int(10)	0	NO		所属
role_level_id	mediumint(10)	1001	NO		角色

shop_distribution_plantform_user_generated_commission
平台推广粉丝产生佣金汇总表

字段名	数据类型	默认值	允许非空	自动递增	备注
ugc_id	varchar(255)		NO		贡献佣金 + '-' +
user_id	mediumint(8) unsigned		NO		推广粉丝

字段名	数据类型	默认值	允许非空	自动递增	备注
user_parent_id	mediumint(11) unsigned	0	NO		上级推广
ugc_level	tinyint(4) unsigned	1	NO		推广层级 记录不变 如果关系 则增加其
ugc_amount	decimal(16,6) unsigned	0.000000	NO		产生佣金

ugc_num	int(11) unsigned	0	NO		订单数量
user_time	int(11) unsigned	0	NO		注册时间

shop_distribution_product 此表废弃-商品公共内容表-未来可分表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_id	bigint(20) unsigned		NO	是	商品
product_lock_flag	tinyint(1)	0	NO		店铺不可
product_agent_id	int(10) unsigned	0	NO		该店可更
product_distributor_flag	tinyint(1) unsigned	0	NO		是否自有
product_is_allow_update	tinyint(1) unsigned	1	NO		是否 0-不
product_is_allow_price	tinyint(1) unsigned	1	NO		是否 0-不

字段名	数据类型	默认值	允许非空	自动递增	备注
product_is_behalf_delivery	tinyint(1)	1	NO		是否不可
store_parent_id	int(10) unsigned	0	NO		商品
product_parent_id	int(10)	0	NO		分销

shop_distribution_product_item 商品表

字段名	数据类型	默认值	允许非空	自动递增	备注
item_id	int(10) unsigned		NO		是
item_recommended_price	decimal(10,0)	0	NO		
item_recommended_min_price	decimal(10,2)	0.00	NO		
item_recommended_max_price	decimal(10,2)	0.00	NO		
item_parent_id	int(10) unsigned	0	NO		

shop_distribution_store_agent 店铺代理商表。

字段名	数据类型	默认值	允许非空	自动递增	备注
store_agent_id	int(10) unsigned	0	NO		-
store_id	int(10) unsigned	0	NO		所属店铺编号
agent_id	int(10) unsigned	0	NO		分销商id = shop_id
agent_parent_id	int(10) unsigned	0	NO		上级编号

shop_distribution_store_agent_generated_commission 代理商贡献产生佣金汇总表-代理发展下级代理商才产生记录。 - 强调代理商对上级的佣金贡献。强调代理创造的佣金

字段名	数据类型	默认值	允许非空	自动递增
agc_id	varchar(255)		NO	
directseller_id	mediumint(8) unsigned		NO	
directseller_name	varchar(30)		NO	
directseller_parent_id	mediumint(11)		NO	
directseller_parent_name	varchar(30)		NO	
agc_level	tinyint(4)	1	NO	
agc_amount	decimal(16,6) unsigned	0.000000	NO	

shop_distribution_store_agent_level 代理商等级表

字段名	数据类型	默认值	允许非空	自动递增	备注
agent_level_id	tinyint(3) unsigned		NO	是	代
agent_level_name	varchar(50)		NO		等
agent_level_discount_rate	decimal(6,2)	0.00	NO		等
agent_level_freeshipping	varchar(255)	0	NO		包 开 理 所 运
agent_level_order	mediumint(8) unsigned	0	NO		排

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	unsigned	0	NO		

shop_distribution_store_base 此表废弃-店铺基础信息表-分销店铺来源关系记录(上级)，特殊情况下此记录可以改变。

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	int(10) unsigned		NO	是	店铺编号
store_parent_id	int(10) unsigned	0	NO		上级店铺编号- 创建店铺决定， 所属分销商- 不可更改！ 佣金公平性考虑
store_type	tinyint(1) unsigned	1	NO		店铺类型: 1- 卖家店铺; 2: 供应商店铺

shop_distribution_store_commission 收益表-代理/分销/推广

字段名	数据类型	默认值	允许非空	备注
store_id	int(10) unsigned		NO	
commission_amount	decimal(15,6)	0.000000	NO	
commission_distributor_amount_0	decimal(15,6)	0.000000	NO	
commission_distributor_amount_1	decimal(15,6)	0.000000	NO	
commission_distributor_amount_2	decimal(15,6)	0.000000	NO	
commission_agent_amount_0	decimal(15,6) unsigned	0.000000	NO	
commission_agent_amount_1	decimal(15,6) unsigned	0.000000	NO	

commission_agent_amount_2 字段名	decimal(15,6) 数据类型 unsigned	0.000000 默认值	NO 允许非空		
----------------------------------	-----------------------------------	-----------------	------------	--	--

shop_distribution_store_directseller 店铺推广销售员表。

字段名	数据类型	默认值	允许非空	自动递增	备注
store_directseller_id	int(10) unsigned		NO	是	-
store_id	int(10) unsigned	0	NO		所属店铺
directseller_id	int(10) unsigned	0	NO		推广销售 = user_
directseller_parent_id	int(10) unsigned	0	NO		上级id- 因为店铺 , 上级可能 , 如果用户 成为某个 的销售员 则上级ic
directseller_enable	tinyint(1) unsigned	1	NO		是否审核 0-待审核 通过
directseller_create_time	datetime		NO		创建时间

shop_distribution_store_directseller_config 店铺销售员参数设置表-meta

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	int(10) unsigned		NO		
allow_seller_buy	tinyint(1) unsigned	0	NO		

字段名	数据类型	默认值	允许非空	自动递增	
auto_settle	tinyint(1) unsigned	1	NO		☺
cps_rate	int(10) unsigned	0	NO		-
second_is_enable	tinyint(1) unsigned	1	NO		☺
second_cps_rate	int(10) unsigned	0	NO		☺

directseller_customer_exptime	int(10) unsigned	0	NO		☺ ☺ ☺ ☺
directseller_exptime_type	tinyint(1) unsigned	1	NO		☺ ☺ ☺ ☺
directseller_rel_exptime	int(10) unsigned	0	NO		☺ ☺ ☺ ☺
is_verify	tinyint(1) unsigned	0	NO		☺
settle_time_type	int(10) unsigned	0	NO		☺
third_cps_rate	int(10) unsigned	0	NO		☺
expenditure	int(10) unsigned	0	NO		☺

shop_distribution_store_directseller_customer 店铺推广销售员客户表。

字段名	数据类型	默认值	允许非空	自动递增	备注
store_directseller_customer_id	int(10) unsigned	0	NO		-
directseller_id	int(10) unsigned	0	NO		推广销售员
store_id	int(10) unsigned	0	NO		店铺
customer_id	int(10) unsigned	0	NO		客户ID，主键

shop_distribution_store_directseller_generated_commission 店铺推广销售员贡献产生佣金汇总表-销售员推广销售员才产生记录。- 强调销售员与上级关系以及对上级的佣金贡献。强调销售员创造的佣金

字段名	数据类型	默认值	允许非空	自动递增	备注
dgc_id	varchar(255)		NO		记录ID
directseller_id	mediumint(8) unsigned		NO		销售员
directseller_parent_id	mediumint(11) unsigned		NO		上级销售员
dgc_level	tinyint(4) unsigned	1	NO		推广层级
dgc_amount	decimal(16,6) unsigned	0.000000	NO		佣金金额

shop_distribution_store_directseller_level 销售员等级表

字段名	数据类型	默认值	允许非空	自动递增
directseller_level_id	tinyint(3) unsigned		NO	是
directseller_level_name	varchar(50)		NO	
directseller_level_discount_rate	decimal(6,2)	0.00	NO	
directseller_level_freeshipping	varchar(255)	0	NO	
directseller_level_order	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

shop_distribution_store_directseller_product 销售员推广产品表。

字段名	数据类型	默认值	允许非空	自动递增
store_directseller_product_code	varchar(255)		NO	
directseller_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
product_id	int(10) unsigned	0	NO	
directseller_images_image	varchar(1024)		NO	
directseller_time	datetime		NO	
item_price	decimal(10,2)	0.00	NO	

字段名	数据类型	默认值	允许非空	自动递增
store_distributor_id	int(10) unsigned		NO	是

shop_distribution_store_distributor 店铺分销者表。 - 不同供应商，可以具有同一个分销商

字段名	数据类型	默认值	允许非空	自动递增	备注
store_distributor_id	int(10) unsigned		NO	是	-
store_id	int(10) unsigned	0	NO		所
distributor_id	int(10) unsigned	0	NO		分
distributor_level_id	int(10) unsigned	0	NO		分
distributor_parent_id	int(11) unsigned	0	NO		父为如
distributor_enable	tinyint(1)	1	NO		是
distributor_cat_ids	varchar(1024)		NO		分供非
store_distributor_time	datetime		NO		申
store_distributor_reason	varchar(255)		NO		审

shop_distribution_store_distributor_generated_commission 分销商贡献产生佣金汇总表-分销商发展下级分销商才产生记录。 - 强调分销商对上级的佣金贡献。强调分销商创造的佣金 fgc=distributor_generated_commission

字段名	数据类型	默认值	允许非空	自动递增	备注
fgc_id	varchar(255)		NO		并 +

字段名	数据类型	默认值	允许非空	自动递增	备注
distributor_id	int(8) unsigned	0	NO		主
distributor_parent_id	mediumint(11) unsigned		NO		父

fgc_level	tinyint(4) unsigned	1	NO		女 如
fgc_amount	decimal(16,6) unsigned	0.000000	NO		女

shop_distribution_store_distributor_level 分销商等级表

字段名	数据类型	默认值	允许非空	自动递增
distributor_level_id	int(10) unsigned		NO	是
distributor_level_name	varchar(50)		NO	
distributor_level_discount_rate	decimal(6,2)	0.00	NO	

distributor_level_freeshipping	varchar(255)	0	NO	
distributor_level_order	mediumint(8) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	

shop_distribution_store_distributor_product_cat 分销者可分销商品授权分类

字段名	数据类型	默认值	允许非空	自动递增	备注
cat_id	int(9)		NO	是	-
cat_name	varchar(50)		NO		分类名称
cat_parent_id	int(11)	0	NO		父类
cat_pic	varchar(255)		NO		分类图片
type_id	int(10)	0	NO		类型编号
cat_commission	float	0	NO		分佣比例
cat_is_wholesale	tinyint(1)	0	NO		-
cat_is_virtual	tinyint(1)	0	NO		是否允许虚拟
cat_templates	varchar(100)	0	NO		-
cat_displayorder	smallint(3)	255	NO		排序
cat_level	tinyint(1)		NO		分类级别
cat_show_type	tinyint(4)	1	NO		1:SPU 2:颜色

shop_distribution_store_team 供应商团队表

字段名	数据类型	默认值	允许非空	自动递增
team_id	int(10) unsigned		NO	是
team_name	varchar(255)		NO	

字段名 Name	数据类型 Data Type	默认值 Default	允许非空 Nullable	自动递增 Auto Increment
team_type	tinyint(1) unsigned		NO	
team_image	varchar(255)		NO	
distributor_level_id	tinyint(3) unsigned	0	NO	
team_chat_flag	tinyint(1) unsigned	1	NO	
team_verify_flag	tinyint(1) unsigned	0	NO	
team_leader_id	int(10)	0	NO	

team_performance_flag	tinyint(1)	0	NO	
team_split_type	tinyint(1) unsigned	0	NO	
team_invisible	tinyint(1)	0	NO	
team_permit	varchar(255)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
store_id	int(10) unsigned	0	NO	
team_amount	decimal(15,6) unsigned	0.000000	NO	
team_quantity	int(10) unsigned	0	NO	

shop_distribution_store_team_member 供应商团队成员表

字段名	数据类型	默认值	允许非空	自动递增	备注
team_member_id	int(10) unsigned		NO	是	团队成员编号
team_id	int(10) unsigned	0	NO		团队编号
store_id	int(10) unsigned	0	NO		店铺编号

shop_distribution_store_type 此表废弃-店铺类型

字段名	数据类型	默认值	允许非空	自动递增	备注
store_type_id	int(10) unsigned		NO	是	店铺编号
store_type_name	varchar(255)		NO		类型名称

shop_distribution_user 平台推广员

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户编号

字段名	数据类型	默认值	允许非空	自动递增	备注
user_fans_num	int(10) unsigned	0	NO		粉丝数量: 冗余
user_is_sp	tinyint(1)	0	NO		服务商 (BOOL):0- 否;1-是;
user_is_da	int(11)	0	NO		区代理 (BOOL):0- 否;1- 是为区Id;
user_is_ca	int(11)	0	NO		市代理 (BOOL):0- 否;1- 是为市Id;
user_is_pa	int(11)	0	NO		省代理 (BOOL):0- 否;1- 是为省Id;
user_is_pt	tinyint(1) unsigned	0	NO		城市合伙人 (BOOL):0- 否;1-是;
user_active	tinyint(1) unsigned	1	NO		是否有效 (BOOL):0- 未生效;1- 有效
user_time	int(11) unsigned	0	NO		注册时间
role_level_id	int(11)	0	NO		等级编号

shop_distribution_user_commission 推广员及收益表-用户赚取汇总

字段名	数据类型	默认值	允许非空
user_id	int(10) unsigned		NO

字段名	数据类型	默认值	允许非空
commission_amount	decimal(15,6)	0.000000	NO
commission_directseller_amount_0	decimal(15,6)	0.000000	NO
commission_directseller_amount_1	decimal(15,6)		NO

commission_directseller_amount_2	decimal(15,6)		NO
commission_buy_amount_0	decimal(15,6)	0.000000	NO
commission_buy_amount_1	decimal(15,6)	0.000000	NO
commission_buy_amount_2	decimal(15,6)	0.000000	NO
commission_click_amount_0	decimal(15,6)	0.000000	NO
commission_click_amount_1	decimal(15,6)	0.000000	NO
commission_click_amount_2	decimal(15,6)	0.000000	NO
commission_reg_amount_0	decimal(15,6)	0.000000	NO
commission_reg_amount_1	decimal(15,6)	0.000000	NO
commission_reg_amount_2	decimal(15,6)	0.000000	NO
commission_settled	decimal(15,6) unsigned	0.000000	NO
commission_directseller_settled	decimal(15,0)	0	NO
commission_buy_settled	decimal(15,6)	0.000000	NO
commission_buy_da	decimal(15,6)	0.000000	NO
commission_buy_ca	decimal(15,6)	0.000000	NO
commission_directseller_da	decimal(15,6)	0.000000	NO
commission_directseller_ca	decimal(15,6)	0.000000	NO
commission_buy_trade_0	decimal(15,6)	0.000000	NO
commission_buy_trade_1	decimal(15,6)	0.000000	NO

字段名	数据类型	默认值	允许非空
commission_buy_trade_2	decimal(15,6)	0.000000	NO
commission_buy_da_trade	decimal(15,6)	0.000000	NO
commission_buy_ca_trade	decimal(15,6)	0.000000	NO

commission_directseller_trade_0	decimal(15,6)	0.000000	NO
commission_directseller_trade_1	decimal(15,6)	0.000000	NO
commission_directseller_trade_2	decimal(15,6)	0.000000	NO
commission_directseller_da_trade	decimal(15,6)	0.000000	NO
commission_directseller_ca_trade	decimal(15,6)	0.000000	NO
commission_partner_buy_trade	decimal(15,6) unsigned	0.000000	NO
commission_partner_directseller_trade	decimal(15,6) unsigned	0.000000	NO
commission_partner_deposit_trade	decimal(15,6) unsigned	0.000000	NO
commission_distributor_amount	decimal(15,6)	0.000000	NO
commission_salesperson_amount	decimal(15,6)	0.000000	NO
commission_refund_amount	decimal(15,6)	0.000000	NO

shop_distribution_user_order 推广订单收益详情表

字段名	数据类型	默认值	允许非空	自动递增
uo_id	int(11) unsigned		NO	是
user_id	int(10) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
order_id	varchar(50)		NO	
uo_buy_commission	decimal(15,6)	0.000000	NO	
uo_directseller_commission	decimal(15,6)	0.000000	NO	
buyer_user_id	int(10)	0	NO	
store_id	int(11)	0	NO	

uo_level	smallint(4)	0	NO	
uo_time	int(11) unsigned	0	NO	
uo_active	tinyint(1) unsigned	0	NO	
uo_remark	varchar(255)		NO	
uo_is_paid	tinyint(1)	0	NO	
uo_paytime	int(11)	0	NO	
uo_receivetime	int(11)	0	NO	

shop_distribution_user_order_item 推广订单商品收益详情表

字段名	数据类型	默认值	允许非空	自动递增
uoi_id	int(11) unsigned		NO	是
user_id	int(10) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
order_id	varchar(50)		NO	
product_id	int(10) unsigned		NO	
item_id	int(10) unsigned		NO	
uoi_buy_commission	decimal(15,6)	0.000000	NO	

uoi_directseller_commission	decimal(15,6)	0.000000	NO	
uoi_distributor_commission	decimal(15,0)	0	NO	
buyer_user_id	int(10) unsigned		NO	
uoi_level	smallint(4)	0	NO	
uoi_time	int(11) unsigned	0	NO	
uoi_active	tinyint(1) unsigned	0	NO	
store_id	int(11)	0	NO	
uoi_is_paid	tinyint(1)	0	NO	
uoi_receivetime	int(11)	0	NO	

shop_distribution_user_withdraw 佣金划转到余额申请表

字段名	数据类型	默认值	允许非空	自动递增
-----	------	-----	------	------

字段名	数据类型	默认值	允许非空	自动递增
duw_id	int(10)		NO	是

user_id	int(10) unsigned	0	NO	
duw_amount	decimal(10,2) unsigned	0.00	NO	
duw_state	tinyint(2) unsigned	0	NO	
duw_user_id	int(10) unsigned	0	NO	
duw_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_log_action 用户行为日志表

字段名	数据类型	默认值	允许非空	自动递增
log_id	bigint(20) unsigned		NO	是
user_id	mediumint(10)	0	NO	
user_account	varchar(100)		NO	
user_name	varchar(20)		NO	
action_id	mediumint(8)	0	NO	
action_type_id	mediumint(9)		NO	
log_param	varchar(1024)		NO	
log_ip	varchar(20)		NO	

字段名	数据类型	默认值	允许非空	自动递增
log_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_message_template 消息模板表

字段名	数据类型	默认值	允许非空	自动递增	备注
message_id	varchar(100)		NO		洋
message_code	varchar(100)		NO		洋
message_name	varchar(100)		NO		洋
message_email_title	varchar(100)		NO		由
message_email_content	varchar(1024)		NO		由
message_content	varchar(255)		NO		由
message_sms	varchar(255)		NO		短
message_app	varchar(255)		NO		A
message_type	tinyint(1)	1	NO		洋 (1 月 平
message_enable	tinyint(1) unsigned	0	NO		由 (1 旁
message_sms_enable	tinyint(1) unsigned	0	NO		短 (1 旁
message_email_enable	tinyint(1) unsigned	0	NO		由 (1 旁

message_wechat_enable	tinyint(1)	0	NO		微 信
-----------------------	------------	---	----	--	--------

message_wecnat_enable 字段名	unsigned 数据类型	0 默认值	NO 允许非空	自动递增	(1 券
message_app_enable	tinyint(1) unsigned	0	NO		A (1 券
message_sms_force	tinyint(1) unsigned	0	NO		手 (1 不
message_email_force	tinyint(1) unsigned	0	NO		由 (1 不
message_app_force	tinyint(1) unsigned	0	NO		A 不
message_force	tinyint(1) unsigned	0	NO		站 (1 不
message_category	tinyint(1) unsigned	0	NO		岸 订 2 券 3 售
message_order	tinyint(2)	50	NO		封
message_tpl_id	varchar(50)		NO		号
message_tpl_sender	varchar(255)		NO		号 通

shop_number_seq Id管理表

字段名	数据类型	默认值	允许非空	自动递增	备注
prefix	varchar(20)		NO		前缀
number	int(10) unsigned	1001	NO		增长值

shop_order_base 订单详细信息-检索不分表也行, cache

字段名	数据类型	默认值	允许非空
order_id	varchar(50)		NO
order_number	varchar(50)		NO
order_time	timestamp	CURRENT_TIMESTAMP	NO
order_payment_amount	decimal(10,2)	0.00	NO
currency_id	int(11)	86	NO
currency_symbol_left	varchar(12)	¥	NO
store_id	int(10) unsigned	0	NO
store_name	varchar(50)		NO
buyer_user_id	int(10) unsigned	0	NO
buyer_user_name	varchar(50)		NO
order_state_id	smallint(4)	2010	NO

shop_order_cancel_reason 订单取消原因表

--	--	--	--	--	--

字段名 字段名	数据类型 数据类型	默认值 默认值	允许非空 允许非空	自动递增 自动递增	备注 备注
cancel_reason_id	mediumint(4) unsigned		NO	是	订单取
cancel_reason_name	varchar(50)		NO		订单取

shop_order_cb 跨境订单信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
order_id	varchar(50)		NO		订单
order_cb_flag	tinyint(1)	2	NO		跨境 否;
order_cb_sync	tinyint(1)	2	NO		是否 否;
order_cb_pay_req	tinyint(1)	2	NO		推送 (BC
order_cb_pay_res	tinyint(1)	2	NO		推送 (BC
order_cb_transfer	tinyint(1)	2	NO		推送 (BC
order_cb_ts	tinyint(1)	2	NO		推送 (BC
order_cb_list	tinyint(1)	2	NO		推送 (BC
order_cb_pay_res_data	varchar(1024)		NO		支付
order_cb_pay_req_data	varchar(1024)		NO		支付

shop_order_chain_code 虚拟兑换码门店自提兑换码表pickupcode

字段名	数据类型	默认值	允许非空	自动递增	备注
order_id	varchar(50)		NO		订单编
chain_id	int(11)	0	NO		门店编
item_id	int(10) unsigned	0	NO		订单编
chain_code	varchar(50)		NO		虚拟码
chain_code_status	int(10) unsigned	0	NO		虚拟码 (ENU 1-已使
chain_code_usetime	timestamp	0000- 00-00 00:00:00	NO		虚拟码
virtual_service_date	date	0000- 00-00	NO		-
virtual_service_time	timestamp	0000- 00-00 00:00:00	NO		-
user_id	int(11) unsigned	0	NO		用户编
store_id	int(10) unsigned	0	NO		店铺编
product_validity_end	int(11)	0	NO		失效时

shop_order_comment 订单店铺评价表

字段名	数据类型	默认值	允许非空
order_id	varchar(50)		NC
store_id	int(10) unsigned	0	NC

字段名	数据类型	默认值	备注
store_name	varchar(50)		NC
user_id	int(10) unsigned	0	NC
user_name	varchar(50)		NC
comment_points	decimal(10,2)	0.00	NC

comment_scores	tinyint(4) unsigned	3	NC
comment_content	varchar(255)		NC
comment_image	varchar(1000)		NC
comment_helpful	int(10)	0	NC
comment_nohelpful	int(10)	0	NC
comment_time	timestamp	CURRENT_TIMESTAMP	NC
comment_is_anonymous	tinyint(1) unsigned	0	NC
comment_enable	tinyint(1) unsigned	1	NC
comment_store_desc_credit	tinyint(1) unsigned	5	NC
comment_store_service_credit	tinyint(1) unsigned	5	NC
comment_store_delivery_credit	tinyint(1) unsigned	5	NC

shop_order_data 订单详细信息

字段名	数据类型	默认值	允许非空	自动递
order_id	varchar(50)		NO	
order_desc	varchar(200)		NO	
order_delay_time	int(11)	0	NO	
delivery_type_id	tinyint(4) unsigned	0	NO	
delivery_time_id	tinyint(4)	1	NO	
delivery_time	date		NO	
delivery_time_rang	tinyint(2)	0	NO	
delivery_time_h	tinyint(2)		NO	
delivery_time_i	tinyint(2)		YES	
delivery_istimer	tinyint(1)	0	NO	
invoice_type_id	tinyint(1)	0	NO	
invoice_company_code	varchar(100)		NO	
order_invoice_title	varchar(100)		NO	
order_message	varchar(255)		NO	
order_item_amount	decimal(10,2)	0.00	NO	
order_discount_amount	decimal(10,2)	0.00	NO	
order_adjust_fee	decimal(10,2)	0.00	NO	
order_points_fee	decimal(10,2)	0.00	NO	
order_shipping_fee_amount	decimal(10,2)	0.00	NO	

order_snipping_ree_amount 字段名	decimal(10,2) 数据类型	0.00 默认值	NO 允许非空	自动递
order_shipping_fee	decimal(10,2)	0.00	NO	

voucher_id	int(10)	0	NO	
voucher_number	varchar(32)		NO	
voucher_price	decimal(10,2)	0.00	NO	
redpacket_id	int(10)	0	NO	
redpacket_number	varchar(32)		NO	
redpacket_price	decimal(10,2)	0.00	NO	
order_redpacket_price	decimal(10,2)	0.00	NO	
order_resource_ext1	decimal(10,2)	0.00	NO	
order_resource_ext2	decimal(10,2)	0.00	YES	
order_resource_ext3	decimal(10,2)	0.00	YES	
trade_payment_money	decimal(10,0)	0	NO	
trade_payment_recharge_card	decimal(10,2)	0.00	NO	
trade_payment_credit	decimal(10,2)	0.00	NO	
order_refund_status	tinyint(1) unsigned	0	NO	
order_refund_amount	decimal(10,2)	0.00	NO	
order_refund_agree_amount	decimal(10,2)	0.00	NO	
order_return_status	tinyint(1) unsigned	0	NO	
order_return_num	int(10) unsigned	0	NO	
order_return_ids	varchar(200)		NO	

字段名	数据类型	默认值	允许非空	自动递增
order_commission_fee	decimal(10,2)	0.00	NO	
order_commission_fee_refund	decimal(10,2)	0.00	NO	
order_points_add	int(11)	0	NO	
order_promotion_info	varchar(255)		NO	
order_cancel_identity	tinyint(1)	0	NO	
order_cancel_reason	varchar(255)		NO	
order_cancel_time	timestamp	0000-00-00 00:00:00	NO	
order_bp_add	int(10)	0	NO	
order_rebate	decimal(10,2)	0.00	NO	
buyer_mobile	int(11)		YES	
order_heka	varchar(255)		YES	

shop_order_delivery_address 收货地址表

字段名	数据类型	默认值	允许非空	自动递增
order_id	varchar(50)		NO	
da_name	varchar(10)		NO	
da_mobile	varchar(20)		NO	
da_telephone	varchar(30)		NO	
da_contacter	varchar(20)		NO	
da_im	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	自动递增
da_province_id	int(10)	0	NO	
da_province	varchar(50)		NO	
da_city_id	int(10)	0	NO	
da_city	varchar(50)		NO	
da_county_id	int(10) unsigned	0	NO	
da_county	varchar(50)		NO	
da_address	varchar(255)		NO	
da_postalcode	varchar(30)		NO	

da_tag_name	varchar(50)	0	NO	
da_time	timestamp	CURRENT_TIMESTAMP	NO	
da_longitude	varchar(20)		NO	
da_latitude	varchar(20)		NO	

shop_order_exchange 换货单表

字段名	数据类型	默认值	允许非空	自动递增	备注
order_return_id	bigint(20) unsigned		NO	是	编号
order_id	varchar(50)		NO		订单
refund_id	varchar(100)		NO		退款
member_id	int(10) unsigned		NO		买家
	int(10)				

字段名	数据类型	默认值	NO 允许非空	自动递增	备注
seller_id	int(10)		NO		卖家
product_id	int(10)		NO		商品
item_id	int(10)	0	NO		商品
refund_price	float(10,2)		NO		退款
reason	varchar(255)		NO		原因
status	tinyint(1)	1	NO		状态
order_return_item_status	tinyint(1)	0	NO		货物
type	tinyint(1)	0	NO		类型

create_time	int(10) unsigned		NO		创建
close_reason	varchar(255)		NO		关闭
refuse_reason	varchar(255)		NO		拒绝

shop_order_info 订单信息表

字段名	数据类型	默认值	允许非空	自动递增
order_id	varchar(50)		NO	
order_title	varchar(50)		NO	
store_id	mediumint(8)	0	NO	
subsite_id	int(8) unsigned	0	NO	
buyer_user_id	int(10)	0	NO	
kind_id	smallint(4) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递
order_lock_status	tinyint(3) unsigned	0	NO	
order_is_settlemnted	tinyint(1) unsigned	0	NO	
order_settlement_time	timestamp	0000- 00-00 00:00:00	NO	
order_buyer_evaluation_status	tinyint(1)	0	NO	
order_seller_evaluation_status	tinyint(1)	0	NO	

order_year	smallint(4) unsigned	0	NO	
order_month	tinyint(2) unsigned	0	NO	
order_day	tinyint(2) unsigned	0	NO	
order_time	int(11) unsigned	0	NO	
order_deal_time	int(11) unsigned	0	NO	
order_buyer_hidden	tinyint(1)	0	NO	
order_shop_hidden	tinyint(1)	0	NO	

payment_type_id 字段名	int(4) 数据类型 unsigned	2 默认值	NO 允许非空	自动递
payment_time	timestamp	0000- 00-00 00:00:00	NO	
order_state_id	smallint(4) unsigned	10	NO	

order_is_review	tinyint(1) unsigned	0	NO	
order_finance_review	tinyint(1) unsigned	0	NO	
order_is_paid	smallint(4) unsigned	3010	NO	
order_is_out	smallint(4) unsigned	3020	NO	
order_is_shipped	smallint(6)	3030	NO	
order_is_received	smallint(4) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递
chain_id	int(10) unsigned		NO	
delivery_type_id	tinyint(4)	0	NO	
order_is_offline	tinyint(1) unsigned	0	NO	
cart_type_id	tinyint(1) unsigned	1	NO	
order_express_print	tinyint(1) unsigned	0	NO	
activity_id	varchar(50)	0	NO	
activity_type_id	varchar(50)	0	NO	
salesperson_id	int(10)	0	NO	

order_is_sync	tinyint(1)	0	NO	
store_is_selfsupport	tinyint(1)	1	NO	
store_type	tinyint(1)	1	NO	
order_erp_id	varchar(100)		NO	
distributor_user_id	int(10)	0	NO	
order_is_cb	tinyint(1)	0	NO	
order_is_cb_sync	tinyint(1)	0	NO	
src_order_id	varchar(50)		NO	
order_is_transfer	tinyint(1)	0	NO	

order_is_transfer_note	varchar(255)	默认值	NO	自动送
order_fx_is_settlemanted	tinyint(2)	0	NO	
order_fx_settlement_time	timestamp	0000-00-00 00:00:00	NO	

shop_order_invoice 订单发票管理表

字段名	数据类型	默认值
order_invoice_id	int(11)	
order_id	varchar(50)	
user_id	int(11) unsigned	0
store_id	int(11)	
invoice_title	varchar(50)	
invoice_content	varchar(50)	
invoice_amount	decimal(16,6) unsigned	0.000000
invoice_company_code	varchar(100)	
invoice_type	enum('company','person')	person

invoice_kind	tinyint(1) unsigned	2

invoice_status 字段名	tinyint(1) unsigned 数据类型	0 默认值
invoice_datetime	timestamp	CURRENT_TIMESTAMP
invoice_address	varchar(255)	
invoice_phone	varchar(255)	
invoice_bankname	varchar(255)	
invoice_bankaccount	varchar(255)	
order_is_paid	smallint(4) unsigned	3010

shop_order_item 订单商品表

字段名	数据类型	默认值	允许非空	自
order_item_id	bigint(20)		NO	是

order_id	varchar(50)		NO	
buyer_id	int(10) unsigned	0	NO	
store_id	int(10)	0	NO	
product_id	bigint(20) unsigned		NO	
item_id	bigint(20) unsigned		NO	
item_name	varchar(100)		NO	
category_id	mediumint(8)	0	NO	

spec_id 字段名	int(10) 数据类型	0 默认值	NO 允许非空	自
spec_info	varchar(255)		NO	
item_unit_price	decimal(10,2) unsigned	0.00	NO	
item_unit_points	decimal(10,2)	0.00	NO	
item_unit_sp	decimal(10,2)		NO	
order_item_unit_price	decimal(10,2)	0.00	NO	
item_platform_price	decimal(10,2)	0.00	NO	
item_cost_price	decimal(10,2)	0.00	NO	
order_item_quantity	smallint(5) unsigned	1	NO	
order_item_inventory_lock	smallint(4)	1002	NO	
order_item_image	varchar(255)		NO	
order_item_return_num	smallint(5) unsigned	0	NO	

order_item_return_subtotal	decimal(10,2)	0.00	NO	
order_item_return_agree_amount	decimal(10,2)	0.00	NO	
order_item_amount	decimal(10,2)	0.00	NO	
order_item_discount_amount	decimal(10,2)	0.00	NO	
order_item_adjust_fee	decimal(10,2)	0.00	NO	
order_item_points_fee	decimal(10,2)	0.00	NO	
order_item_payment_amount	decimal(10,2)	0.00	NO	

字段名	数据类型	默认值	允许非空	自
order_item_payment_amount	unsigned	0.00	NO	
order_item_evaluation_status	tinyint(1) unsigned	0	NO	
activity_type_id	int(11) unsigned	0	NO	
activity_id	int(11)	0	NO	
order_item_commission_rate	decimal(6,2) unsigned	0.00	NO	

order_item_commission_fee	decimal(10,2) unsigned	0.00	NO	
order_item_commission_fee_refund	decimal(10,2)	0.00	NO	
policy_discontrate	decimal(6,2) unsigned	100.00	NO	
item_voucher	decimal(10,2)	0.00	NO	
order_item_note	varchar(100)		NO	
order_item_file	varchar(255)		NO	
order_item_confirm_file	varchar(255)		NO	
order_item_confirm_status	tinyint(1)	0	NO	

字段名	数据类型	默认值	允许非空	自
design_file_images	varchar(500)	0	NO	
order_item_saler_id	int(11)	0	NO	
item_src_id	bigint(20)	0	NO	
order_item_supplier_sync	tinyint(1)	0	NO	
src_order_id	varchar(50)		NO	

shop_order_item_supplier 订单商品表

字段名	数据类型	默认值	允许非空	自动递增	备注
order_item_supplier_id	bigint(20)		NO	是	订单
order_id	varchar(50)		NO		订单
item_id	bigint(20) unsigned	0	NO		SKL
item_src_id	bigint(20)	0	NO		供应
order_item_supplier_sync	tinyint(1)	0	NO		同步

shop_order_logistics 订单发货物流信息表

字段名	数据类型	默认值	允许非空
order_logistics_id	bigint(20)		NO
order_id	varchar(50)		NO
stock_bill_id	varchar(50)		NO
order_tracking_number	varchar(50)		NO
logistics_explain	varchar(50)		NO
logistics_time	timestamp	CURRENT_TIMESTAMP	NO

logistics_id 字段名	mediumint(8) 数据类型	默认值	NO 允许非空
logistics_name	varchar(30)		NO
logistics_number	varchar(50)		NO
logistics_phone	varchar(20)		NO
logistics_mobile	varchar(20)		NO
logistics_contacter	varchar(100)		NO
logistics_tax	varchar(20)		NO
logistics_address	varchar(100)		NO
logistics_zip	varchar(20)		NO

logistics_enable	tinyint(1) unsigned	1	NO
------------------	------------------------	---	----

shop_order_meta 订单扩展表

字段名	数据类型	默认值	允许非空	自
meta_id	varchar(50)		NO	
data_id	varchar(50)	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(4096)		NO	
meta_datatype	enum('string','json','number','dot')	string	NO	

shop_order_payment 支付信息表-一个订单可以多个记录支付。

字段名	数据类型	默认值	允许非空
-----	------	-----	------

字段名 字段名	数据类型 数据类型	默认值 默认值	允许非空 允许非空
order_payment_id	bigint(20) unsigned		NO

order_id	varchar(50)		NO
payment_need_amount	decimal(20,2)	0.00	NO
order_point_sub	decimal(10,2)	0.00	NO
order_point_fee	decimal(10,2)	0.00	NO
gift_card_id	int(8)	0	NO
gift_card_number	varchar(32)		NO
gift_card_price	decimal(10,2)	0.00	NO
payment_cash	decimal(10,2)	0.00	YES
order_point_add	int(10) unsigned	0	NO
payment_type_id	tinyint(4)	2	NO
payment_id	tinyint(4)	0	NO
payment_name	varchar(100)		NO
payment_ip	varchar(20)		NO
payment_start_time	timestamp	CURRENT_TIMESTAMP	NO
payment_end_time	timestamp	0000-00-00 00:00:00	NO
payment_status	tinyint(1)	1	NO
trade_id	varchar(30)		NO
payment_offline	decimal(10,2) unsigned	0.00	NO

字段名	数据类型	默认值	允许非空	自
-----	------	-----	------	---

shop_order_process_state 订货订单处理状态表

字段名	数据类型	默认值	允许非空	自
order_process_state_id	smallint(4) unsigned		NO	是
order_process_state_name	varchar(50)		NO	
order_process_state_text_1	varchar(50)		NO	
order_process_state_note	varchar(255)		NO	
order_process_state_buildin	tinyint(1) unsigned	1	NO	
order_process_type	enum('Order','Return')	Order	NO	

shop_order_repair 订单维修表

字段名	数据类型	默认值	允许非空	自动递增	备注
order_repair_id	bigint(20) unsigned		NO	是	编号
order_id	varchar(50)		NO		订单号
refund_id	varchar(100)		NO		退货单号
member_id	int(10) unsigned		NO		买家ID
seller_id	int(10) unsigned		NO		卖家ID
product_id	int(10)		NO		商品ID
item_id	int(10)	0	NO		商品ID
refund_price	float(10,2)		NO		退货金额

字段名	数据类型	默认值	允许非空	自动递增	备注
refund_price	float(10,2)		NO		退款
reason	varchar(255)		NO		备注原因
status	tinyint(1)	1	NO		状态
order_repair_item_status	tinyint(1)	0	NO		货物
type	tinyint(1)	0	NO		类型
create_time	int(10) unsigned		NO		创建
close_reason	varchar(255)		NO		关闭
refuse_reason	varchar(255)		NO		拒绝

shop_order_return 退款退货表-发货退货,卖家也可以决定不退货退款,买家申请退款不支持。卖家可以主动退款。

字段名	数据类型	默认值	允许非空
return_id	varchar(50)		NO
service_type_id	tinyint(3) unsigned	2	NO
order_id	varchar(50)		NO

return_refund_amount	decimal(10,2)	0.00	NO
store_id	int(10)		NO
buyer_user_id	int(10) unsigned		NO
return_add_time	timestamp	CURRENT_TIMESTAMP	NO
return_year	smallint(4) unsigned	0	NO

字段名	数据类型	默认值	允许非空
return_month	tinyint(2) unsigned	0	NO
return_day	tinyint(2) unsigned	0	NO
return_reason_id	int(10)		NO
return_buyer_message	varchar(300)		NO
return_addr_contacter	varchar(30)		NO
return_tel	varchar(20)		NO
return_addr	varchar(150)		NO
return_post_code	int(6)	0	NO
express_id	tinyint(4)	0	NO
return_tracking_number	varchar(30)		NO
platform_return_state_id	smallint(4)	3180	NO

return_state_id	smallint(4)	3105	NO
return_is_paid	tinyint(1) unsigned	0	NO
return_is_shipping_fee	tinyint(4)	0	NO
return_flag	tinyint(4)	1	NO
return_type	tinyint(4)	1	NO

字段名	数据类型	默认值	允许非空
return_order_lock	tinyint(4)	1	NO
return_item_state_id	smallint(4) unsigned	2030	NO
return_store_time	timestamp	0000-00-00 00:00:00	NO
return_store_message	varchar(300)		NO
return_commission_fee	decimal(10,2)	0.00	NO
return_finish_time	timestamp	0000-00-00 00:00:00	NO
return_platform_message	varchar(255)		NO
return_is_settled	tinyint(1)	0	NO
return_settlement_time	timestamp	0000-00-00 00:00:00	NO
return_channel_code	varchar(255)	money	NO
return_channel_flag	tinyint(4)	0	NO
return_channel_time	timestamp	0000-00-00 00:00:00	NO
return_channel_trans_id	varchar(255)		NO
deposit_trade_no	varchar(255)		NO

payment_channel_id	smallint(4)	0	NO
trade_payment_amount	decimal(10,2)	0.00	NO

shop_order_return_item 订单退货详情表

字段名	数据类型	默认值	允许非空	自动递增
order_return_item_id	int(10)		NO	是
order_id	varchar(50)		NO	
return_item_id	varchar(50)		NO	

return_id 字段名	varchar(50) 数据类型	默认值	NO 允许非空	自动递增
order_item_id	int(10)	0	NO	
return_item_num	smallint(5) unsigned	0	NO	
return_item_store_remark	varchar(255)		NO	
return_reason_id	smallint(4)		NO	

return_item_note	varchar(255)		NO	
return_item_subtotal	decimal(10,2)	0.00	NO	
return_item_commission_fee	decimal(10,2)	0.00	NO	
return_item_image	varchar(1024)		NO	
return_state_id	smallint(4)	3105	NO	

shop_order_return_reason 退货原因表

字段名	数据类型	默认值	允许非空	自动递增	备注
return_reason_id	int(10)		NO	是	-
return_reason_name	varchar(255)		NO		投诉理由

字段名	数据类型	默认值	允许非空	自动递增	备注
service_type_reason_sort	tinyint(4)		NO	是	服务类型

shop_order_service_type 订单售后服务类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
service_type_id	tinyint(4)		NO	是	服务类型
service_type_name	varchar(50)		NO		服务类型
service_type_text	varchar(50)		NO		服务类型
service_type_prefix	varchar(5)		NO		前缀
service_type_remark	varchar(255)		NO		订单类型

shop_order_settlement 订单结算表

字段名	数据类型	默认值	允许非空	自动递增
os_id	varchar(50)		NO	

os_start_time	int(11) unsigned	0	NO	
os_end_time	int(11) unsigned	0	NO	
os_order_amount	decimal(10,2)	0.00	NO	
os_shipping_amount	decimal(10,2)	0.00	NO	
os_order_return_amount	decimal(10,2)	0.00	NO	
os_commission_amount	decimal(10,2)	0.00	NO	
os_commission_return_amount	decimal(10,2)	0.00	NO	

字段名	数据类型	默认值	允许非空	自动递
os_store_expense_amount	decimal(10,2)	0.00	NO	
os_amount	decimal(10,2)	0.00	NO	
os_datetime	timestamp	0000-00-00 00:00:00	NO	
os_date	date	0000-00-00	NO	
os_state	tinyint(4)	1	NO	
os_pay_date	timestamp	0000-00-00 00:00:00	NO	
os_pay_content	varchar(200)		NO	
store_id	int(10) unsigned		NO	
store_name	varchar(50)		NO	

kind_id	smallint(4) unsigned	1	NO	
---------	----------------------	---	----	--

shop_order_shipping_address 发货人地址表

字段名	数据类型	默认值	允许非空	自动递
order_logistics_id	bigint(20)	0	NO	
order_id	varchar(50)		NO	

字段名	数据类型	默认值	允许非空	自动递增
seller_id	int(8) unsigned		NO	
sa_name	varchar(10)		NO	
sa_mobile	varchar(20)		NO	
sa_telephone	varchar(30)		NO	

sa_contacter	varchar(20)		NO	
sa_im	varchar(20)		NO	
sa_province_id	int(10)	0	NO	
sa_province	varchar(10)		NO	
sa_city_id	int(10)	0	NO	
sa_city	varchar(10)		NO	
sa_county_id	int(10) unsigned	0	NO	
sa_county	varchar(10)		NO	
sa_address	varchar(100)		NO	
sa_postalcode	varchar(30)		NO	
sa_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_order_state 订单状态表

字段名	数据类型	默认值	允许非空	自动递增	备注
order_state_id	smallint(4)		NO	是	状态编号
order_state_name	varchar(50)		NO		订单状态
order state text 1	varchar(255)		NO		实物

字段名	数据类型	默认值	允许非空	自动递增	备注
order_state_text_2	varchar(255)		NO		备注 实物
order_state_text_3	varchar(255)		NO		实物
order_state_remark	varchar(255)		NO		备注

shop_order_state_log 订单状态记录表-下单-付款-配货-出库-交易成功

字段名	数据类型	默认值	允许非空	自动递增
order_state_log_id	int(11)		NO	是
order_id	varchar(50)		NO	
order_state_id	smallint(4)	0	NO	
order_state_pre_id	smallint(4) unsigned	0	NO	
order_state_type	varchar(50)		NO	
order_state_time	timestamp	CURRENT_TIMESTAMP	NO	
user_id	int(10)		NO	
user_nickname	varchar(50)		NO	
order_state_note	varchar(50)		NO	

order_state_is_sync 字段名	tinyint(1) 数据类型	默认值	NO 允许非空	自动递
----------------------------	--------------------	-----	------------	-----

shop_order_trace 订单跟踪表

字段名	数据类型	默认值	允许非空	自动
order_trace_id	bigint(20)		NO	是
order_id	varchar(15)		NO	
order_trace_user_id	smallint(5)		NO	
order_trace_name	varchar(30)		NO	
order_trace_text	longtext		NO	
order_trace_time	timestamp	CURRENT_TIMESTAMP	NO	
order_trace_type	varchar(255)		NO	

shop_page_app 店铺风格表

字段名	数据类型	默认值	允许非空	自动递增	备注
app_id	int(10) unsigned		NO	是	应用编
app_name	varchar(1024)		NO		应用名
app_code	text		NO		应用代
tpl_id	int(10) unsigned	0	NO		模板编
tpl_image	varchar(255)		NO		-
store_id	mediumint(8) unsigned	0	NO		所属店
user_id	mediumint(8) unsigned	0	NO		所属用
subsite_id	int(8)	0	NO		所属分

subsite_id 字段名	unsigned 数据类型	0 默认值	NO 允许非空	自动递增	备注
app_buildin	tinyint(1) unsigned	0	NO		是否内 (BOOI 否;1-是
app_type	tinyint(1) unsigned	1	NO		类型 (ENUN WAP;2- PC;3-4
app_tpl	text		NO		应用模
app_member_center	text		NO		个人中

shop_page_base 页面表

字段名	数据类型	默认值	允许非空	自动递增	备注
page_id	bigint(20) unsigned		NO	是	页面编号
page_name	varchar(20)		NO		页面名称
store_id	mediumint(8) unsigned	0	NO		所属店铺
user_id	mediumint(8) unsigned	0	NO		所属用户

subsite_id	mediumint(4) unsigned	0	NO		所属分站
page_buildin	tinyint(1) unsigned	0	NO		是否内置 是
page_type	tinyint(1) unsigned	1	NO		类型(EN PC;3-AP
page_tpl	text		NO		页面布局
app_id	int(10)	0	NO		所属APP

字段名	数据类型	默认值	允许非空	自动递增	备注
page_code	text		NO		-
page_nav	text		NO		-
page_config	varchar(1024)		NO		-
page_share_title	varchar(255)		NO		-
page_share_image	varchar(255)		NO		-
page_qrcode	varchar(255)		NO		-
page_index	tinyint(1) unsigned	0	NO		是否首页 非首页;1
page_gb	tinyint(1) unsigned	0	NO		拼团首页 非首页;1
page_activity	tinyint(1) unsigned	0	NO		活动首页 非首页;1
page_point	tinyint(1) unsigned	0	NO		积分首页 非首页;1
page_gbs	tinyint(1) unsigned	0	NO		团购首页 非首页;1
page_package	tinyint(1) unsigned	0	NO		组合套餐 非首页;1

page_pfgb	tinyint(1) unsigned	0	NO		批发团购 非首页;1
page_sns	tinyint(1) unsigned	0	NO		社区(BO 首页
page_article	tinyint(1) unsigned	0	NO		资讯(BO 首页
page_zerobuy	tinyint(1)	0	NO		零元购区 是
					品牌专区

字段名	数据类型	默认值	允许非空	自动递增	备注
page_higharea	tinyint(1)	0	NO		高额返区是
page_taday	tinyint(1)	0	NO		今日爆款是
page_everyday	tinyint(1)	0	NO		每日好店是
page_secondkill	tinyint(1)	0	NO		整点秒杀是
page_secondday	tinyint(1)	0	NO		天天秒淘是
page_rura	tinyint(1)	0	NO		设置土特否;1-是
page_likeyou	tinyint(1)	0	NO		用户页b否;1-是
page_exchange	tinyint(1)	0	NO		兑换专区是
page_new	tinyint(1)	0	NO		新品首发是
page_newperson	tinyint(1)	0	NO		新人优惠是
page_upgrade	tinyint(1)	0	NO		升级VIP是
page_message	varchar(1)	0	NO		信息发在是

shop_page_module 页面模块表

字段名	数据类型	默认值	允许非空	自动递增	备注
pm_id	int(10) unsigned		NO	是	-

pm_name 字段名	varchar(20) 数据类型	默认值	NO 允许非空	自动递增	模块名称 备注
page_id	bigint(20)		NO		-
user_id	mediumint(8)		NO		所属用户
pm_color	varchar(20)		NO		颜色
pm_type	varchar(10)		NO		所在页面

module_id	varchar(10)		NO		模版
pm_utime	datetime		NO		更新时间
pm_order	smallint(3) unsigned	1	NO		排序
pm_enable	tinyint(1) unsigned	1	NO		是否显示
pm_html	varchar(10000)		NO		模块html代码
pm_json	varchar(10000)	[]	NO		模块JSON代码
subsite_id	mediumint(4)	0	NO		所属分站id:0-1
pm_position	varchar(255)		NO		column_left:c

shop_plantform_activity 平台活动表

字段名	数据类型	默认值	允许非空	自动递增
pa_id	int(10)		NO	是
pa_name	varchar(255)		NO	
pa_title	varchar(255)		NO	
pa_remark	varchar(255)		NO	

pa_type_id 字段名	int(10) 数据类型	默认值	NO 允许非空	自动递增
pa_starttime	timestamp	CURRENT_TIMESTAMP	NO	
pa_endtime	timestamp	0000-00-00 00:00:00	NO	
pa_state	tinyint(1)	0	NO	

pa_order	varchar(255)	50	NO	
pa_type	tinyint(1)	1	NO	

shop_plantform_activity_item 参与活动商品表-用户筛选计算

字段名	数据类型	默认值	允许非空	自动递增
pai_id	int(10) unsigned		NO	是
pa_id	int(10) unsigned	0	NO	
pa_type_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
store_name	varchar(255)		NO	
	bigint(20)			

product_id 字段名	unsigned 数据类型	0 默认值	NO 允许非空	自动递增
product_name	varchar(255)		NO	
item_id	bigint(20) unsigned	0	NO	
category_id	mediumint(8) unsigned	0	NO	
pa_starttime	timestamp	CURRENT_TIMESTAMP	NO	
pa_endtime	timestamp	0000-00-00 00:00:00	NO	
pa_state	tinyint(3) unsigned	1	NO	

pai_enable	tinyint(3) unsigned	0	NO	
pai_time	timestamp	0000-00-00 00:00:00	NO	
pai_item_order	tinyint(3)		NO	
pai_unit_price	decimal(10,2)		NO	

shop_plantform_activity_zerobuy 零元购商品专区

字段名	数据类型	默认值	允许非空	自动递增	备注
zb_id	int(10)		NO	是	零元购编号
product_id	int(10)		NO		零元购SPU
item_name	varchar(255)		NO		零元购商品:

字段名	数据类型	默认值	允许非空	自动递增	备注
item_id	int(10)		NO		购买商品id
zb_share	int(10)		NO		分享人数
zb_time	timestamp	0000-00-00 00:00:00	NO		添加时间

zb_state	tinyint(1)	0	NO		活动商品状态(ENUM):0-未开启;1-正常;2-已结束;3-管理员关闭
user_id	int(10)		NO		添加人编号
zb_starttime	timestamp	0000-00-00 00:00:00	NO		开始时间
zb_endtime	timestamp	0000-00-00 00:00:00	NO		结束时间
zb_unit_price	decimal(10,2)		NO		活动价格
store_id	int(10)		NO		商家编号

shop_plantform_feedback 平台反馈表-举报

字段名	数据类型	默认值	允许非空
feedback_id	int(10)		NC
feedback_category_id	smallint(6) unsigned	1001	NC
	int(10)		

user_id 字段名	int(10) 数据类型	0 默认值	NC 允许
user_name	varchar(50)		NC
feedback_question	varchar(255)		NC
feedback_question_url	varchar(255)		NC

feedback_question_answer	varchar(255)		NC
feedback_question_time	timestamp	CURRENT_TIMESTAMP	NC
feedback_question_answer_time	timestamp	0000-00-00 00:00:00	NC
feedback_question_status	tinyint(1) unsigned	1	NC
feedback_question_result	tinyint(1) unsigned	0	NC
product_id	bigint(20) unsigned	0	NC
admin_id	int(11)		NC

shop_plantform_feedback_category 平台反馈主题分类表

字段名	数据类型	默认值	允许非空	自动递增	备
feedback_category_id	smallint(6) unsigned		NO	是	反
feedback_category_name	varchar(50)		NO		分
feedback_type_id	smallint(6) unsigned	1002	NO		反

字段名	数据类型	默认值	允许非空	自动递增	备注
feedback_category_enable	tinyint(1) unsigned	1	NO		是否启 (B 禁

shop_plantform_feedback_type 平台反馈类型表

字段名	数据类型	默认值	允许非空	自动递增	备注
feedback_type_id	smallint(6) unsigned		NO	是	反馈类
feedback_type_name	varchar(50)		NO		类型名
feedback_type_enable	tinyint(1) unsigned	1	NO		是否启
feedback_type_genus	int(1)	1	NO		所属身 (ENUM 会员所 经销商

shop_plantform_high_return 高额返区

字段名	数据类型	默认值	允许非空	自动递增	备注
ha_id	int(10)		NO	是	高额返区编
user_id	int(10)		NO		用户编号
product_id	int(10)		NO		产品编号
item_name	varchar(255)		NO		产品名称
item_id	int(10)		NO		商品编号
ha_time	timestamp	0000- 00-00 00:00:00	NO		创建时间
					活动商品状 (ENUM):0- 未开启;1-

ha_state 字段名	tinyint(1) 数据类型	0 默认值	NO 允许非空	自动递增	备注;2- 已结束;3- 管理员关闭
ha_unit_price	decimal(10,2)		NO		-
ha_starttime	timestamp	0000- 00-00 00:00:00	NO		开始时间
ha_endtime	timestamp	0000- 00-00 00:00:00	NO		结束时间
store_id	int(10)		NO		商家编号

shop_plantform_high_return_user 高额返区用户分享表

字段名	数据类型	默认值	允许非空	自动递增	备注
hau_id	int(10)		NO	是	高额返区ID
ha_id	int(10)		NO		高额返区ID
item_id	int(10)		NO		产品编号
product_id	int(10)		NO		产品编号

user_id	int(10)		NO		用户编号
user_name	varchar(255)		NO		用户姓名
hau_time	timestamp	0000- 00-00 00:00:00	NO		分享时间
hau_share_num	int(10)	0	NO		分享次数

shop_plantform_media 用户附件表-图片、视频

字段名	数据类型	默认值	
media_id	bigint(20) unsigned		I
media_number	char(32)		I
gallery_id	bigint(20)		I
store_id	int(10) unsigned	0	I
media_url	varchar(255)		I
media_source	varchar(255)		I
media_order	mediumint(4) unsigned	50	I
media_domain	varchar(255)		I
media_path	varchar(255)		I
media_type	enum('video','other','image')	image	I
media_image_h	int(10) unsigned	0	I
media_image_w	int(10) unsigned	0	I
media_size	int(10) unsigned	0	I
media_mime_type	varchar(100)		I
media_metadata	varchar(255)		I
media_alt	varchar(255)		I
media_name	varchar(50)		I
media_desc	varchar(255)		I
media_password	varchar(20)		I
media_time	timestamp	CURRENT_TIMESTAMP	I

shop_plantform_media_gallery 用户相册表

字段名	数据类型	默认值	允许非空	自动递增
gallery_id	bigint(20) unsigned		NO	是

gallery_name	varchar(100)		NO	
gallery_desc	varchar(255)		NO	
gallery_num	mediumint(8) unsigned	0	NO	
gallery_is_default	tinyint(4) unsigned	0	NO	
gallery_order	smallint(4) unsigned	50	NO	
gallery_type	enum('video','other','image')	image	NO	
gallery_cover	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	

shop_plantform_notice 平台公告表

字段名	数据类型	默认值	允许非空	自动递增
notice_id	int(10)		NO	是
notice_title	varchar(50)		NO	
notice_content	varchar(1024)		NO	
notice_time	timestamp	CURRENT_TIMESTAMP	NO	
notice_enable	tinyint(1) unsigned	0	NO	

shop_plantform_subsite 城市分站表

字段名	数据类型	默认值	允许非空	自动递增	备注
subsite_id	int(8)		NO	是	主

subsite_parent_id	int(11)	0	NO		外
subsite_name	varchar(60)		NO		外
subsite_domain	varchar(20)		NO		外
subsite_city_ids	text		NO		区
subsite_item_city_ids	varchar(5000)		NO		城
subsite_item_city_name	varchar(10000)		NO		区 (
subsite_logo	varchar(255)		NO		长
subsite_copyright	text		NO		长
subsite_template	varchar(50)		NO		框
subsite_enable	tinyint(1) unsigned	1	NO		是
subsite_title	varchar(100)		NO		S
subsite_keywords	varchar(100)		NO		S
subsite_description	varchar(100)		NO		S
subsite_des	varchar(100)		NO		指
subsite_hot	tinyint(1)	0	NO		是 (

shop_plantform_subsite_user 城市分站管理员表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名	数据类型	默认值	允许非空	自动递增	备注
subsite_user_id	int(11) unsigned		NO	是	分站管理员
subsite_id	int(8) unsigned		NO		分站编号
user_id	int(11) unsigned	0	NO		所属管理员

shop_points_cart 积分礼品兑换购物车-直接购买不使用此表

字段名	数据类型	默认值	允许非空	自动递增	备注
points_cart_id	int(10) unsigned		NO	是	自增编号
user_id	int(10) unsigned	0	NO		会员编号
points_item_id	int(10) unsigned	0	NO		积分礼品
points_item_name	varchar(10)		NO		积分礼品
points_item_points	int(10) unsigned	0	NO		积分礼品
points_item_quantity	int(10) unsigned	0	NO		选择积分
points_item_image	varchar(255)		NO		积分礼品

shop_points_item 积分礼品表

字段名	数据类型	默认值	允许非空
points_item_id	int(10)		NO
points_item_number	varchar(50)		NO
points_item_name	varchar(100)		NO

points_item_price	数据类型(10,2)	默认值	允许非空
points_item_points	int(10)	0	NO
points_item_image	varchar(255)		NO
points_item_tag	varchar(100)		NO
points_item_storage	int(10)	0	NO

points_item_enable	tinyint(1) unsigned	0	NO
points_item_recommend	tinyint(1)	0	NO
points_item_add_time	timestamp	CURRENT_TIMESTAMP	NO
points_item_keywords	varchar(100)		NO
points_item_description	varchar(200)		NO
points_item_content	text		NO
points_item_salenum	int(10)	0	NO
points_item_view	int(10)	0	NO
points_item_user_level	int(10)	0	NO
points_item_islimit	tinyint(1)	0	NO
points_item_limitnum	int(10)		NO
points_item_islimittime	tinyint(1)	0	NO
points_item_starttime	timestamp	0000-00-00 00:00:00	NO

字段名	数据类型	默认值	允许非空
points_item_endtime	timestamp	0000-00-00 00:00:00	NO
points_item_order	int(10)	50	NO

shop_points_order 积分兑换订单表

字段名	数据类型	默认值	允许
points_order_id	varchar(10)		NO
points_user_id	int(10)		NO
points_addtime	timestamp	CURRENT_TIMESTAMP	NO
points_payment_time	timestamp	0000-00-00 00:00:00	NO
points_shipping_time	timestamp	0000-00-00 00:00:00	NO
points_order_tracking_number	varchar(50)		NO
express_id	varchar(50)		NO
points_order_endtime	datetime		NO
points_order_points	int(10)	0	NO
points_order_amount	decimal(10,2)		NO
points_order_shipping_type	tinyint(1)	0	NO
points_order_shipping_fee	decimal(10,2)	0.00	NO
points_order_message	varchar(300)	无	NO

--	--	--	--

字段名	数据类型	默认值	允许
points_order_state	int(4)	1	NO

shop_points_order_delivery_address 收货地址表

字段名	数据类型	默认值	允许非空	自动递增
points_order_id	varchar(50)		NO	
da_name	varchar(10)		NO	
da_mobile	varchar(20)		NO	
da_telephone	varchar(30)		NO	
da_contacter	varchar(20)		NO	
da_im	varchar(255)		NO	
da_province_id	int(10)	0	NO	
da_province	varchar(50)		NO	
da_city_id	int(10)	0	NO	
da_city	varchar(50)		NO	
da_county_id	int(10) unsigned	0	NO	
da_county	varchar(50)		NO	

da_address	varchar(255)		NO	
da_postalcode	varchar(30)		NO	

da_tag_name 字段名	varchar(50) 数据类型	0 默认值	NO 允许非空	自动递增
da_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_points_order_item 兑换订单商品表

字段名	数据类型	默认值	允许非空	自动递增	备注
poi_id	int(10)		NO	是	订单礼品表索
points_order_id	varchar(50)		NO		订单编号
points_item_id	int(10)	0	NO		礼品编号
poi_name	varchar(100)		NO		礼品名称
poi_points	int(10)	0	NO		礼品兑换积分
poi_num	int(10)	0	NO		礼品数量
poi_image	varchar(255)		NO		礼品图片

shop_product_analytics 产品统计信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_id	bigint(20) unsigned		NO		产品
product_click	int(10) unsigned	0	NO		商品
product_sale_num	int(10) unsigned	0	NO		销售
product_favorite_num	int(10) unsigned	0	NO		收藏
product_evaluation_star	int(10) unsigned	0	NO		好评
product evaluation num	int(10)	0	NO		评价

字段名	数据类型	默认值	允许非空	自动递增	备注
product_evaluation_level_0	tinyint(1) unsigned	0	NO		-
product_evaluation_level_1	tinyint(1) unsigned	0	NO		差评
product_evaluation_level_2	tinyint(1) unsigned	0	NO		中评
product_evaluation_level_3	tinyint(1) unsigned	0	NO		好评
product_evaluation_level_4	tinyint(1) unsigned	0	NO		-
product_evaluation_level_5	tinyint(1) unsigned	0	NO		-
product_ask_num	int(10) unsigned	0	NO		问答

shop_product_ask_base 商品咨询

字段名	数据类型	默认值	允许非空
ask_id	int(10) unsigned		NO
ask_type_id	int(10)		NO
product_id	int(10) unsigned		NO
store_id	int(10)		NO
user_id	int(10)		NO
user_nickname	varchar(50)		NO
ask_question	varchar(255)		NO
ask_time	timestamp	CURRENT_TIMESTAMP	NO
ask_answer	varchar(255)		NO

字段名	数据类型	默认值	允许非空
ask_answer_time	timestamp	0000-00-00 00:00:00	NO
ask_answer_user_id	int(11)		NO
ask_answer_user_nickname	varchar(50)		NO
ask_status	tinyint(1) unsigned	0	NO
ask_enable	tinyint(1) unsigned	0	NO
ask_helpful	int(10) unsigned	0	NO

shop_product_ask_helpful 商品咨询有用投票表

字段名	数据类型	默认值	允许非空	自动递增
ask_id	bigint(20) unsigned		NO	
user_id	int(10) unsigned	0	NO	
ask_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_product_assist_index 商品与属性对应表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_assist_index_id	varchar(50)		NO		pro ass

product_id	bigint(20) 数据类型 unsigned	默认值	NO	自动递增	属性
assist_id	mediumint(8) unsigned	0	NO		属性
assist_item_id	varchar(100)	0	NO		属性

shop_product_base 商品基础表-SPU表

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	是
product_name	varchar(50)		NO	
product_tips	varchar(50)		NO	
store_id	int(10) unsigned	0	NO	
store_name	varchar(50)		NO	
product_market_price	decimal(10,2)	0.00	NO	
product_unit_price	decimal(10,2)	0.00	NO	
product_cost_price	decimal(10,2)	0.00	NO	
product_image	varchar(255)		NO	
product_video	varchar(255)		NO	

transport_type_id	mediumint(8) unsigned	0	NO	
product seo url	varchar(50)		NO	

字段名	数据类型	默认值	允许非空	自动递增
layout_route_id	int(10) unsigned	0	NO	
product_verify_id	smallint(4)	10	NO	
product_state_id	smallint(4) unsigned	1002	NO	
product_inventory_lock	smallint(4)	1002	NO	
product_sale_time	timestamp	0000- 00-00 00:00:00	NO	
unit_id	smallint(4)	0	NO	
product_country	varchar(20)		NO	
product_currency	varchar(20)		NO	
product_add_time	int(10) unsigned	0	NO	
product_unit_points	int(10)	0	NO	
product_unit_sp	int(10)	0	NO	

product_order	tinyint(2) unsigned	50	NO	
product_src_id	bigint(20)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
product_fx_enable	tinyint(1) unsigned	1	NO	
product_dist_enable	tinyint(1) unsigned	1	NO	
product_commission_rate	decimal(6,2) unsigned	0.00	NO	
product_from	smallint(4)	1000	NO	
product_from_url	varchar(255)		NO	

shop_product_comment 商品评价表

字段名	数据类型	默认值	允许非空
comment_id	bigint(20) unsigned		NC
order_id	varchar(50)		NC
product_id	bigint(20) unsigned	0	NC
item_id	bigint(20) unsigned	0	NC
item_name	varchar(20)		NC
store_id	int(10) unsigned	0	NC
store_name	varchar(50)		NC

字段名	数据类型	默认值	允许非空
user_id	int(10) unsigned	0	NC
user_name	varchar(50)		NC
comment_points	decimal(10,2)	0.00	NC
comment_scores	tinyint(4) unsigned	3	NC
comment_content	varchar(255)		NC
comment_image	varchar(2048)		NC
comment_helpful	int(10)	0	NC
comment_nohelpful	int(10)	0	NC
comment_time	timestamp	CURRENT_TIMESTAMP	NC
comment_is_anonymous	tinyint(1) unsigned	0	NC

comment_enable	tinyint(1) unsigned	1	NC
comment_store_desc_credit	tinyint(1) unsigned	5	NC
comment_store_service_credit	tinyint(1) unsigned	5	NC
comment_store_delivery_credit	tinyint(1) unsigned	5	NC

shop_product_comment_helpful 商品评价有用投票表

字段名	数据类型	默认值	允许非空	自增
-----	------	-----	------	----

字段名	数据类型	默认值	允许非空	自增
comment_id	bigint(20) unsigned		NO	

user_id	int(10) unsigned	0	NO	
comment_helpful_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_product_comment_reply 商品评价回复表

字段名	数据类型	默认值	允许非空
comment_reply_id	bigint(20) unsigned		NO
comment_id	bigint(20) unsigned		NO
user_id	int(10) unsigned	0	NO
user_name	varchar(50)		NO
user_id_to	int(10)		NO
user_name_to	varchar(50)		NO

comment_reply_content	varchar(255)		NO
comment_reply_time	timestamp	CURRENT_TIMESTAMP	NO
comment_reply_enable	tinyint(1)	1	NO
comment_reply_isadmin	tinyint(1)	0	NO

shop_product_data 商品数据表

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	
product_region_district_ids	varchar(1024)		NO	
product_region	varchar(100)		NO	
product_is_lock	tinyint(1) unsigned	0	NO	
product_verify_remark	varchar(255)		NO	
product_state_remark	varchar(255)		NO	
product_edit_time	timestamp	0000- 00-00 00:00:00	NO	

shop_product_detail 产品详情表

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	是
product_detail	varchar(15000)		NO	
product_param	varchar(3000)		NO	
product_service	varchar(3000)		NO	
product_meta_title	varchar(50)		NO	
product_meta_description	varchar(100)		NO	

product_meta_keyword 字段名	varchar(100) 数据类型	默认值	NO 允许非空	自动递增
product_tags	varchar(255)		NO	

shop_product_image 产品图片表, 按照颜色规格

字段名	数据类型	默认值	允许非空	自动递增	备注
product_image_id	bigint(20) unsigned		NO	是	商品图片
product_id	bigint(20) unsigned	0	NO		产品编号
store_id	int(10) unsigned		NO		店铺编号
color_id	bigint(20)	0	NO		系统默认 如果没有
color_name	varchar(10)		NO		规格值
item_image_default	varchar(255)		NO		商品主图
item_image_other	varchar(800)		NO		副图(DO
item_image_diy	varchar(255)		NO		DIY背景
item_video	varchar(255)		NO		视频地址
item_image_ext_1	varchar(255)		NO		扩展图片
item_image_ext_2	varchar(255)		NO		扩展图片

shop_product_index 产品索引表-不读取数据只读主键

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	

字段名	数据类型	默认值	允许非空	自动递增
product_name	varchar(50)		NO	
product_name_index	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	

store_is_open	tinyint(1) unsigned	1	NO	
store_type	tinyint(1)	1	NO	
store_category_ids	varchar(50)	0	NO	
category_id	mediumint(8) unsigned	0	NO	
category_ids	varchar(50)		NO	
type_id	mediumint(8) unsigned	0	NO	
product_quantity	int(10) unsigned	0	NO	
product_warn_quantity	int(10) unsigned	0	NO	
brand_id	mediumint(8) unsigned	0	NO	
product_service_type_ids	varchar(50)		NO	
product_state_id	smallint(4) unsigned	1	NO	
product_verify_id	smallint(4) unsigned	10	NO	

字段名	数据类型	默认值	允许非空	自动递增
product_is_invoices	tinyint(3) unsigned	0	NO	
product_is_return	tinyint(1) unsigned	1	NO	

product_is_recommend	tinyint(1) unsigned	0	NO	
product_stock_status	tinyint(1) unsigned	1	NO	
kind_id	smallint(4) unsigned	0	NO	
activity_type_ids	varchar(50)		NO	
contract_type_ids	varchar(50)		NO	
product_assist_data	varchar(255)		NO	
product_add_time	int(10) unsigned	0	NO	
product_unit_price	decimal(10,2) unsigned	0.00	NO	
product_unit_points	decimal(10,2)	0.00	NO	
product_unit_sp	decimal(10,2)	0.00	NO	

字段名	数据类型	默认值	允许非空	自动递增
product_sale_num	int(10) unsigned	0	NO	
product_favorite_num	int(10) unsigned	0	NO	
product_sale_district_ids	varchar(1024)		NO	

product_region_district_ids	varchar(1024)		NO	
product_freight	decimal(6,2) unsigned	0.00	NO	
product_evaluation_num	mediumint(8) unsigned	0	NO	
product_tags	varchar(255)		NO	
store_is_selfsupport	tinyint(1) unsigned	0	NO	
product_fx_enable	tinyint(1) unsigned	1	NO	
product_dist_enable	tinyint(1) unsigned	1	NO	
product_sale_time	int(11) unsigned		NO	
product_number	varchar(50)		NO	
product_order	tinyint(2) unsigned	50	NO	
product_src_id	bigint(20)	0	NO	
market_category_id	varchar(1024)		NO	
store_latitude	varchar(20)		NO	
store_longitude	varchar(20)		NO	

字段名	数据类型	默认值	允许非空	自动递增
product_is_video	unsigned	0	NO	
subsite_id	int(8) unsigned	0	NO	

shop_product_info 商品信息表

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	
product_number	varchar(50)		NO	
product_barcode	varchar(30)		NO	
product_model	varchar(255)		NO	
product_assist	varchar(2048)		NO	
product_spec	varchar(2048)		NO	

product_uniqid	varchar(10240)	[]	NO	
	mediumint(8)			

字段名	数据类型	默认值	允许非空	自动递增
unit_length_id	mediumint(8) unsigned	1	NO	
unit_weight_id	mediumint(8) unsigned	1	NO	
product_weight	decimal(10,2) unsigned	0.00	NO	
product_cubage	varchar(50)	0.00	NO	
product_subtract	tinyint(1) unsigned	1	NO	
unit_type_id	mediumint(8) unsigned	0	NO	
tax_class_id	int(10) unsigned	0	NO	
product_buy_limit	int(10) unsigned	0	NO	
product_user_level_discount	tinyint(1) unsigned	1	NO	
product_shop_card_discount	tinyint(1) unsigned	1	NO	

shop_product_item 商品表-SKU表 商品名称 (产品名称+颜色规格名称) =shop_product_item

字段名	数据类型	默认值	允许非空	自动递增	备注
item_id	bigint(20) unsigned		NO	是	商品ID
item_name	varchar(255)		NO		商品名称
product_id	bigint(20) unsigned		NO		产品ID
color_id	bigint(20)	0	NO		颜色ID
item_is_default	tinyint(1) unsigned	0	NO		是否是默认

字段名	数据类型	默认值	允许非空	自动递增	备注
item_number	varchar(50)		NO		商品编号
item_barcode	varchar(20)		NO		条码
item_cost_price	decimal(10,2)	0.00	NO		成本
item_platform_price	decimal(10,2)	0.00	NO		平台
item_unit_price	decimal(10,2)	0.00	NO		单位
item_market_price	decimal(10,2)	0.00	NO		市
item_unit_points	decimal(10,2) unsigned	0.00	NO		积分

item_unit_sp	decimal(10,2)	0.00	NO		分
item_quantity	int(10) unsigned	0	NO		数量
item_quantity_frozen	int(10) unsigned	0	NO		数量
item_warn_quantity	int(10) unsigned	0	NO		库存
item_spec	varchar(2048)	[]	NO		规格 { S S }
item_enable	smallint(4) unsigned	1002	NO		是否
item_is_change	tinyint(1) unsigned	0	NO		是否
item_weight	decimal(20,6) unsigned	0.000000	NO		重量
item_fx_commission	decimal(10,2)	0.00	NO		佣金

字段名	数据类型	默认值	允许非空	自动递增	备注
item_rebate	decimal(10,2)	0.00	NO		返
item_title	varchar(50)		NO		说
item_freetime	int(10)		NO		说
item_src_id	bigint(20)	0	NO		供
category_id	mediumint(8)	0	NO		陪
store_id	int(10)	0	NO		所
item_unit_price_1001	decimal(10,2)	0.00	NO		单
item_unit_price_1002	decimal(10,2)	0.00	NO		单
item_unit_price_1003	decimal(10,2)	0.00	NO		单

item_unit_price_1004	decimal(10,2)	0.00	NO		单
item_unit_price_1005	decimal(10,2)	0.00	NO		单
item_unit_price_1006	decimal(10,2)	0.00	NO		单
item_unit_price_1007	decimal(10,2)	0.00	NO		单
item_unit_price_1008	decimal(10,2)	0.00	NO		单
item_unit_price_1009	decimal(10,2)	0.00	NO		单

shop_product_item_meta SKU扩展表

字段名	数据类型	默认值	允许非空	自
meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(4096)		NO	

字段名	数据类型	默认值	允许非空	自
meta_datatype	enum('string','json','number','dot')	string	NO	

shop_product_item_seq ITEM_ID/SKU唯一编号表。

字段名	数据类型	默认值	允许非空	自动递增	备注
product_item_seq_id	varchar(32)		NO		编号:n
product_item_seq_val	varchar(255)		NO		编号值
item_id	bigint(20) unsigned		NO		商品编
product_id	bigint(20) unsigned		NO		产品编

shop_product_meta 产品数据扩展表-要求买家留言可以在此处

字段名	数据类型	默认值	允许非空	自
-----	------	-----	------	---

meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(4096)		NO	
meta_datatype	enum('string','json','number','dot')	string	NO	

shop_product_option 商品扩展字段表

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

字段名 字段名	数据类型 数据类型	默认值 默认值	允许非空 允许非空	自动递增 自动递增	备注 备注
product_id	bigint(20) unsigned		NO		产品编号

product_service_text	varchar(50)		NO		售后服务 售后服务 填写, 将 “商家管理 -> 商品 - 售后服务 中自定义
----------------------	-------------	--	----	--	---

售后服务-售后服务如不填写, 将调用“商家管理中心 -> 商品 -> 售后服务”中自定义的 售后服务-售后服务如不填写, 将调用“商家管理中心 -> 商品 -> 售后服务”中自定义的 |

shop_product_option_value

字段名	数据类型	默认值	允许非空	自动递增	备注
product_option_value_id	int(11)		NO	是	-
product_option_id	int(11)		NO		-

product_id	int(11)		NO		-
option_id	int(11)		NO		-
option_value_id	int(11)		NO		-
quantity	int(3)		NO		-
subtract	tinyint(1)		NO		-
price	decimal(15,4)		NO		-
price_prefix	varchar(1)		NO		-
points	int(8)		NO		-

字段名	数据类型	默认值	允许非空	自动递增	备注
points_prefix	varchar(1)		NO		
weight	decimal(15,8)		NO		-
weight_prefix	varchar(1)		NO		-

shop_product_pre_sale 预售商品信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
product_id	bigint(20) unsigned		NO		产品ID
product_pre_sale_end	timestamp	0000- 00-00 00:00:00	NO		预售结束时间 活动中存储在数据库
product_pss_start	date	0000- 00-00	NO		预计开始时间
product_pss_end	date	0000- 00-00	NO		预计结束时间

shop_product_pricing_policy 价格策略表-按客户定价

字段名	数据类型	默认值	允许非空	自动递增	备注
policy_id	int(10) unsigned		NO	是	-
item_id	int(10) unsigned	0	NO		商品ID
store_id	int(10) unsigned	0	NO		门店ID
customer_id	int(10) unsigned	0	NO		客户ID
policy_price	decimal(20,6)	0.000000	NO		策略价格
policy_discontrate	decimal(8,6)	0.000000	NO		真实折扣率

字段名	数据类型	默认值	允许非空	自动递增	备注
policy_quantity_min	int(10) unsigned		NO		
policy_quantity_max	int(10) unsigned	0	NO		限制

shop_product_pricing_policy_level 价格策略表-按客户等级定价

字段名	数据类型	默认值	允许非空	自动递增
policy_level_id	int(10) unsigned		NO	是
item_id	int(10) unsigned	0	NO	
store_id	int(10) unsigned	0	NO	
customer_level_id	smallint(4)	0	NO	
policy_level_price	decimal(20,6)	0.000000	NO	
policy_level_discontrate	decimal(10,6)	0.000000	NO	
policy_level_quantity_min	int(10)	0	NO	
policy_level_quantity_max	int(10)	0	NO	

shop_product_pricing_policy_wholesale 价格策略表-阶梯价

字段名	数据类型	默认值	允许非空	自动递增
policy_wholesale_id	int(10) unsigned		NO	是
item_id	int(10) unsigned	0	NO	
store_id	int(10)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
item_quantity	int(10) unsigned	0	NO	
policy_wholesale_price	decimal(10,2)	0.00	NO	
policy_wholesale_group_price	decimal(10,2)		NO	
policy_wholesale_discontrate	decimal(10,6)	0.000000	NO	
policy_wholesale_enable	tinyint(1) unsigned	0	NO	

shop_product_spec_item 商品规格值表

字段名	数据类型	默认值	允许非空	自动递增	备注
spec_item_id	int(10) unsigned		NO	是	商品规格值
store_id	int(10) unsigned		NO		店铺编号
category_id	int(11) unsigned	0	NO		商品分类ID 通过typeID 规格, 但是分类ID 规格值都不ID
spec_id	mediumint(8) unsigned		NO		规格分类ID

spec_item_name	varchar(20)		NO		规格值名称
spec_item_order	smallint(6)	50	NO		排序
spec_item_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL):0 不显示;1-

shop_product_valid_period 虚拟商品信息表

字段名	数据类型	默认值	允许非空	自动递增
product_id	bigint(20) unsigned		NO	
product_valid_period	smallint(4)	1001	NO	
product_validity_start	date	0000-00-00	NO	
product_validity_end	date	0000-00-00	NO	
product_validity_duration	decimal(6,4)	0.0000	NO	
product_valid_type	smallint(4) unsigned	1001	NO	
product_service_date_flag	tinyint(1) unsigned	0	NO	
product_service_contactor_flag	tinyint(1) unsigned	0	NO	
product_valid_refund_flag	tinyint(1) unsigned	0	NO	
product_service_date	date	0000-00-00	NO	
product_service_time	int(11)	0	NO	

shop_store_activity_base 活动表-通过插件实现

当为拼团是activity_rule中的group_remain_quantity用于标识拼团剩余需要人数，如果用户登录了，需要查询出activity_groupbooking中参与该团的剩余情况

字段名	数据类型	默认值	允许非空	自动递增	备注
activity_id	int(10) unsigned		NO	是	活动
store_id	int(10) unsigned	0	NO		店铺
user_id	int(10) unsigned	0	NO		用户
activity_name	varchar(50)		NO		活动
activity_title	varchar(50)		NO		活动
activity_remark	varchar(255)		NO		活动
activity_combo_id	int(10) unsigned	0	NO		套餐
activity_type_id	int(10) unsigned	0	NO		活动
activity_starttime	timestamp	0000- 00-00 00:00:00	NO		活动
activity_endtime	timestamp	0000- 00-00 00:00:00	NO		活动
activity_state	tinyint(1) unsigned	1	NO		活动 (EN) 未开 已结 管理 商家

activity_combo_id 字段名	int(10) 数据类型	默认值	NO 允许非空	是 自动递增	活动套 备注
activity_combo_starttime	datetime		NO		开始时
activity_combo_endtime	datetime		NO		结束时

activity_type_id	int(10) unsigned	0	NO		活动类
store_id	int(10) unsigned	0	NO		店铺编
user_id	int(10) unsigned	0	NO		用户编

shop_store_activity_item 参与活动商品表-用户筛选计算

字段名	数据类型	默认值	
activity_item_id	int(10) unsigned		I

store_id	int(10) unsigned	0	I
activity_type_id	int(10) unsigned	0	I
activity_id	int(10) unsigned	0	I
product_id	int(10) unsigned	0	I
item_id	int(10) unsigned	0	I
	mediumint(8)		

category_id 字段名	unsigned 数据类型	0 默认值	I
activity_item_starttime	timestamp	CURRENT_TIMESTAMP	I
activity_item_endtime	timestamp	0000-00-00 00:00:00	I
activity_item_price	decimal(10,2)	0.00	I
activity_item_min_quantity	int(10) unsigned	0	I
activity_item_state	tinyint(3) unsigned	1	I
activity_item_recommend	tinyint(3) unsigned	0	I
activity_level_limits	tinyint(3)	0	I
activity_points_num	int(10)	0	I
activity_points_product_num	int(10) unsigned	0	I
activity_points_product_sale_num	int(10)	0	I

shop_store_analytics 店铺统计表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	int(10) unsigned		NO	是	店
store_click_num	int(11)	0	NO		店
store_favorite_num	int(10) unsigned	0	NO		收
store_product_new_num	int(10) unsigned	0	NO		最
store_product_num	int(10)	0	NO		产

字段名	数据类型	默认值	允许非空	自动递增	备注
store_sales_num	int(10) unsigned	0	NO		店
store_evaluation_num	int(10)	0	NO		评
store_evaluation_rate	decimal(10,2)	0.00	NO		好使
store_desccredit	decimal(10,2)	0.00	NO		描
store_servicecredit	decimal(10,2)	0.00	NO		服
store_deliverycredit	decimal(10,2)	0.00	NO		物
store_trade_amount	decimal(10,2) unsigned	0.00	NO		店

shop_store_base 店铺基础信息表

字段名	数据类型	默认值	允许非空
store_id	int(10) unsigned		NO
user_id	int(10) unsigned		NO

store_name	varchar(50)		NO
store_grade_id	int(5) unsigned	0	NO
store_logo	varchar(255)		NO
store_slogan	varchar(255)		NO
store_domain	varchar(255)		NO
store_area	varchar(50)		NO
store_district_id	varchar(255)		NO

store_address 字段名	varchar(50) 数据类型	默认值	NO 允许非空
store_latitude	varchar(20)		NO
store_longitude	varchar(20)		NO
store_is_selfsupport	tinyint(1) unsigned	0	NO
store_type	tinyint(4) unsigned	1	NO
store_is_open	tinyint(1) unsigned	0	NO
shop_parent_id	int(11)	0	NO
store_category_id	int(10) unsigned	0	NO

store_state_id	smallint(4) unsigned	3220	NO
store_time	timestamp	CURRENT_TIMESTAMP	NO
store_end_time	int(11)		NO
product_category_ids	varchar(255)		NO

字段名	数据类型	默认值	允许非空
store_o2o_tags	varchar(30)		NO
store_o2o_flag	tinyint(1)	0	NO
store_o2o_merchant_id	varchar(60)		NO
store_circle	varchar(50)		NO
subsite_id	int(8) unsigned	0	NO

shop_store_book 随手记

字段名	数据类型	默认值	允许非空	自动递增	备注
store_book_id	int(10) unsigned		NO	是	编号
store_id	int(10) unsigned		NO		商户编号
book_amount	decimal(10,2)		NO		费用
book_remark	varchar(255)		NO		备注
book_time	int(11)		NO		时间

shop_store_business_category 店铺经营类目绑定

字段名	数据类型	默认值	允许非空
store_business_category_id	int(10) unsigned		NO
store_id	int(10) unsigned	0	NO
category_id	int(10) unsigned	0	NO
store_business_category_commission_rate	decimal(4,2)	0.00	NO

store_business_category_enable	tinyint(1)	1	NO
--------------------------------	------------	---	----

shop_store_company 店铺公司信息表

字段名	数据类型	默认值	允许非空
company_id	int(10) unsigned		NO
	int(10)		

user_id 字段名	int(10) 数据类型	0 默认值	NO 允许非空	
store_id	int(10) unsigned		NO	
company_name	varchar(50)		NO	
company_area	varchar(50)		NO	

company_address	varchar(100)		NO	
company_zipcode	varchar(255)		NO	
company_phone	varchar(255)		NO	
company_website	varchar(255)		NO	
company_description	varchar(255)		NO	
contacts_name	varchar(255)		NO	
contacts_position	varchar(255)		NO	
contacts_phone	varchar(255)		NO	
contacts_email	varchar(255)		NO	
company_registered_capital	int(10) unsigned	0	NO	
company_employee_count	int(10) unsigned	0	NO	
company_taxnum	varchar(20)		NO	
company_invoice	varchar(50)		NO	
legal_person	varchar(50)		NO	
legal_person_number	varchar(50)		NO	
legal_person_electronic	varchar(255)		NO	
business_license_location	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	
establish_date	date		NO	
business_licence_start	date		NO	
business_licence_end	date		NO	
business_sphere	varchar(255)		NO	
business_license_electronic	varchar(255)		NO	

company_other_files	varchar(1024)		NO	
organization_code	varchar(20)		NO	
organization_code_start	date		NO	
organization_code_end	date		NO	
organization_code_electronic	varchar(255)		NO	
general_taxpayer	varchar(255)		NO	
bank_account_name	varchar(50)		NO	
bank_account_number	varchar(30)		NO	
bank_name	varchar(50)		NO	
bank_code	varchar(20)		NO	
bank_address	varchar(255)		NO	
bank_licence_electronic	varchar(255)		NO	
tax_registration_certificate	varchar(20)		NO	
tax_registration_certificate_electronic	varchar(255)		NO	
payment_voucher	varchar(255)		NO	
payment_voucher_explain	varchar(255)		NO	
store_class_ids	text		NO	
store_class_names	text		NO	

store_class_commission 字段名	text 数据类型	默认值	NO 允许非空	
contacts_fee	float(10,2)		NO	
contacts_deposit	float(10,2)		NO	
business_id	varchar(20)	0	NO	

payment_type	tinyint(1) unsigned	0	NO	
alipay_account	varchar(255)		NO	
alipay_realname	varchar(255)		NO	

shop_store_config 店铺参数设置表

字段名	数据类型	默认值	允许非空	自动增
store_id	int(10) unsigned		NO	

sc_allow_seller_buy	tinyint(1) unsigned	0	NO	
sc_expenditure	int(10) unsigned	0	NO	
sc_cps_rate	float(10,2) unsigned	0.00	NO	
sc_second_is_enable	tinyint(1) unsigned	1	NO	
sc_second_cps_rate	float(10,2) unsigned	0.00	NO	
	float(10,2)			

sc_third_cps_rate 字段名	float(10,2) 数据类型	0.00 默认值	NO 允许非空	自动增
sc_directseller_customer_exptime	int(10) unsigned	0	NO	
sc_directseller_exptime_type	tinyint(1) unsigned	1	NO	
sc_directseller_rel_exptime	int(10) unsigned	0	NO	
sc_is_verify	tinyint(1) unsigned	0	NO	
sc_auto_settle	tinyint(1) unsigned	1	NO	

sc_settle_time_type	int(10) unsigned	0	NO	
sc_is_use_min_quantity	tinyint(1) unsigned	0	NO	
sc_is_use_max_quantity	tinyint(1)	0	NO	
sc_is_use_product_brand	tinyint(1) unsigned	0	NO	
sc_is_use_product_weight	tinyint(1) unsigned	0	NO	
sc_is_use_product_defined	tinyint(1) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动增
sc_product_tags	varchar(255)		NO	
sc_is_necessary_delivery_date	date	0000-00-00	NO	
sc_is_use_order_min_money	tinyint(1) unsigned	0	NO	
sc_order_min_money	decimal(10,2) unsigned	0.00	NO	
sc_deduct_inventory_mode	tinyint(1)	1	NO	
sc_inventory_agent_show_type	tinyint(1) unsigned	2	NO	

sc_is_enabled_inventory_check	tinyint(1)	1	NO	
sc_fund_account_settings	varchar(255)	[]	NO	

字段名	数据类型	默认值	允许非空	自动增
sc_order_process	varchar(255)		NO	
sc_order_return_process	varchar(255)		NO	
sc_is_enabled_share	tinyint(1) unsigned	1	NO	
sc_is_enabled_invoicing	tinyint(1) unsigned	0	NO	
sc_settle_circle	tinyint(3) unsigned	30	NO	
sc_settle_last_time	int(11) unsigned	0	NO	
sc_settle_next_time	int(11)	0	NO	
sc_points_consume_rate	decimal(4,2)	0.00	NO	
sc_start_distance	decimal(4,2)		NO	
sc_start_amount	decimal(4,2)		NO	
sc_extra_amount	decimal(4,2)		NO	

sc_festival_name	varchar(255)		NO	
sc_festival_start	varchar(255)		NO	
sc_festival_end	varchar(255)		NO	
sc_festival_amount_upper	decimal(10,2)		NO	
sc_festival_amount_down	decimal(10,2)		NO	
sc_festival_float_proportion	decimal(4,2)		NO	
sc_festival_float_type	tinyint(1)	1	NO	
sc_is_free_freight	tinyint(1)	0	NO	
sc_crawl_category_id	int(10)	1001	NO	

shop_store_contract 消费者保障服务店铺关联表

字段名	数据类型	默认值	允许非空	自动递增	备注
contract_id	int(10)		NO	是	关联编号
contract_type_id	int(10) unsigned		NO		服务编号
contract_type_name	varchar(50)		NO		服务类别
store_id	int(10) unsigned	0	NO		店铺编号
store_name	varchar(50)		NO		商铺名称
contract_state	tinyint(1) unsigned	0	NO		申请状态 (ENUM) 申请加入 申请退出 通过
contract_use_state	tinyint(1)	2	NO		加入状态 (BOOL) 已加入;2 已退出
contract_deposit	decimal(8,2)	0.00	NO		保证金余

shop_store_contract_log 消费者保障服务保证金缴纳日志表

字段名	数据类型	默认值	允许非空	
contract_log_id	int(10)		NO	
contract_id	int(10)		NO	
contract_type_id	int(10)		NO	
contract_type_name	varchar(50)		NO	
store_id	int(10)	0	NO	

字段名	数据类型	默认值	允许非空
store_name	varchar(50)		NO
contract_log_operator	varchar(50)		NO
contract_log_date	timestamp	CURRENT_TIMESTAMP	NO
contract_log_desc	varchar(255)		NO
contract_deposit	decimal(10,2)		NO

contract_log_type	tinyint(1) unsigned	4	NO
contract_log_state	tinyint(1) unsigned	1	NO
contract_cash_pic	varchar(255)		NO

shop_store_custom_service 店铺客服表

字段名	数据类型	默认值	允许非空	自动递增	备注
custom_service_id	int(10)		NO	是	客服号
store_id	int(10)		NO		店铺号

字段名	数据类型	默认值	允许非空	自动递增	备注
custom_service_name	varchar(20)		NO		客服名称
custom_service_qq	varchar(20)		NO		客服qq
custom_service_ww	varchar(20)		NO		客服微信
custom_service_tool	tinyint(1)	0	NO		客服工具

custom_service_enable	tinyint(1) unsigned	0	NO		是否启用;1-是;0-否
custom_service_number	varchar(30)		NO		客服数量
custom_service_type	tinyint(1) unsigned	0	NO		客服类型;售前;售后

shop_store_domain 二级域名表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	int(10) unsigned		NO	是	-
store_sub_domain	varchar(100)		NO		二级域名
store_edit_domain	int(10)	0	NO		编辑次数
store_self_domain	varchar(100)		NO		自定义域名

shop_store_employee 卖家用户表—公司员工Employee-通过user id启用用户中心

字段名	数据类型	默认值	允许非空	自
employee_id	int(10) unsigned		NO	是

字段名	数据类型	默认值	允许非空	自
store_id	unsigned		NO	
user_id	int(10) unsigned		NO	
rights_group_id	varchar(100)		NO	

employee_is_admin	tinyint(3) unsigned	0	NO	
employee_login_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_store_employee_department 部门表

字段名	数据类型	默认值	允许非空	自
department_id	int(8) unsigned		NO	是

department_parent_id	int(8)	0	NO	
department_name	varchar(50)		NO	
department_add_time	timestamp	CURRENT_TIMESTAMP	NO	
store_id	int(11)		NO	
department_enable	tinyint(1) unsigned	0	NO	
department_buildin	tinyint(1)	0	NO	

字段名	数据类型	默认值	允许非空	自
-----	------	-----	------	---

shop_store_employee_log 卖家日志表

字段名	数据类型	默认值	允许非空	自
employee_log_id	bigint(20) unsigned		NO	是
employee_log_content	varchar(50)		NO	
employee_log_time	timestamp	CURRENT_TIMESTAMP	NO	
user_id	int(10) unsigned		NO	
user_name	varchar(50)		NO	
store_id	int(10) unsigned		NO	
employee_log_ip	varchar(50)		NO	
employee_log_url	varchar(50)		NO	
employee_log_status	tinyint(1) unsigned	1	NO	

shop_store_employee_rights 用户权限信息表-废弃，使用 store_employee

字段名	数据类型	默认值	允许非空	自动递增	备注
employee_id	int(8) unsigned		NO		用户编号
employee_group_id	text		NO		用户权限组
employee_rights_ids	text		NO		用户权限

shop_store_employee_rights_base 权限表

字段名	数据类型	默认值	允许非空	自动递增	备注
rights_id	int(10) unsigned		NO	是	权限编号
rights_name	varchar(20)		NO		权限名称
rights_parent_id	int(10) unsigned		NO		权限父编号
rights_remark	varchar(255)		NO		备注
rights_order	smallint(4)	50	NO		排序
menu_func	varchar(255)		NO		功能开启: 跟设置con fig_key

shop_store_employee_rights_group 权限组表

字段名	数据类型	默认值	允许非空
rights_group_id	smallint(4) unsigned		NO
rights_group_name	varchar(50)		NO
rights_group_rights_ids	varchar(2048)		NO
rights_group_rights_data	varchar(2048)		NO
		CURRENT_TIMESTAMP	NO

rights_group_add_time 字段名	timestamp 数据类型	CURRENT_TIMESTAMP 默认值	NO 允许非空
store_id	int(11)		NO

shop_store_entity 实体店铺 - 门店关系?

字段名	数据类型	默认值	允许非空	自动递增	备注
entity_id	int(10)		NO	是	实体店铺
store_id	int(10)	0	NO		店铺编号
entity_name	char(60)	0	NO		实体店铺
store_lng	varchar(20)	0	NO		经度
store_lat	varchar(20)	0	NO		纬度
entity_district_info	varchar(255)		NO		区
entity_address	varchar(255)		NO		实体店铺
entity_tel	varchar(30)		NO		实体店铺
entity_transit	varchar(1024)		NO		公交信息

shop_store_expense 店铺费用表-先花费，统一结算

字段名	数据类型	默认值	允许非空	自动递增	备注
expense_id	int(10) unsigned		NO	是	费用编号
user_id	int(10) unsigned	0	NO		所属用户
store_id	int(10) unsigned	0	NO		所属店铺
expense_value	decimal(10,2)	0.00	NO		费用
expense_name	varchar(255)		NO		描述

字段名	数据类型	默认值	允许非空	自动递增	备注
expense_status	tinyint(1) unsigned	0	NO		状态 (BOOL): 0-未结算; 1-已结算
expense_time	int(10) unsigned	0	NO		创建时间

shop_store_express_logistics 物流 = shop_store_express

字段名	数据类型	默认值	允许非空	自动递增	备注
logistics_id	int(10)		NO	是	物流编号
store_id	int(10)	0	NO		店铺
chain_id	int(10)	0	NO		store_e:
logistics_name	varchar(30)		NO		物流名称
logistics_pinyin	varchar(30)		NO		物流
logistics_number	int(11)		NO		物流公司
logistics_state	tinyint(1)	0	NO		电子面单
express_id	mediumint(8)	0	NO		对应快递
express_name	varchar(30)		NO		快递公司
waybill_tpl_id	int(11)	0	NO		-
logistics_is_default	tinyint(1)	0	NO		是否为默 非默认

logistics_tpl_item	varchar(2048)		NO		-
logistics_tpl_top	varchar(255)	0	NO		运单模板 单位为毫
logistics_tpl_left	varchar(255)	0	NO		运单模板 单位为毫

字段名	数据类型	默认值	允许非空	自动递增	备注
logistics_phone	varchar(20)		NO		联系电话
logistics_mobile	varchar(20)		NO		联系手机
logistics_contacter	varchar(100)		NO		联系人
logistics_tax	varchar(20)		NO		传真
logistics_address	varchar(100)		NO		联系地址
logistics_fee	text		NO		物流运费
fee_type	tinyint(1)	0	NO		运费类型
logistics_is_enable	tinyint(1)	1	NO		是否启用

shop_store_express_logistics_contactor 物流网点绑定用户表

字段名	数据类型	默认值	允许非空	自动递增	备注
selc_id	int(10) unsigned		NO	是	联系人编号
logistics_id	int(10) unsigned	0	NO		物流点编号
selc_name	varchar(10)		NO		联系人

selc_im	varchar(30)		NO		联系Im、 MSN/QQ
selc_mobile	bigint(11)		NO		联系人手机
selc_telephone	varchar(30)		NO		联系人座机
selc_district_ids	varchar(20)		NO		联系人区域 (DOT)
selc_address	varchar(50)		NO		联系地址
selc_first	tinyint(1)	1	NO		首要联系人 (BOOL):0-

字段名	数据类型	默认值	允许非空	自动递增	备注
selc_code	mediumint(9)	0	NO		contacter_c

shop_store_extend 扩展表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_id	int(10)		NO		-

shop_store_festival 店铺节日表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_festival_id	int(10) unsigned		NO	是	节日活动编
festival_id	int(10) unsigned	0	NO		平台活动节
store_id	int(10) unsigned	0	NO		商户编号
festival_rate	decimal(10,2)		NO		浮动比例:百

shop_store_info 店铺表-用户可以多店铺-需要分表

字段名	数据类型	默认值	允许非空	自动递增
store_id	int(10) unsigned		NO	是
store_register_region	varchar(255)		NO	
store_deliver_region	varchar(1024)		NO	
store_settlement_cycle	mediumint(4)	30	NO	
store_banner	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	自动递增
store_slide	varchar(1024)		NO	
store_address	varchar(255)		NO	
store_workingtime	varchar(1024)		NO	
store_tel	varchar(12)		NO	
store_qq	varchar(20)		NO	
store_ww	varchar(20)		NO	
store_is_renovation	tinyint(1)	0	NO	
store_stamp	varchar(255)		NO	
store_free_shipping	int(10)	0	NO	

store_template	varchar(20)	shop1	NO	
store_print_desc	varchar(255)		NO	
store_state_id	smallint(4) unsigned	3210	NO	
store_payment_state	tinyint(3) unsigned	0	NO	
store_start_time	timestamp	0000- 00-00 00:00:00	NO	
store_end_time	timestamp	0000- 00-00 00:00:00	NO	
store_close_reason	varchar(255)		NO	
	int(10)			

store_points 字段名	int(10) 数据类型	0 默认值	NO 允许非空	自动递增
store_notice	varchar(255)		NO	
store_opening_hours	varchar(255)		NO	
store_close_hours	varchar(255)		NO	
store_points_consume_rate	decimal(4,2)	0.00	NO	
store_circle	varchar(50)		NO	
store_discount	decimal(6,4)	10.0000	NO	

shop_store_media 用户附件表-图片、视频

字段名	数据类型	默认值	
media_id	bigint(20) unsigned		I
media_number	char(32)		I
gallery_id	bigint(20)		I
store_id	int(10) unsigned	0	I
media_url	varchar(255)		I
media_source	varchar(255)		I
media_order	mediumint(4) unsigned	50	I

media_domain	varchar(255)		I
media_path	varchar(255)		I
media_type	enum('video','other','image')	image	I
media_image_h	int(10) unsigned	0	I
media_image_w	int(10) unsigned	0	I
media_size	int(10) unsigned	0	I

media_mime_type	varchar(100)	默认值	!
media_metadata	varchar(255)		!
media_alt	varchar(255)		!
media_name	varchar(50)		!
media_desc	varchar(255)		!
media_password	varchar(20)		!
media_time	timestamp	CURRENT_TIMESTAMP	!

shop_store_media_gallery 用户相册表

字段名	数据类型	默认值	允许非空	自动递增
gallery_id	bigint(20) unsigned		NO	是
gallery_name	varchar(100)		NO	
gallery_desc	varchar(255)		NO	
gallery_num	mediumint(8) unsigned	0	NO	
gallery_is_default	tinyint(4) unsigned	0	NO	
gallery_order	smallint(4) unsigned	50	NO	

gallery_type	enum('video','other','image')	image	NO	
gallery_cover	varchar(255)		NO	
store_id	int(10) unsigned	0	NO	

shop_store_message_setting 店铺消息设置表

字段名	数据类型	默认值	允许非空
-----	------	-----	------

字段名	数据类型	默认值	允许非空
sms_id	int(10) unsigned		NO

store_id	int(10) unsigned		NO
message_template_ids	varchar(1024)		NO
sms_time	timestamp	CURRENT_TIMESTAMP	NO

shop_store_meta 店铺扩展表

字段名	数据类型	默认值	允许非空	自动递增
meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	

meta_value	varchar(1024)		NO	
meta_datatype	enum('string','json','number')	string	NO	

shop_store_nav 店铺页面导航表

字段名	数据类型	默认值	允许非空
store_nav_id	int(11)		NO

字段名	数据类型	默认值	允许非空
store_nav_type	tinyint(1)	0	NO
store_nav_title	varchar(100)		NO
store_nav_url	varchar(5120)		NO

store_nav_position	tinyint(1)	0	NO
store_nav_target_blank	tinyint(1)	0	NO
store_nav_order	tinyint(3) unsigned	255	NO
store_nav_content	text		NO
store_nav_time	timestamp	CURRENT_TIMESTAMP	NO

shop_store_points_item 积分礼品表

字段名	数据类型	默认值	允许非空
points_item_id	int(10)		NO
points_item_number	varchar(50)		NO
points_item_name	varchar(100)		NO
points_item_price	decimal(10,2)	0.00	NO
points_item_points	int(10)	0	NO
points_item_image	varchar(255)		NO
points_item_tag	varchar(100)		NO
points_item_storage	int(10)	0	NO

points_item_storage 字段名	int(10) 数据类型	0 默认值	NO 允许非空
points_item_enable	tinyint(1) unsigned	0	NO
points_item_recommend	tinyint(1)	0	NO
points_item_add_time	timestamp	CURRENT_TIMESTAMP	NO
points_item_keywords	varchar(100)		NO
points_item_description	varchar(200)		NO
points_item_content	text		NO
points_item_salenum	int(10)	0	NO
points_item_view	int(10)	0	NO

points_item_user_level	int(10)	0	NO
points_item_islimit	tinyint(1)	0	NO
points_item_limitnum	int(10)		NO
points_item_islimittime	tinyint(1)	0	NO
points_item_starttime	int(11)	0	NO
points_item_endtime	int(11)	0	NO
points_item_order	int(10)	50	NO

shop_store_product_category 店铺商品分类表

--	--	--	--	--	--

字段名 字段名	数据类型 数据类型	默认值 默认值	允许非空 允许非空	自动递增 自动递增	备注
store_product_cat_id	int(10) unsigned		NO	是	分
store_product_cat_name	varchar(50)		NO		分
store_product_cat_image	varchar(255)		NO		分
store_id	int(10) unsigned		NO		所
parent_id	int(10)	0	NO		父
store_product_cat_enable	tinyint(1) unsigned	1	NO		是 (B 禁 启
store_product_cat_order	tinyint(1) unsigned	50	NO		排
store_product_cat_level	tinyint(1) unsigned	1	NO		分
store_product_cat_is_leaf	tinyint(1) unsigned	0	NO		是

shop_store_product_format 关联板式表

字段名	数据类型	默认值	允许非空	自动递
product_format_id	int(10) unsigned		NO	是
product_format_name	varchar(50)		NO	
store_id	int(10) unsigned		NO	
product_format_header_content	varchar(5000)		NO	

product_format_footer_content	varchar(5000)	默认值	NO	自动递增
-------------------------------	---------------	-----	----	------

shop_store_product_tag 商家商品标签表

字段名	数据类型	默认值	允许非空	自动递增	备注
store_product_tag_id	int(10)		NO	是	标签编
product_tag_id	int(10) unsigned	0	NO		produ
store_id	int(10)	0	NO		店铺编
product_tag_time	datetime		NO		选择标
store_product_tag_buildin	tinyint(1) unsigned	0	NO		系统内 (BOOI 是

shop_store_renewal_apply 续费申请表

字段名	数据类型	默认值	允
store_renewal_apply_id	int(10) unsigned		NO
user_id	int(10) unsigned		NO
store_id	int(10) unsigned		NO
store_name	varchar(50)		NO
store_grade_id	int(10) unsigned		NO
store_grade_name	varchar(50)		NO
store_grade_fee	decimal(10,2)		NO
store_renewal_apply_renewtime	int(10)		NO

字段名	数据类型	默认值	允许非空
store_renewal_apply_expense	decimal(10,2)		NO
store_renewal_apply_time	timestamp	CURRENT_TIMESTAMP	NO
store_renewal_apply_starttime	timestamp	0000-00-00 00:00:00	NO
store_renewal_apply_endtime	timestamp	0000-00-00 00:00:00	NO
store_renewal_apply_status	tinyint(1)	0	NO
admin_id	int(10) unsigned	0	NO
admin_name	varchar(50)		NO
store_renewal_apply_desc	varchar(100)		NO

shop_store_saler 店铺销售员

字段名	数据类型	默认值	允许非空	自动递增	备注
saler_id	int(10) unsigned		NO	是	卖家编号
store_id	int(10) unsigned		NO		店铺编号
user_id	int(10) unsigned		NO		会员编号

shop_store_setting 店铺设置表

字段名	数据类型	默认值	允许非空	自动递增
store_setting_id	int(10) unsigned		NO	是
store_id	tinyint(3) unsigned	0	NO	
store_is_brand	tinyint(1)	1	NO	

字段名	unsigned 数据类型	默认值	允许非空	自动递增
store_is_weight	tinyint(1) unsigned	0	NO	
shop_parent_id	int(11)	0	NO	
store_category_id	int(10) unsigned	0	NO	

store_time	timestamp	CURRENT_TIMESTAMP	NO	
------------	-----------	-------------------	----	--

shop_store_shipping_address 发货地址表

字段名	数据类型	默认值	允许非空	自动递增
ss_id	int(10) unsigned		NO	是
ss_name	varchar(10)		NO	
ss_mobile	bigint(11)		NO	
ss_telephone	varchar(30)		NO	
ss_contacter	varchar(20)		NO	
ss_postalcode	varchar(30)		NO	
ss_province_id	int(10)	0	NO	
ss_province	varchar(10)		NO	
ss_city_id	int(10)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
ss_city	varchar(10)		NO	
ss_county_id	int(10) unsigned	0	NO	
ss_county	varchar(10)		NO	
ss_address	varchar(50)		NO	
ss_time	timestamp	CURRENT_TIMESTAMP	NO	
ss_is_default	tinyint(1) unsigned	0	NO	
store_id	int(10)	0	NO	

shop_store_themes 店铺风格表

字段名	数据类型	默认值	允许非空	自动递增	备注
app_id	int(10) unsigned		NO	是	应用编号
app_name	varchar(1024)		NO		应用名称
app_code	text		NO		应用代码
tpl_id	int(10) unsigned	0	NO		模板编号
store_id	mediumint(8) unsigned	0	NO		所属店铺
user_id	mediumint(8) unsigned	0	NO		所属用户
subsite_id	mediumint(4) unsigned	0	NO		所属分站:0-总站

字段名	数据类型	默认值	允许非空	自动递增	备注
app_buildin	tinyint(1) unsigned	0	NO		是否内置 (BOOL):0- 否;1-是
app_type	tinyint(1) unsigned	1	NO		类型 (ENUM):1- WAP;2- PC;3-App
app_tpl	text		NO		应用模板

shop_store_transport_amount 店铺购买额度运费模板

字段名	数据类型	默认值	允许非空	自动递增	备注
sta_id	int(10) unsigned		NO	是	编号
sta_free_amount	decimal(6,2)	0.00	NO		免运费额度
sta_decrease	smallint(3)	1	NO		减少额度
sta_add_price	decimal(6,2)	0.00	NO		增加运费
sta_city_ids	varchar(6000)		NO		区域城市id 分区域全国 价格需要根
sta_city_row	text		NO		区域城市id

sta_city_name	varchar(6000)	[]	NO		区域城市名
store_id	int(10)		NO		所属店铺

shop_store_transport_item 自定义物流模板内容表-只处理区域及运费。

字段名	数据类型	默认值	允许非空	自动递增
-----	------	-----	------	------

字段名	数据类型	默认值	允许非空	自动递增
transport_item_id	int(10) unsigned		NO	是

transport_type_id	mediumint(8) unsigned		NO	
logistics_type	varchar(50)		NO	
transport_item_default_num	smallint(3) unsigned	0	NO	
transport_item_default_price	decimal(6,2)	0.00	NO	
transport_item_add_num	smallint(3)	1	NO	
transport_item_add_price	decimal(6,2)	0.00	NO	
transport_item_city_ids	varchar(6000)		NO	
transport_city_ids	text		NO	
transport_item_city_name	varchar(6000)	[]	NO	

shop_store_transport_offpay_area 到付区域。

字段名	数据类型	默认值	允许非空	自动递增	备注
offpay_area_id	int(10) unsigned		NO	是	编号
store_id	int(10) unsigned	0	NO		店铺编
offpay_area_city_ids	varchar(5000)		NO		区域城

shop_store_transport_type 自定义物流运费及售卖区域类型表

字段名	数据类型	默认值	允许非空
transport_type_id	mediumint(8) unsigned		NO
transport_type_name	varchar(20)		NO
store_id	int(10) unsigned	0	NO
chain_id	int(10) unsigned	0	NO
transport_type_pricing_method	smallint(1) unsigned	1	NO
transport_type_time	timestamp	CURRENT_TIMESTAMP	NO
transport_type_freight_free	decimal(10,2) unsigned	0.00	NO
transport_type_buildin	tinyint(1) unsigned	0	NO
transport_type_free	tinyint(1) unsigned	0	NO

shop_store_waybill_tpl 运单模板

字段名	数据类型	默认值	允许非空	自动递增	备注
waybill_tpl_id	int(10) unsigned		NO	是	-
waybill_tpl_name	varchar(20)		NO		模板名称
	int(10)				

store_id 字段名	int(10) 数据类型	默认值	NO 允许非空	自动递增	所属店铺 备注
express_id	mediumint(8)		NO		物流公司
waybill_tpl_width	int(11)	0	NO		运单宽度, 单位为毫
waybill_tpl_height	int(11)	0	NO		运单高度, 单位为毫

waybill_tpl_top	int(255)	0	NO		运单模板 单位为毫
waybill_tpl_left	int(255)	0	NO		运单模板 单位为毫
waybill_tpl_image	varchar(200)		NO		模板图片- 请上传扫描 图片, 图片尺寸 单实际尺
waybill_tpl_enable	tinyint(1)	1	NO		是否启用
waybill_tpl_buildin	tinyint(1)	1	NO		系统内置

shop_user_base 用户基础信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户编号
user_number	varchar(50)		NO		用户编号
user_account	varchar(50)		NO		用户帐号
user_passwd	char(32)		NO		密码: 使用用户 -此处废

字段名	数据类型	默认值	允许非空	自动递增	备注
user_nickname	varchar(30)		NO		
user_key	char(32)		NO		用户Key
user_delete	tinyint(4)	0	NO		是否被封 (BOOL) 未封禁; 封禁
user_login_times	mediumint(8) unsigned	1	NO		登录次数
user_login_time	timestamp	0000- 00-00 00:00:00	NO		最后登录

shop_user_cart 购物车表-套装为一个商品来处理

字段名	数据类型	默认值	允许非空	自动递增	备注
cart_id	int(10) unsigned		NO	是	编号
user_id	int(10) unsigned	0	NO		买家编号
store_id	int(10) unsigned	0	NO		店铺编号

product_id	bigint(20)	0	NO		产品编号
item_id	bigint(20) unsigned	0	NO		商品编号
cart_quantity	smallint(5) unsigned	1	NO		购买商品数量
cart_type	tinyint(1) unsigned	1	NO		购买类型(ENI 积分兑换; 3- 活动促销
activity_id	int(10)	0	NO		活动Id- 加价购等等加

activity_id 字段名	unsigned 数据类型	0 默认值	NO 允许非空	自动递增	加入购物车 备注
activity_item_id	bigint(20) unsigned	0	NO		加入购物车所
cart_select	tinyint(1)	1	NO		选中状态(BO 已选
cart_ttl	int(10)	0	NO		有效时间戳
cart_time	int(10) unsigned	0	NO		添加时间戳
cart_file	varchar(255)		NO		文件

shop_user_delivery_address 用户地址表

字段名	数据类型	默认值	允许非空	自动递增
ud_id	int(10) unsigned		NO	是
user_id	int(10) unsigned	0	NO	
ud_name	varchar(10)		NO	
ud_intl	varchar(6)	+86	NO	

ud_mobile	varchar(20)		NO	
ud_telephone	varchar(30)		NO	
ud_contacter	varchar(20)		NO	
ud_im	varchar(255)		NO	
ud_province_id	int(10)	0	NO	
ud_province	varchar(10)		NO	

字段名	数据类型	默认值	允许非空	自动递增
ud_city_id	int(10)	0	NO	
ud_city	varchar(10)		NO	
ud_county_id	int(10) unsigned	0	NO	
ud_county	varchar(10)		NO	
ud_address	varchar(50)		NO	
ud_postalcode	varchar(30)		NO	
ud_tag_name	varchar(50)	0	NO	
ud_longitude	varchar(20)		NO	
ud_latitude	varchar(20)		NO	
ud_time	timestamp	CURRENT_TIMESTAMP	NO	
ud_is_default	tinyint(1)	0	NO	

shop_user_exp_history 会员经验日志表

字段名	数据类型	默认值	允许非空	自动递增
exp_log_id	int(10)		NO	是
exp_kind_id	smallint(4) unsigned	1	NO	
exp_type_id	smallint(4) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10)		NO	
exp_log_value	int(10) unsigned	0	NO	
user_exp	int(10) unsigned	0	NO	
exp_log_time	timestamp	CURRENT_TIMESTAMP	NO	
exp_log_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	
exp_log_date	timestamp	0000-00-00 00:00:00	NO	

shop_user_favorites_brand 收藏品牌

字段名	数据类型	默认值	允许非空	自动递增
favorites_brand_id	int(10) unsigned		NO	是

user_id	int(10) unsigned		NO	
brand_id	int(10) unsigned		NO	
favorites_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_favorites_item 收藏的商品-根据SKU

字段名	数据类型	默认值	允许非空	自动递增
favorites_item_id	int(10) unsigned		NO	是

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10) unsigned		NO	
item_id	int(10) unsigned		NO	

favorites_time	timestamp	CURRENT_TIMESTAMP	NO	
----------------	-----------	-------------------	----	--

shop_user_favorites_store 收藏的店铺

字段名	数据类型	默认值	允许非空	自动递增
favorites_store_id	int(10) unsigned		NO	是
user_id	int(10) unsigned		NO	
store_id	int(10) unsigned		NO	
favorites_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_invoice 用户发票管理表

字段名	数据类型	默认值	允许非空
user_invoice_id	int(11)		NO
user_id	int(11) unsigned	0	NO
invoice_title	varchar(50)		NO
invoice_company_code	varchar(100)		NO
invoice_content	varchar(50)		NO

字段名	数据类型	默认值	允许非空
invoice_type	tinyint(1) unsigned		NO
invoice_kind	tinyint(1) unsigned	1	NO
invoice_category	tinyint(1) unsigned	1	NO
invoice_datetime	timestamp	CURRENT_TIMESTAMP	NO

invoice_address	varchar(255)		NO
invoice_phone	varchar(255)		NO
invoice_bankname	varchar(255)		NO
invoice_bankaccount	varchar(255)		NO
invoice_contact_mobile	varchar(255)		NO
invoice_contact_email	varchar(255)		NO
invoice_is_default	tinyint(1)	0	NO

shop_user_message_setting 消息设置表

字段名	数据类型	默认值	允许非空
ums_id	int(10) unsigned		NO
user_id	int(10) unsigned		NO
message template ids	varchar(1024)		NO

字段名	数据类型	默认值	允许非空
ums_time	timestamp	CURRENT_TIMESTAMP	NO

shop_user_meta 用户数据扩展表

字段名	数据类型	默认值	允许非空	自动递增
meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(1024)		NO	
meta_datatype	enum('string','json','number')	string	NO	

shop_user_points_api_history 会员积分日志表

字段名	数据类型	默认值	允许非空	自动递增
id	varchar(100)		NO	
offline_order_id	varchar(100)		NO	
out_order_no	varchar(100)		NO	
order_status	varchar(100)		NO	
money	decimal(8,2)	0.00	NO	
seller_id	varchar(255)		NO	
buyer_id	varchar(255)		NO	
payment_channel	varchar(255)		NO	
subject	varchar(255)		NO	

字段名	数据类型	默认值	允许非空	自动递
processed	tinyint(1) unsigned	0	NO	
points_log_id	int(10)		NO	
payment_way	varchar(255)		NO	
time	timestamp	CURRENT_TIMESTAMP	NO	
total_amount	varchar(255)		NO	
discount_amount	varchar(255)		NO	
pay_time	int(11)		NO	

shop_user_points_history 会员积分日志表

字段名	数据类型	默认值	允许非空	自动递
points_log_id	int(10)		NO	是
points_kind_id	smallint(4) unsigned	1	NO	

points_type_id	smallint(4) unsigned	0	NO	
----------------	-------------------------	---	----	--

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10)		NO	
points_log_points	decimal(16,6)	0.000000	NO	
user_points	decimal(16,6)	0.000000	NO	
points_log_time	timestamp	CURRENT_TIMESTAMP	NO	
points_log_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	
points_log_date	date	0000-00-00	NO	
user_id_other	int(10)	0	NO	
points_log_state	tinyint(1) unsigned	1	NO	

shop_user_privacy 用户信息隐私设置表

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		用户编号
user_privacy_email	tinyint(1)	0	NO		邮箱设置
user_privacy_realname	tinyint(1)	0	NO		真实姓名
user_privacy_sex	tinyint(1)		NO		性别设置
user_privacy_birthday	tinyint(1)	0	NO		生日设置
user_privacy_area	tinyint(1)	0	NO		所在地区
user_privacy_qq	tinyint(1)	0	NO		QQ设置0
user_privacy_wx	tinyint(1)	0	NO		阿甲旺旺

字段名	数据类型	默认值	允许非空	自动递增	备注
user_privacy_mobile	tinyint(1)	0	NO		手机设置

shop_user_product_browse 商品浏览历史表-SPU-不应该直接存数据库

字段名	数据类型	默认值	允许非空	自动
product_browse_id	bigint(20) unsigned		NO	
item_id	int(10)		NO	
user_id	int(10)		NO	
browse_date	date	0000-00-00	NO	
browse_time	timestamp	CURRENT_TIMESTAMP	NO	
category_id	mediumint(8) unsigned	0	NO	
category_id_1	mediumint(8) unsigned	0	NO	
category_id_2	mediumint(8) unsigned	0	NO	
category_id_3	mediumint(8) unsigned	0	NO	

shop_user_product_buy 用户商品购买数量历史表

字段名	数据类型	默认值	允许非空	自动递增
product_buy_id	bigint(20) unsigned		NO	是
product_id	bigint(20) unsigned	0	NO	
item_id	bigint(20) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
user_id	int(10) unsigned	0	NO	
product_buy_num	int(10)	0	NO	
product_buy_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_product_meta 用户产品数据扩展表

字段名	数据类型	默认值	允许非空	自
meta_id	varchar(50)		NO	
data_id	int(10) unsigned	0	NO	
meta_key	varchar(255)		NO	
meta_value	varchar(20000)		NO	
meta_datatype	enum('string','json','number','dot')	string	NO	

shop_user_product_stock 用户商品存货表

字段名	数据类型	默认值	允许非空	自动递增	备注
ps_id	bigint(20) unsigned		NO	是	编号
product_id	bigint(20) unsigned	0	NO		商品
item_id	bigint(20) unsigned	0	NO		SKL
user_id	int(10) unsigned	0	NO		会员
ps_num	int(10)	0	NO		购买
ps_time	timestamp	CURRENT_TIMESTAMP	NO		浏览

shop_user_product_stock_history 用户商品存货记录表

字段名	数据类型	默认值	允许非空	自动递增
upsh_id	int(10)		NO	是
upsh_kind_id	smallint(4) unsigned	1	NO	
upsh_type_id	smallint(4) unsigned	0	NO	
user_id	int(10)		NO	
product_id	bigint(20) unsigned		NO	
item_id	bigint(20) unsigned		NO	
upsh_num	decimal(16,6)	0.000000	NO	
ps_num	decimal(16,6)	0.000000	NO	
upsh_time	timestamp	CURRENT_TIMESTAMP	NO	
upsh_desc	varchar(100)		NO	
store_id	int(10) unsigned	0	NO	

字段名	数据类型	默认值	允许非空	自动递增
upsh_date	date	0000-00-00	NO	
user_id_other	int(10)	0	NO	
upsh_state	tinyint(1) unsigned	1	NO	

shop_user_saas 记录Saas用户所属唯一店铺

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO	是	用户编号
store_ids	varchar(10)		NO		用户可访问店铺 (DOT)

shop_user_search_history 用户搜索历史记录表

字段名	数据类型	默认值	允许非空	自动
search_id	varchar(32)		NO	
search_keyword	varchar(80)		NO	
search_char_index	varchar(80)		NO	
search_nums	int(11) unsigned	0	NO	
user_id	mediumint(8) unsigned	0	NO	
search_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_service_message 用户服务消息表

字段名	数据类型	默认值	允许非空	自动
-----	------	-----	------	----

字段名	数据类型	默认值	允许非空	自动递增
message_id	smallint(10)		NO	
category_id	smallint(4)		NO	

category_content	varchar(50)		NO	
message_area	varchar(50)		NO	
message_full_area	varchar(50)		NO	
message_address	varchar(100)		NO	
message_image_other	varchar(800)		NO	
user_id	int(11) unsigned	0	NO	
message_keywords	varchar(50)		NO	
message_username	varchar(100)		NO	
message_mobile	varchar(20)	0	NO	
stick_status	tinyint(1)	0	NO	
stick_time	timestamp	0000-00-00 00:00:00	NO	
created_at	timestamp	0000-00-00 00:00:00	NO	
updated_at	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_service_message_type 用户服务消息分类表

字段名	数据类型	默认值	允许非空	自动递增
category_id	smallint(10)		NO	是

category_name 字段名	varchar(50) 数据类型	默认值	NO 允许非空	自动递增
created_at	timestamp	0000-00-00 00:00:00	NO	
updated_at	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_sign 用户签到表

字段名	数据类型	默认值	允许非空	自动递增	备注
sign_id	int(10)		NO	是	签到编号
user_id	int(10)		NO		用户编号
sign_time	timestamp	0000-00-00 00:00:00	NO		签到时间
sign_day	int(10)		NO		签到天数

shop_user_tag 用户兴趣标签表

字段名	数据类型	默认值	允许非空	自动递增
user_tag_id	int(10)		NO	是

tag_id	int(10)		NO	
user_id	int(10)		NO	
user_tag_time	timestamp	CURRENT_TIMESTAMP	NO	

shop_user_voucher 用户代金券表

字段名	数据类型	默认值	允许非空
user_voucher_id	int(11)		NO
activity_id	int(10) unsigned		NO

字段名	数据类型	默认值	允许非空
voucher_state_id	smallint(4) unsigned	1501	NO
user_voucher_time	timestamp	CURRENT_TIMESTAMP	NO
user_id	int(11) unsigned	0	NO

order_id	varchar(50)		NO
user_voucher_activetime	timestamp	0000-00-00 00:00:00	NO
voucher_price	decimal(10,2)		NO
voucher_subtotal	decimal(10,2)		NO
voucher_end_date	timestamp	0000-00-00 00:00:00	NO
store_id	int(11)	0	NO
item_id	int(10)		NO
voucher_type	mediumint(2)	0	NO

shop_user_wechat 微信公众号绑定表

字段名	数据类型	默认值	允许非空	自动递增	备注
wechat_openid	varchar(255)		NO		成长值
wechat_unionid	varchar(255)		NO		-
wechat_app_id	varchar(255)		NO		App 编号

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		-

shop_wechat_access_token 微信access_token中控服务器表-目前直接在cache中Zero_Api_Wechat

字段名	数据类型	默认值	允许非空	自动递增	备注
wechat_app_id	varchar(255)		NO		App ID
wechat_access_token	varchar(1024)		NO		access_token 统一标识 如果过期 重新获取
wechat_expires_in	int(10) unsigned	0	NO		expires_in
wechat_ttl	int(10) unsigned	0	NO		有效期 expires_in

shop_wechat_keyword 微信魔法关键字表

字段名	数据类型	默认值	允许非空	自动递增	备注
wk_id	mediumint(8) unsigned		NO	是	触发关键字编号
wk_parent_id	mediumint(8) unsigned	0	NO		关键字P编号
wk_name	varchar(20)		NO		触发关键字
wk_type_id	smallint(4) unsigned	1	NO		触发类型 (LIST):1- 纯文本; 2-图文;
wk_url	varchar(255)		NO		链接
wk_desc	varchar(255)		NO		关键词描述

wk_title 字段名	varchar(50) 数据类型	默认值	NO 允许非空	自动递增	标题[图文有效] 备注
wk_image	varchar(255)		NO		封面[图文有效]
wk_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL):0- 禁用;1-启用
wk_is_buildin	tinyint(1) unsigned	0	NO		系统内置 (BOOL):0- 否;1-是
wk_remark	varchar(255)		NO		备注
store_id	int(8) unsigned	0	NO		商城编号
wk_sort	tinyint(4)	50	NO		排序

shop_wechat_menu 微信菜单表

字段名	数据类型	默认值	允许非空	自动递增	备注
wm_id	mediumint(8) unsigned		NO	是	菜单编号
wm_parent_id	mediumint(8) unsigned	0	NO		上级菜单
wm_name	varchar(20)		NO		菜单名称

字段名	数据类型	默认值	允许非空	自动递增	备注
wm_type_id	smallint(4) unsigned	1	NO		动作类型 (ENUM):1- 链接;2- 模拟关键字; 3-扫码;4- 扫码 [等待信息]; 5- 系统拍照发 图;6- 拍照或者相 册发图;7- 微信相册发 图;8- 地理位置
wm_target	varchar(255)		NO		动作操作
wm_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL):0- 禁用;1-启用
store_id	int(8)	0	NO		商城编号
wm_sort	tinyint(3) unsigned	50	NO		排序
wm_is_buildin	tinyint(1) unsigned	0	NO		系统内置 (BOOL):0- 否;1-是

shop_wechat_tplmsg 消息模板表

字段名	数据类型	默认值	允许非空	自动递增	备注
tplmsg_id	mediumint(8) unsigned		NO	是	模版编号
tplmsg_title	varchar(100)		NO		模版标题
tplmsg_type_id	smallint(4)	1	NO		模版类型 (LIST):1- 订单提醒...

tplmsg_type_id 字段名	unsigned 数据类型	1 默认值	NO 允许非空	自动递增	订单提醒;1- 备注提醒;3- 发货提醒
tplmsg_name	varchar(100)		NO		微信消息模
tplmsg_number	varchar(255)		NO		模版库编号
tplmsg_tpl_id	varchar(255)		NO		模版库编号
tplmsg_enable	tinyint(1) unsigned	1	NO		是否启用 (BOOL):0- 禁用;1-启用

tplmsg_is_buildin	tinyint(1) unsigned	0	NO		系统内置 (BOOL):0- 是
tplmsg_remark	varchar(255)		NO		备注
tplmsg_sort	tinyint(4)	50	NO		排序
store_id	int(8) unsigned	0	NO		商城编号
message_id	varchar(100)		NO		消息模板id 关联消息模

sns_base_filter_keyword 敏感词过滤-启用api

字段名	数据类型	默认值	允许非空	自动递增
filter_id	int(10) unsigned		NO	是
filter_find	varchar(50)		NO	
filter_replace	varchar(50)		NO	
filter_type	tinyint(1)	1	NO	

字段名	数据类型	默认值	允许非空	自动递增
filter_time	timestamp	CURRENT_TIMESTAMP	NO	
filter_buildin	tinyint(1) unsigned	0	NO	
user_id	int(10) unsigned	0	NO	
filter_enable	tinyint(1) unsigned	1	NO	

sns_story_base 动态信息表

字段名	数据类型	默认值	允许非空	自动递增	备注
story_id	int(10) unsigned		NO	是	编号
user_id	int(11) unsigned		NO		会员

story_index	varchar(255)		NO		搜索 检索
story_title	varchar(100)		NO		标题
story_content	text		NO		内容
story_file	varchar(1024)		NO		图片
story_video	varchar(255)		NO		视频
story_type	tinyint(1) unsigned	1	NO		类型 (ENI 文字 3-音

字段名	数据类型	默认值	允许非空	自动递增	注释
story_src_id	int(10) unsigned	0	NO		转发
story_time	int(11) unsigned		NO		添加
story_status	tinyint(1) unsigned	0	NO		状态 (ENI 草稿)
story_enable	tinyint(1) unsigned	1	NO		是否 (BOI 删除)
story_privacy	tinyint(1) unsigned	0	NO		隐私 (ENI 所有 1-好 2-仅
story_comment_count	int(11) unsigned	0	NO		评论
story_forward_count	int(11) unsigned	0	NO		转发

story_like_count	int(11) unsigned	0	NO		点赞
story_collection_count	int(11) unsigned	0	NO		帖子
story_forward	tinyint(1) unsigned	1	NO		是否 (BOI 不可 可以
story_is_top	tinyint(1) unsigned	0	NO		置顶 (BOI 正常

字段名	数据类型	默认值	允许非空	自动递增	备注
story_brower_count	int(11)		NO		浏览
item_id	varchar(100)		NO		商品 (DO
story_category_id	smallint(4)	0	NO		分类
story_tags	varchar(255)		NO		标签
story_source	smallint(4)	1001	NO		数据 (ENI 100 100 商品 100 商品
product_id	bigint(20)	0	NO		商品

sns_story_category 版块

字段名	数据类型	默认值	允许非空	自动递增	备注
story_category_id	smallint(4)		NO	是	版:

story_category_name	varchar(50)		NO		版:
story_category_parent_id	int(6)	0	NO		所:
story_category_logo	varchar(255)		NO		版:
story_category_bg	varchar(255)		NO		版:
story_category_keywords	varchar(100)		NO		版:
story_category_desc	varchar(255)		NO		版:
story_category_count	smallint(4)		NO		版:
story_category_template	varchar(255)		NO		版:
story_category_alias	varchar(50)		NO		版:

字段名	数据类型	默认值	允许非空	自动递增	备注
story_category_order	tinyint(255) unsigned	50	NO		
story_category_buildin	tinyint(1)	0	NO		系统内非内

sns_story_collection 收藏表

字段名	数据类型	默认值	允许非空	自动递增	备注
collection_id	int(11)		NO	是	编号
story_id	int(11)		NO		动态信息编号
user_id	int(11)		NO		会员编号
collection_time	int(11)		NO		收藏时间

sns_story_comment 评论表

字段名	数据类型	默认值	允许非空	自动
comment_id	int(11)		NO	是
user_id	int(11)		NO	
story_id	int(11)		NO	
comment_content	varchar(255)		NO	
comment_state	tinyint(1)	0	NO	
to_user_id	int(11)		NO	
comment_like_count	int(10)	0	NO	
comment_time	timestamp	CURRENT_TIMESTAMP	NO	
comment_is_show	tinyint(1)	0	NO	

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

sns_story_comment_helpful 评价有用投票表

字段名	数据类型	默认值	允许非空	自动递增	备注
comment_helpful_id	bigint(20)		NO	是	编号
comment_id	int(20) unsigned		NO		评论编号
user_id	int(10) unsigned	0	NO		点击用户
story_id	int(11)		NO		文章编号
comment_helpful_time	int(11)		NO		评价时间

sns_story_comment_reply 问答回复表

字段名	数据类型	默认值	允许非空	自动递增
comment_reply_id	int(11) unsigned		NO	是

comment_id	int(11)	0	NO	
comment_reply_parent_id	int(11)	0	NO	
story_id	int(11) unsigned		NO	
user_id	int(10) unsigned	0	NO	
user_nickname	varchar(50)		NO	
user_id_to	int(10)		NO	
comment_reply_content	varchar(255)		NO	
comment_reply_time	int(11)		NO	

字段名	数据类型	默认值	允许非空	自动递增
comment_reply_show_flag	tinyint(1)	1	NO	
comment_reply_islook	tinyint(1) unsigned	0	NO	
comment_reply_helpful_num	int(11) unsigned	0	NO	

sns_story_comment_reply_helpful 评价有用投票表

字段名	数据类型	默认值	允许非空	自动递增	备
comment_reply_helpful_id	bigint(20)		NO	是	编
comment_reply_id	bigint(11) unsigned		NO		评
user_id	bigint(10) unsigned	0	NO		点
story_id	int(11)		NO		文
comment_reply_helpful_time	int(11)		NO		评

sns_story_forward 转播表

字段名	数据类型	默认值	允许非空	自动递增	备注
forward_id	int(11)		NO	是	编号
user_id	int(11)		NO		被转发帖子编号
story_new_id	int(11)		NO		转发后的新帖编号
story_id	int(11)		NO		原始帖子编号
forward_time	int(11)		NO		添加时间

sns_story_like 点赞表

字段名	数据类型	默认值	允许非空	自动递增	备注
like_id	int(11)		NO	是	编号
story_id	int(11)		NO		动态信息编号
user_id	int(11)		NO		会员编号
like_time	int(11)		NO		收藏时间

sns_story_timeline 用户消息时间轴表

字段名	数据类型	默认值	允许非空	自动递增	备注
timeline_id	bigint(20)		NO	是	编号
user_id	int(11) unsigned		NO		用户编号
story_id	int(10) unsigned	0	NO		story或者product
timeline_time	int(11)	0	NO		活动时间
timeline_type	tinyint(1) unsigned	1	NO		类型:1-story;2-商

sns_user_block 用户黑名单表

字段名	数据类型	默认值	允许非空	自动递增
user_block_id	int(11) unsigned		NO	是
user_id	int(10) unsigned		NO	
black_id	int(11) unsigned	0	NO	
user_block_time	timestamp	CURRENT_TIMESTAMP	NO	

sns_user_friend 用户好友关系表

字段名	数据类型	默认值	允许非空	自动
user_friend_id	int(11) unsigned		NO	是
user_id	int(10) unsigned		NO	
friend_id	int(11) unsigned	0	NO	
friend_note	varchar(50)		NO	
user_friend_addtime	timestamp	CURRENT_TIMESTAMP	NO	
friend_state	tinyint(1)	1	NO	
friend_invite	tinyint(1) unsigned	0	NO	

sns_user_group 好友管理组

字段名	数据类型	默认值	允许非空	自动递增	备注
group_id	int(10)		NO	是	好友组编号
group_name	varchar(30)		NO		组名称
group_type	tinyint(1)	0	NO		群组类型 (ENUM):0- 临时组上限100 人; 1- 普通组上限300 人; 2-VIP组 上限500人

字段名	数据类型	默认值	允许非空	自动递增	备注
user_id	int(10) unsigned		NO		管理员
group_num	int(10) unsigned	0	NO		数量

sns_user_group_rel 好友组关系

字段名	数据类型	默认值	允许非空	自动递增	备注
group_rel_id	int(10)		NO	是	好友组编号
group_id	int(10)	0	NO		组名称
user_id	int(10) unsigned	0	NO		用户

sns_user_message 短消息-聊天记录

字段名	数据类型	默认值	允许非空	自动递增	备注
-----	------	-----	------	------	----

message_id	int(11) unsigned		NO	是	短消息
message_parent_id	int(11) unsigned	0	NO		回复短消息
user_id	int(10) unsigned	1	NO		消息所属发送者，如果为0则为接收者。
user_nickname	varchar(50)		NO		接收者昵称
user_other_id	int(10) unsigned	0	NO		短消息所属接收者

字段名	数据类型	默认值	允许非空	自动递增	备注
other_nickname	varchar(50)		NO		短消息备注
message_title	varchar(50)		NO		消息标题
message_content	varchar(1024)		NO		短消息内容
message_time	int(11) unsigned	0	NO		短消息时间
message_is_read	tinyint(1) unsigned	0	NO		是否该消息未读;
message_is_delete	tinyint(1) unsigned	0	NO		短消息是否正常
message_type	tinyint(1)	2	NO		消息多系统消息 私信
message_kind	tinyint(1) unsigned	1	NO		消息和发送消息

message_cat	varchar(10)	text	NO		消息多文本消息 图片消息 视频消息 文件;
message_data_type	tinyint(1)	1	NO		消息多订单消息
message_data_id	varchar(50)		NO		消息多数据
message_length	varchar(10)	0	NO		消息多长度
message_w	int(10)	0	NO		图片多宽度
message_h	int(10)	0	NO		图片多高度

item_id 字段名	int(10) 数据类型	0 默认值	NO 允许非空	自动递增	商品约 备注
----------------	-----------------	----------	------------	------	-----------

sns_user_message_analytics 短消息-聊天记录统计表

字段名	数据类型	默认值	允许非空
user_message_analytics_id	int(11) unsigned		NO
user_id	int(10) unsigned	1	NO
user_other_id	int(10) unsigned	0	NO
message_content	varchar(255)		NO
message_time	timestamp	CURRENT_TIMESTAMP	NO
message_new_num	tinyint(1) unsigned	0	NO

sns_user_zone 群组

字段名	数据类型	默认值	允许非空	自动递增	备注
zone_id	int(10)		NO	是	好友组编号
zone_name	varchar(30)		NO		群组名称
zone_type	tinyint(1)	0	NO		群组类型 (ENUM):0- 临时组上限10 人; 1- 普通组上限30 人; 2-VIP组 上限500人
					申请加入模式

字段名	数据类型	默认值	允许非空	自动递增	(ENUM): 0- 备注 默认直接加入;
zone_permission	tinyint(4)	0	NO		1- 需要身份验证; 2-私有群组
zone_declared	varchar(50)		NO		群组公告
user_id	int(10) unsigned	0	NO		管理员
zone_bind_id	varchar(32)		NO		第三方群组编
zone_user_num	int(10) unsigned	2	NO		人数

sns_user_zone_message 群组消息-聊天记录

字段名	数据类型	默认值	允许非空
zone_message_id	int(11) unsigned		NO
user_id	int(10) unsigned	1	NO
zone_id	int(10) unsigned	0	NO

zone_message_content	varchar(255)		NO
zone_message_time	timestamp	CURRENT_TIMESTAMP	NO
zone_message_is_delete	tinyint(1) unsigned	0	NO
zone_message_type	tinyint(1)	2	NO

字段名	数据类型	默认值	允许非空
-----	------	-----	------

sns_user_zone_rel 群组用户关系表

字段名	数据类型	默认值	允许非空	自动递增	备注
zone_rel_id	int(11) unsigned		NO	是	关系编号
zone_id	int(10)		NO		群组编号
user_id	int(10) unsigned		NO		用户
zone_rel_permission	tinyint(3) unsigned	0	NO		申请加入模式 (ENUM): 0- 加入; 1- 待验证;